

2026

# Prescription Drug Guide

## Humana Medicare Employer Plan Formulary

List of covered drugs or "Drug List"

PLEASE READ: THIS DOCUMENT CONTAINS INFORMATION  
ABOUT THE DRUGS WE COVER IN THIS PLAN.

38

Formulary 26800

This formulary was updated on 02/02/2026. For more recent information or other questions, please contact the Humana Medicare Employer Plan Customer Care Team with any questions at the number on the back of your membership card, or for TTY users, 711, Monday through Friday, from 8 a.m. - 9 p.m., Eastern time. Our automated phone system is available after hours, weekends, and holidays. Our website is also available 24 hours a day, 7 days a week, by visiting **Humana.com**.

# Humana®



# Welcome to The Humana Medicare Employer Plan!

**Note to existing members:** This Formulary has changed since last year. Please review this document to make sure that it still contains the drugs you take. When this Drug List (Formulary) refers to “we,” “us”, or “our,” it means Humana. When it refers to “plan” or “our plan”, it means the Humana Medicare Employer Plan. This document includes a Drug List (formulary) for our plan which is current as of February 2026. For an updated Drug List (formulary), please contact us. Our contact information, along with the date we last updated the Drug List (formulary), appears on the front and back cover pages.

You must generally use network pharmacies to use your prescription drug benefit. Benefits, formulary, pharmacy network, and/or copayments/coinsurance may change on January 1 of each year, and from time to time during the year.

## What is the Humana Medicare Employer formulary?

In this document, we use the terms Drug List and formulary to mean the same thing. A formulary is the entire list of covered drugs or medicines selected by the Humana Medicare Employer Plan. The terms formulary and Drug List may be used interchangeably throughout communications regarding changes to your pharmacy benefits. The Humana Medicare Employer Plan worked with a team of doctors and pharmacists to make a formulary that represents the prescription drugs we think you need for a quality treatment program. The Humana Medicare Employer Plan will generally cover the drugs listed in the formulary as long as the drug is medically necessary, the prescription is filled at a Humana Medicare Employer Plan network pharmacy, and other plan rules are followed. For more information on how to fill your medicines, please review your Evidence of Coverage.

If you are thinking about enrolling in a Humana Medicare Employer Plan and need help or information, call the Group Medicare Customer Care number listed in your enrollment materials. If you are a current member, call the number listed in your Annual Notice of Change (ANOC) or Evidence of Coverage (EOC), or call the number on the back of your Humana member identification card Monday through Friday from 8 a.m. - 9 p.m., Eastern time. Our automated phone system is available after hours, weekends, and holidays.

## Can the formulary change?

Most changes in drug coverage happen on January 1, but we may add or remove drugs on the formulary during the year, move them to different cost sharing tiers, or add new restrictions. We must follow Medicare rules in making these changes. Updates to the formulary are posted monthly to our website here:

**[Humana.com/medicaredruglist](https://www.humana.com/medicaredruglist).**

**Changes that can affect you this year:** In the below cases, you will be affected by coverage changes during the year:

- **Immediate substitutions of certain new versions of brand name drugs and original biological products.** We may immediately remove a drug on our formulary if we are replacing it with a certain new version of that drug that will appear on the same or lower cost-sharing tier and with the same or fewer restrictions. When we add a new version of a drug to our formulary, we may decide to keep the brand name drug or biological product on our formulary, but immediately move it to a different cost-sharing tier or add new restrictions.

We can make these immediate changes only if we are adding a new generic version of a brand name drug, or adding certain new biosimilar versions of an original biological product, that was already on the formulary (for example, adding an interchangeable biosimilar that can be substituted for an original biological product by a pharmacy without a new prescription).

If you are currently taking the brand name drug or biological product, we may not tell you in advance before we make an immediate change, but we will later provide you with information about the specific change(s) we have made.

If we make such a change, you or your prescriber can ask us to make an exception and continue to cover for you

the drug that is being changed. For more information, see the section below titled “How do I request an exception to the Humana Formulary?”

Some of these drug types may be new to you. For more information, see the section below titled “What are original biological products and how are they related to biosimilars?”

- **Drugs removed from the market.** If a drug is withdrawn from sale by the manufacturer or the Food and Drug Administration (FDA) determines to be withdrawn for safety or effectiveness reasons, we may immediately remove the drug from our formulary and later provide notice to members who take the drug.
- **Other changes.** We may make other changes that affect members currently taking a drug. For instance, we may remove a brand name drug from the formulary when adding a generic equivalent or remove an original biological product when adding a biosimilar. We may also apply new restrictions to the brand name drug or original biological product, or move it to a different cost-sharing tier, or both. We may make changes based on new clinical guidelines. If we remove drugs from our formulary, or add prior authorization, quantity limits and/or step therapy restrictions on a drug, or move a drug to a higher cost-sharing tier, we must notify affected members of the change at least 30 days before the change becomes effective. Alternatively, when a member requests a refill of the drug, they may receive a 30-day supply of the drug and a notice of the change.

We will notify members who are affected by the following changes to the formulary:

- When a drug is removed from the formulary.
- When prior authorization, quantity limits, or step-therapy restrictions are added to a drug or made more restrictive.
- When a drug is moved to a higher cost sharing tier.

If we make these other changes, you or your prescriber can ask us to make an exception and continue to cover the drug you have been taking. The notice we provide you will also include information on how to request an exception, and you can also find information in the section below titled “How do I request an exception to the Humana Formulary?”

**Changes that will not affect you if you are currently taking the drug.** Generally, if you are taking a drug on our formulary that was covered at the beginning of the year, we will not discontinue or reduce coverage of the drug during the coverage year except as described above. This means these drugs will remain available at the same cost sharing and with no new restrictions for those members taking them for the remainder of the coverage year. You will not get direct notice this year about changes that do not affect you. However, on January 1 of the next year, such changes would affect you, and it is important to check the formulary for the new benefit year for any changes to drugs.

### **What if you are affected by a Drug List change?**

We will notify you by mail at least 30 days before one of these changes happen or we will provide a 30-day refill of the affected medicine with notice of the change.

The enclosed formulary is current as of February 2026. To get updated information about the drugs covered by Humana please contact us. Our contact information appears on the front and back cover pages.

## How do I use the Formulary?

There are two ways to find your drug in the formulary:

### Medical condition

The formulary starts on page 11. We have put the drugs into groups depending on the type of medical conditions that they are used to treat. For example, drugs that treat a heart condition are listed under the category "Cardiovascular Agents." If you know what medical condition your drug is used for, look for the category name in the list that begins on page 11. Then look under the category name for your drug. The formulary also lists the Tier and Utilization Management Requirements for each drug (see page 6 for more information on Utilization Management Requirements).

### Alphabetical listing

If you are not sure what category to look under, you should look for your drug in the Index that begins on page 187. The Index provides an alphabetical list of all of the drugs included in this document. Both brand name drugs and generic drugs are listed in the Index. Look in the Index and find your drug. Next to each drug, you will see the page number where you can find coverage information. Turn to the page listed in the Index and find the name of the drug in the first column of the list.

### **What are generic drugs?**

Humana covers both brand name drugs and generic drugs. A generic drug is approved by the FDA as having the same active ingredient as the brand name drug. Generally, generic drugs work just as well as and usually cost less than brand name drugs. There are generic drug substitutes available for many brand name drugs. Generic drugs usually can be substituted for the brand name drug at the pharmacy without needing a new prescription, depending on state laws.

### **What are original biological products and how are they related to biosimilars?**

On the formulary, when we refer to drugs, this could mean a drug or a biological product. Biological products are drugs that are more complex than typical drugs. Since biological products are more complex than typical drugs, instead of having a generic form, they have alternatives that are called biosimilars. Generally, biosimilars work just as well as the original biological product and may cost less. There are biosimilar alternatives for some original biological products. Some biosimilars are interchangeable biosimilars and, depending on state laws, may be substituted for the original biological product at the pharmacy without needing a new prescription, just like generic drugs can be substituted for brand name drugs.

- For discussion of drug types, please see the Evidence of Coverage, Chapter 5, Section 3.1, "The 'Drug List' tells which Part D drugs are covered" if you have a Medicare Advantage plan. If you have a Prescription Drug Plan (PDP), please see the Evidence of Coverage, Chapter 3, Section 3.1, "The 'Drug List' tells which Part D drugs are covered". The type of plan can be found at the top of your Evidence of Coverage.

Prescription drugs are grouped into one of four tiers.

The Humana Medicare Employer Plan covers both brand-name drugs and generic drugs. A generic drug is approved by the FDA as having the same active ingredient as the brand-name drug. Generally, generic drugs cost less than brand-name drugs.

- **Tier 1 - Generic or Preferred Generic:** Generic or brand drugs that are available at the lowest cost share for the plan
- **Tier 2 - Preferred Brand:** Generic or brand drugs that the plan offers at a higher cost to you than Tier 1 Generic or Preferred Generic, and at a lower cost to you than Tier 3 Non-Preferred Drug
- **Tier 3 - Non-Preferred Drug:** Generic or brand drugs that the plan offers at a higher cost to you than Tier 2 Preferred Brand drug
- **Tier 4 - Specialty Tier:** Some injectables and other high-cost drugs

## How much will I pay for covered drugs?

The Humana Medicare Employer Plan pays part of the costs for your covered drugs and you pay part of the costs, too.

### The amount of money you pay depends on:

- Which tier your drug is on
- Whether you fill your prescription at a network pharmacy
- Your current drug payment stage - please read your Evidence of Coverage (EOC) for more information

**If you qualified for extra help with your drug costs, your costs may be different from those described above. Please refer to your Evidence of Coverage (EOC) or call Group Medicare Customer Care to find out what your costs are.**

### Are there any restrictions on my coverage?

Some covered drugs may have additional requirements or limits on coverage. These requirements and limits may include:

- **Prior Authorization (PA):** The Humana Medicare Employer Plan requires you to get prior authorization for certain drugs. This means that you will need to get approval from the Humana Medicare Employer Plan before you fill your prescriptions. If you do not get approval, the Humana Medicare Employer Plan may not cover the drug.
- **Quantity Limits (QL):** For certain drugs, the Humana Medicare Employer Plan limits the amount of the drug that is covered. The Humana Medicare Employer Plan might limit how many refills you can get or how much of a drug you can get each time you fill your prescription. For example, if it is normally considered safe to take only one pill per day for a certain drug, we may limit coverage for your prescription to no more than one pill per day. Some drugs are limited to a 30-day supply regardless of tier placement.
- **Step Therapy (ST):** In some cases, the Humana Medicare Employer Plan requires that you first try certain drugs to treat your medical condition before we will cover another drug for that condition. For example, if Drug A and Drug B both treat your medical condition, the Humana Medicare Employer Plan may not cover Drug B unless you try Drug A first. If Drug A does not work for you, the Humana Medicare Employer Plan will then cover Drug B.
- **Part B versus Part D (BvsD):** Some drugs may be covered under Medicare Part B or Part D, depending upon the circumstances. Information may need to be submitted to the Humana Medicare Employer Plan that describes the use and the place where you receive and take the drug so a determination can be made.

For drugs that need prior authorization or step therapy, or drugs that fall outside of quantity limits, your health care provider can fax information about your condition and need for those drugs to the Humana Medicare Employer Plan at **1-877-486-2621**. Representatives are available Monday - Friday, 8 a.m. - 8 p.m. (EST).

You can find out if your drug has any additional requirements or limits by looking in the formulary that begins on page 11.

You can also get more information about the restrictions applied to specific covered drugs by visiting **[Humana.com/medicaredruglist](https://www.humana.com/medicaredruglist)**. We have posted online documents that explain our prior authorization and step therapy restrictions. You may also ask us to send you a copy. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

You can ask the Humana Medicare Employer Plan to make an exception to these restrictions, limits or for a list of other, similar drugs that may treat your health condition. See the section "**How do I request an exception to the Humana Formulary?**" on page 7 for information about how to request an exception.

## What if my drug is not on the Formulary?

If your drug is not included in this formulary (list of covered drugs), you should first contact Humana Medicare Employer Plan Customer Care and ask if your drug is covered. For more information, please contact us. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

If you learn that Humana Medicare Employer Plan does not cover your drug, you have two options:

- You can ask Group Medicare Customer Care for a list of similar drugs that are covered by Humana Medicare Employer Plan. When you receive the list, show it to your doctor and ask them to prescribe a similar drug that is covered by the Humana Medicare Employer Plan.
- You can ask the Humana Medicare Employer Plan to make an exception and cover your drug. See below for information about how to request an exception.

## How do I request an exception to the Humana Formulary?

You can ask the Humana Medicare Employer Plan to make an exception to the coverage rules. There are several types of exceptions that you can ask us to make.

- **Formulary exception:** You can ask us to cover a drug even if it is not on our formulary. If approved, this drug will be covered at a pre-determined cost-sharing level, and you would not be able to ask us to provide the drug at a lower cost-sharing level.
- **Utilization restriction exception:** You can ask us to waive a coverage restriction including prior authorization, step therapy, or a quantity limit on your drug. For example, for certain drugs, Humana Group Medicare Plan limits the amount of the drug that we will cover. If your drug has a quantity limit, you can ask us to waive the limit and cover a greater amount.
- **Tier exception:** You can ask us to cover a formulary drug at lower cost-sharing level unless the drug is on the specialty tier. If approved, this would lower the amount you must pay for your drug.

Generally, the Humana Medicare Employer Plan will only approve your request for an exception if the alternative drugs included on the plan's formulary, the lower cost sharing drug, or applying the restriction would not be as effective for you and/or would cause you to have adverse effects.

You or your prescriber should contact us to ask for a tiering or formulary exception, including an exception to a coverage restriction. **When you request an exception, your prescriber will need to explain the medical reasons why you need the exception.** Generally, we must make our decision within 72 hours of getting your prescriber's supporting statement. You can ask for an expedited (fast) decision if you believe, and we agree, that your health could be seriously harmed by waiting up to 72 hours for a decision. If we agree, or if your prescriber asks for a fast decision, we must give you a decision no later than 24 hours after we get your prescriber's supporting statement.

## What can I do if my drug is not on the formulary or has a restriction?

As a new or continuing member in our plan you may be taking drugs that are not on our formulary. Or, you may be taking a drug that is on our formulary but has a coverage restriction, such as prior authorization. You should talk to your prescriber about requesting a coverage decision to show that you meet the criteria for approval, switching to an alternative drug that we cover, or requesting a formulary exception so that we will cover the drug you take. While you and your doctor determine the right course of action for you, we may cover your drug in certain cases during the first 90 days you are a member of our plan.

For each of your drugs that is not on our formulary or has a coverage restriction, we will cover a temporary 30-day supply. If your prescription is written for fewer days, we'll allow refills to provide up to a maximum 30 day supply of medication. If coverage is not approved, after your first 30-day supply, we will not pay for these drugs, even if you have been a member of the plan less than 90 days.

If you are a resident of a long-term care facility and you need a drug that is not on our formulary or if your ability to get your drugs is limited, but you are past the first 90 days of membership in our plan, we will cover a 31-day emergency supply of that drug unless you have a prescription written for fewer days. (in which case we will allow multiple fills to provide up to a total of 31 days of a drug) while you pursue a formulary exception.

Throughout the plan year, your treatment setting (the place where you receive and take your medicine) may change. These changes include:

- Members who are discharged from a hospital or skilled-nursing facility to a home setting
- Members who are admitted to a hospital or skilled-nursing facility from a home setting
- Members who transfer from one skilled-nursing facility to another and use a different pharmacy
- Members who end their skilled-nursing facility Medicare Part A stay (where payments include all pharmacy charges) and who now need to use their Part D plan benefit
- Members who give up Hospice Status and go back to standard Medicare Part A and B coverage
- Members discharged from chronic psychiatric hospitals with highly individualized drug regimens

For these changes in treatment settings, the Humana Medicare Employer Plan will cover as much as a 31-day temporary supply of a Part D-covered drug when you fill your prescription at a pharmacy. If you change treatment settings multiple times within the same month, you may have to request an exception or prior authorization and receive approval for continued coverage of your drug. The Humana Medicare Employer Plan will review requests for continuation of therapy on a case-by-case basis understanding when you are on a stabilized drug regimen that, if changed, is known to have risks.

### **Transition extension**

The Humana Medicare Employer Plan will consider on a case-by-case basis an extension of the transition period if your exception request or appeal has not been processed by the end of your initial transition period. We will continue to provide necessary drugs to you if your transition period is extended.

A Transition Policy is available on Humana's Medicare website, **Humana.com**, in the same area where the Prescription Drug Guides are displayed.

### **CenterWell Pharmacy™**

You may fill your medicines at any network pharmacy. CenterWell Pharmacy – Humana's mail-delivery pharmacy is one option. To get started or learn more, visit **CenterWellPharmacy.com**. You can also call CenterWell Pharmacy at **1-844-222-2151 (TTY: 711)** Monday – Friday, 8 a.m. to 11 p.m. (EST), and Saturday, 8 a.m. to 6:30 p.m. (EST).

Other pharmacies are available in our network.

## For More Information

For more detailed information about your Humana Medicare Employer Plan prescription drug coverage, please review your Evidence of Coverage and other plan materials.

If you have questions about Humana Group Medicare Plan, please contact us. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

If you have general questions about Medicare prescription drug coverage, please call Medicare at **1-800-MEDICARE (1-800-633-4227)** 24 hours a day, seven days a week. **TTY** users should call **1-877-486-2048**. You can also visit **[www.medicare.gov](http://www.medicare.gov)**.

# Humana Medicare Employer Plan Formulary

The formulary that begins on the next page provides coverage information about the drugs covered by the Humana Medicare Employer Plan. If you have trouble finding your drug in the list, turn to the Index that begins on page 187.

Your plan has additional coverage of some drugs. These drugs are not normally covered under Medicare Part D and are not subject to the Medicare appeals process. These drugs are listed separately on page 184.

## How to read your formulary

The first column of the chart lists categories of medical conditions in alphabetical order. The drug names are then listed in alphabetical order within each category. Brand-name drugs are CAPITALIZED and generic drugs are listed in lower-case italics. Next to the drug name or Utilization Management column, you may see an indicator to tell you about additional coverage information for that drug. You might see the following indicators:

**DL** - Dispensing Limit; Drugs that may be limited to a 30 day supply, regardless of tier placement.

**MO** - Drugs that are typically available through mail-order. Please contact your mail-order pharmacy to make sure your drug is available.

**LA** - Limited Access; The health plan has authorized certain pharmacies to dispense this medicine, as it requires extra handling, doctor coordination or patient education. Please call the number on the back of your ID card for additional information.

**CI** - Covered insulin products; Part D insulin products covered by your plan. For more information on cost sharing for your covered insulin products, please refer to your Evidence of Coverage.

**AV** - Advisory Committee on Immunization Practices (ACIP) Covered Part D vaccines; Part D vaccines recommended by ACIP for adults that may be available at no cost to you; additional restrictions may apply. For more information, please refer to your Evidence of Coverage.

**PDS** - Preferred Diabetic Supplies; BD and HTL-Droplet are the preferred diabetic syringe and pen needle brands for the plan.

The second column lists the tier of the drug. See page 5 for more details on the drug tiers in your plan.

The third column shows the Utilization Management Requirements for the drug. The Humana Medicare Employer Plan may have special requirements for covering that drug. If the column is blank, then there are no utilization requirements for that drug. The supply for each drug is based on benefits and whether your health care provider prescribes a supply for 30, 60, or 90 days. The amount of any quantity limits will also be in this column (Example: "QL - 30 for 30 days" means you can only get 30 doses every 30 days). See page 6 for more information about these requirements.

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<b>ANALGESICS</b>		
acetaminophen-caff-dihydrocod 320.5-30-16 mg CAPSULE <b>DL</b>	1	QL(300 per 30 days)
acetaminophen-codeine 120 mg-12 mg /5 ml (5 ml), 120-12 mg/5 ml, 300 mg-30 mg /12.5 ml SOLUTION <b>DL</b>	1	QL(2700 per 30 days)
acetaminophen-codeine 300-15 mg TABLET <b>DL</b>	1	QL(390 per 30 days)
acetaminophen-codeine 300-30 mg TABLET <b>DL</b>	1	QL(360 per 30 days)
acetaminophen-codeine 300-60 mg TABLET <b>DL</b>	1	QL(180 per 30 days)
APADAZ 4.08-325 MG, 6.12-325 MG, 8.16-325 MG TABLET <b>DL</b>	3	
ARTHROTEC 50 50-200 MG-MCG TABLET, IR, DR, BIPHASIC <b>MO</b>	3	PA
ARTHROTEC 75 75-200 MG-MCG TABLET, IR, DR, BIPHASIC <b>MO</b>	3	PA
ascomp with codeine 30-50-325-40 mg CAPSULE <b>DL</b>	1	QL(360 per 30 days)
BELBUCA 150 MCG, 300 MCG, 450 MCG, 600 MCG, 75 MCG, 750 MCG, 900 MCG FILM <b>DL</b>	3	ST,QL(60 per 30 days)
benzhydrocodone-acetaminophen 4.08-325 mg, 6.12-325 mg, 8.16-325 mg TABLET <b>DL</b>	3	
buprenorphine 10 mcg/hour, 15 mcg/hour, 20 mcg/hour, 5 mcg/hour, 7.5 mcg/hour PATCH, WEEKLY <b>DL</b>	1	PA,QL(4 per 28 days)
buprenorphine hcl 0.3 mg/ml SYRINGE <b>DL</b>	1	QL(240 per 30 days)
butorphanol 1 mg/ml SOLUTION <b>DL</b>	1	QL(960 per 30 days)
butorphanol 10 mg/ml SPRAY, NON-AEROSOL <b>DL</b>	1	QL(5 per 28 days)
butorphanol 2 mg/ml SOLUTION <b>DL</b>	1	QL(480 per 30 days)
BUTRANS 10 MCG/HOUR, 15 MCG/HOUR, 20 MCG/HOUR, 5 MCG/HOUR, 7.5 MCG/HOUR PATCH, WEEKLY <b>DL</b>	3	PA,QL(4 per 28 days)
CALDOLOR 800 MG/200 ML (4 MG/ML) PIGGYBACK <b>MO</b>	3	
CALDOLOR 800 MG/8 ML (100 MG/ML) RECON SOLUTION <b>MO</b>	3	
CAMBIA 50 MG POWDER IN PACKET <b>DL</b>	4	ST,QL(9 per 30 days)
CELEBREX 100 MG, 200 MG, 400 MG, 50 MG CAPSULE <b>MO</b>	3	PA
celecoxib 100 mg, 200 mg CAPSULE <b>MO</b>	1	
celecoxib 400 mg, 50 mg CAPSULE <b>MO</b>	1	
codeine sulfate 15 mg, 30 mg TABLET <b>DL</b>	1	QL(360 per 30 days)
codeine sulfate 60 mg TABLET <b>DL</b>	1	QL(180 per 30 days)
codeine-butalbital-asa-caff 30-50-325-40 mg CAPSULE <b>DL</b>	1	QL(360 per 30 days)
CONZIP 100 MG, 200 MG, 300 MG CAPSULE, ER, BIPHASIC <b>DL</b>	3	ST,QL(30 per 30 days)
DAYPRO 600 MG TABLET <b>MO</b>	3	
DEMEROL 50 MG/ML SOLUTION <b>DL</b>	3	QL(720 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
DEMEROL (PF) 100 MG/ML SYRINGE <b>DL</b>	3	QL(360 per 30 days)
DEMEROL (PF) 25 MG/ML SYRINGE <b>DL</b>	3	QL(1440 per 30 days)
DEMEROL (PF) 50 MG/ML SYRINGE <b>DL</b>	3	QL(720 per 30 days)
DEMEROL (PF) 75 MG/ML SYRINGE <b>DL</b>	3	QL(480 per 30 days)
diclofenac epolamine 1.3 % PATCH, 12 HR. <b>MO</b>	1	PA,QL(60 per 30 days)
diclofenac potassium 25 mg CAPSULE <b>MO</b>	3	ST,QL(120 per 30 days)
diclofenac potassium 25 mg TABLET <b>DL</b>	4	
diclofenac potassium 50 mg POWDER IN PACKET <b>MO</b>	3	ST,QL(9 per 30 days)
diclofenac potassium 50 mg TABLET <b>MO</b>	1	
diclofenac sodium 1.5 % DROPS <b>MO</b>	1	PA,QL(300 per 30 days)
diclofenac sodium 100 mg TABLET, ER 24 HR. <b>MO</b>	1	
diclofenac sodium 20 mg/gram /actuation(2 %) SOLUTION IN METERED DOSE PUMP <b>DL</b>	4	PA,QL(224 per 28 days)
diclofenac sodium 25 mg, 50 mg TABLET, DR/EC <b>MO</b>	1	
diclofenac sodium 75 mg TABLET, DR/EC <b>MO</b>	1	
diclofenac-misoprostol 50-200 mg-mcg, 75-200 mg-mcg TABLET, IR, DR, BIPHASIC <b>MO</b>	1	
diflunisal 500 mg TABLET <b>MO</b>	1	
DILAUDID 1 MG/ML LIQUID <b>DL</b>	3	PA,QL(2400 per 30 days)
DILAUDID 2 MG, 4 MG TABLET <b>DL</b>	3	PA,QL(360 per 30 days)
DILAUDID 8 MG TABLET <b>DL</b>	3	PA,QL(240 per 30 days)
dolobid 250 mg TABLET <b>DL</b>	4	ST
DOLOBID 375 MG TABLET <b>DL</b>	4	ST
DUEXIS 800-26.6 MG TABLET <b>DL</b>	4	PA,QL(90 per 30 days)
DURAMORPH (PF) 0.5 MG/ML SOLUTION <b>DL</b>	3	BvsD,QL(7200 per 30 days)
DURAMORPH (PF) 1 MG/ML SOLUTION <b>DL</b>	3	BvsD,QL(3600 per 30 days)
ec-naproxen 500 mg TABLET, DR/EC <b>MO</b>	3	
ENDOCET 10-325 MG, 2.5-325 MG, 5-325 MG, 7.5-325 MG TABLET <b>DL</b>	1	QL(360 per 30 days)
etodolac 200 mg, 300 mg CAPSULE <b>MO</b>	1	
etodolac 400 mg, 500 mg TABLET <b>MO</b>	1	
etodolac 400 mg, 500 mg, 600 mg TABLET, ER 24 HR. <b>MO</b>	1	
FELDENE 10 MG, 20 MG CAPSULE <b>MO</b>	3	
fenoprofen 400 mg CAPSULE <b>MO</b>	1	ST
fenoprofen 600 mg TABLET <b>MO</b>	1	ST
fenopron 300 mg CAPSULE <b>DL</b>	4	ST

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
fentanyl 100 mcg/hr, 12 mcg/hr, 25 mcg/hr, 37.5 mcg/hour, 50 mcg/hr, 62.5 mcg/hour, 75 mcg/hr, 87.5 mcg/hour PATCH. 72 HR. <b>DL</b>	1	QL(20 per 30 days)
FLECTOR 1.3 % PATCH, 12 HR. <b>MO</b>	3	PA,QL(60 per 30 days)
flurbiprofen 100 mg TABLET <b>MO</b>	1	
hydrocodone bitartrate 10 mg, 15 mg, 20 mg, 30 mg, 40 mg CAPSULE, ER 12 HR. <b>DL</b>	1	ST,QL(90 per 30 days)
hydrocodone bitartrate 100 mg, 120 mg, 20 mg, 30 mg, 40 mg, 60 mg, 80 mg TABLET, ER 24 HR. <b>DL</b>	1	ST,QL(30 per 30 days)
hydrocodone bitartrate 50 mg CAPSULE, ER 12 HR. <b>DL</b>	1	ST,QL(120 per 30 days)
hydrocodone-acetaminophen 10-300 mg, 5-300 mg, 7.5-300 mg TABLET <b>DL</b>	1	QL(390 per 30 days)
hydrocodone-acetaminophen 10-300 mg/15 ml SOLUTION <b>DL</b>	4	QL(6000 per 30 days)
hydrocodone-acetaminophen 10-325 mg, 5-325 mg, 7.5-325 mg TABLET <b>DL</b>	1	QL(360 per 30 days)
hydrocodone-acetaminophen 10-325 mg/15 ml, 10-325 mg/15 ml(15 ml) SOLUTION <b>DL</b>	1	QL(2700 per 30 days)
hydrocodone-acetaminophen 2.5-325 mg TABLET <b>DL</b>	1	QL(360 per 30 days)
hydrocodone-acetaminophen 7.5-325 mg/15 ml SOLUTION <b>DL</b>	1	QL(5520 per 30 days)
hydrocodone-ibuprofen 10-200 mg, 5-200 mg, 7.5-200 mg TABLET <b>DL</b>	1	QL(150 per 30 days)
HYDROMORPHONE 0.25 MG/0.5 ML SYRINGE <b>DL</b>	1	BvsD
hydromorphone 0.5 mg/0.5 ml, 1 mg/ml SYRINGE <b>DL</b>	1	BvsD,QL(720 per 30 days)
hydromorphone 1 mg/ml LIQUID <b>DL</b>	1	QL(2400 per 30 days)
hydromorphone 1 mg/ml SOLUTION <b>DL</b>	1	BvsD,QL(720 per 30 days)
hydromorphone 12 mg TABLET, ER 24 HR. <b>DL</b>	1	ST,QL(180 per 30 days)
hydromorphone 16 mg TABLET, ER 24 HR. <b>DL</b>	1	ST,QL(120 per 30 days)
hydromorphone 2 mg, 4 mg TABLET <b>DL</b>	1	QL(360 per 30 days)
hydromorphone 2 mg/ml SOLUTION <b>DL</b>	1	BvsD,QL(360 per 30 days)
hydromorphone 2 mg/ml SYRINGE <b>DL</b>	1	BvsD,QL(360 per 30 days)
hydromorphone 32 mg TABLET, ER 24 HR. <b>DL</b>	1	ST,QL(60 per 30 days)
hydromorphone 4 mg/ml SYRINGE <b>DL</b>	1	BvsD,QL(180 per 30 days)
hydromorphone 8 mg TABLET <b>DL</b>	1	QL(240 per 30 days)
hydromorphone 8 mg TABLET, ER 24 HR. <b>DL</b>	1	ST,QL(240 per 30 days)
hydromorphone (pf) 0.2 mg/ml, 1 mg/ml, 2 mg/ml SYRINGE <b>DL</b>	1	BvsD
hydromorphone (pf) 1 mg/ml SOLUTION <b>DL</b>	1	BvsD,QL(720 per 30 days)
hydromorphone (pf) 10 mg/ml SOLUTION <b>DL</b>	1	BvsD,QL(144 per 30 days)
hydromorphone (pf) 4 mg/ml SOLUTION <b>DL</b>	1	BvsD,QL(180 per 30 days)
HYSINGLA ER 100 MG, 120 MG, 20 MG, 30 MG, 40 MG, 60 MG, 80 MG TABLET, ER 24 HR. <b>DL</b>	3	ST,QL(30 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<i>ibu</i> 400 mg, 600 mg, 800 mg TABLET <b>MO</b>	1	
<i>ibuprofen</i> 100 mg/5 ml SUSPENSION <b>MO</b>	1	
<i>ibuprofen</i> 300 mg TABLET <b>DL</b>	4	ST
<i>ibuprofen</i> 400 mg TABLET <b>MO</b>	1	
<i>ibuprofen</i> 600 mg, 800 mg TABLET <b>MO</b>	1	
<i>ibuprofen-famotidine</i> 800-26.6 mg TABLET <b>MO</b>	1	PA,QL(90 per 30 days)
INDOCIN 25 MG/5 ML SUSPENSION <b>DL</b>	4	
INDOCIN 50 MG SUPPOSITORY	4	
<i>indomethacin</i> 25 mg, 50 mg CAPSULE <b>MO</b>	1	
<i>indomethacin</i> 25 mg/5 ml SUSPENSION <b>DL</b>	4	
<i>indomethacin</i> 50 mg SUPPOSITORY	4	
<i>indomethacin</i> 75 mg CAPSULE, ER <b>MO</b>	1	
<i>indomethacin sodium</i> 1 mg RECON SOLUTION <b>MO</b>	1	
INFUMORPH P/F 10 MG/ML SOLUTION <b>DL</b>	3	BvsD,QL(360 per 30 days)
INFUMORPH P/F 25 MG/ML SOLUTION <b>DL</b>	3	BvsD,QL(150 per 30 days)
<i>ketoprofen</i> 200 mg CAPSULE ER PELLETS 24 HR. <b>MO</b>	1	
<i>ketoprofen</i> 25 mg CAPSULE	4	
<i>ketoprofen</i> 50 mg CAPSULE <b>MO</b>	1	ST
<i>ketorolac</i> 10 mg TABLET <b>MO</b>	1	QL(20 per 30 days)
<i>ketorolac</i> 15 mg/ml, 30 mg/ml, 30 mg/ml (1 ml), 60 mg/2 ml SOLUTION <b>MO</b>	1	
<i>ketorolac</i> 15 mg/ml, 30 mg/ml, 60 mg/2 ml SYRINGE <b>MO</b>	1	
<i>ketorolac</i> 15.75 mg/spray SPRAY, NON-AEROSOL <b>DL</b>	4	PA,QL(5 per 30 days)
<i>kiprofen</i> 25 mg CAPSULE <b>MO</b>	1	ST
<i>levorphanol tartrate</i> 2 mg TABLET <b>DL</b>	4	ST,QL(240 per 30 days)
<i>levorphanol tartrate</i> 3 mg TABLET <b>DL</b>	4	ST,QL(150 per 30 days)
LICART 1.3 % PATCH, 24 HR. <b>MO</b>	3	PA,QL(30 per 30 days)
LODINE 400 MG TABLET <b>MO</b>	3	PA
<i>lofena</i> 25 mg TABLET <b>DL</b>	4	
<i>lurbipr</i> 100 mg TABLET <b>MO</b>	1	
<i>lurbiro</i> 100 mg TABLET <b>DL</b>	4	
<i>meclofenamate</i> 100 mg, 50 mg CAPSULE <b>MO</b>	1	
<i>mefenamic acid</i> 250 mg CAPSULE <b>MO</b>	1	
<i>meloxicam</i> 15 mg TABLET <b>MO</b>	1	QL(30 per 30 days)
<i>meloxicam</i> 7.5 mg TABLET <b>MO</b>	1	QL(60 per 30 days)
<i>meloxicam</i> submicronized 10 mg, 5 mg CAPSULE <b>MO</b>	3	QL(30 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
meperidine 50 mg TABLET <b>DL</b>	4	QL(480 per 30 days)
meperidine 50 mg/5 ml SOLUTION <b>DL</b>	1	QL(720 per 30 days)
meperidine (pf) 100 mg/ml SOLUTION <b>DL</b>	1	QL(360 per 30 days)
meperidine (pf) 25 mg/ml SOLUTION <b>DL</b>	1	QL(1440 per 30 days)
meperidine (pf) 50 mg/ml SOLUTION <b>DL</b>	1	QL(720 per 30 days)
methadone 10 mg TABLET <b>DL</b>	1	QL(240 per 30 days)
methadone 10 mg/5 ml SOLUTION <b>DL</b>	1	QL(1800 per 30 days)
methadone 10 mg/ml CONCENTRATE <b>DL</b>	1	QL(360 per 30 days)
methadone 10 mg/ml SOLUTION <b>DL</b>	1	QL(360 per 30 days)
methadone 5 mg TABLET <b>DL</b>	1	QL(480 per 30 days)
methadone 5 mg/5 ml SOLUTION <b>DL</b>	1	QL(3600 per 30 days)
methadone intensol 10 mg/ml CONCENTRATE <b>DL</b>	1	QL(360 per 30 days)
METHADOSE 10 MG/ML CONCENTRATE <b>DL</b>	3	QL(360 per 30 days)
mitigo (pf) 10 mg/ml SOLUTION <b>DL</b>	3	BvsD,QL(360 per 30 days)
mitigo (pf) 25 mg/ml SOLUTION <b>DL</b>	3	BvsD,QL(150 per 30 days)
morphine 10 mg, 100 mg, 20 mg, 30 mg, 50 mg, 60 mg, 80 mg CAPSULE ER PELLETS <b>DL</b>	1	ST,QL(60 per 30 days)
morphine 10 mg/5 ml SOLUTION <b>DL</b>	1	QL(2700 per 30 days)
morphine 10 mg/ml SOLUTION <b>DL</b>	1	BvsD,QL(360 per 30 days)
morphine 10 mg/ml SYRINGE <b>DL</b>	1	BvsD,QL(360 per 30 days)
morphine 100 mg TABLET ER <b>DL</b>	1	QL(180 per 30 days)
morphine 120 mg, 60 mg, 75 mg, 90 mg CAPSULE ER MULTIPHASE 24 HR. <b>DL</b>	1	ST,QL(60 per 30 days)
morphine 15 mg, 30 mg TABLET <b>DL</b>	1	QL(180 per 30 days)
morphine 15 mg, 30 mg, 60 mg TABLET ER <b>DL</b>	1	QL(120 per 30 days)
morphine 2 mg/ml SOLUTION <b>DL</b>	1	BvsD,QL(1800 per 30 days)
morphine 2 mg/ml SYRINGE <b>DL</b>	1	BvsD,QL(1800 per 30 days)
morphine 2 mg/ml, 4 mg/ml, 5 mg/ml SYRINGE <b>DL</b>	1	BvsD
morphine 20 mg/5 ml (4 mg/ml) SOLUTION <b>DL</b>	1	QL(1350 per 30 days)
morphine 200 mg TABLET ER <b>DL</b>	1	QL(90 per 30 days)
morphine 30 mg, 45 mg CAPSULE ER MULTIPHASE 24 HR. <b>DL</b>	1	ST,QL(30 per 30 days)
morphine 4 mg/ml SOLUTION <b>DL</b>	1	BvsD,QL(900 per 30 days)
morphine 4 mg/ml SYRINGE <b>DL</b>	1	BvsD,QL(900 per 30 days)
morphine 5 mg/ml SOLUTION <b>DL</b>	1	BvsD,QL(720 per 30 days)
morphine 8 mg/ml SOLUTION <b>DL</b>	1	BvsD,QL(450 per 30 days)
morphine 8 mg/ml SYRINGE <b>DL</b>	1	BvsD,QL(450 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<i>morphine (pf) 0.5 mg/ml SOLUTION</i> <b>DL</b>	1	BvsD,QL(7200 per 30 days)
<i>morphine (pf) 1 mg/ml SOLUTION</i> <b>DL</b>	1	BvsD,QL(3600 per 30 days)
<i>morphine (pf) 30 mg/30 ml (1 mg/ml) PATIENT CONTROL ANALGESIA SOLN</i> <b>DL</b>	1	BvsD,QL(3600 per 30 days)
<i>morphine concentrate 100 mg/5 ml (20 mg/ml) SOLUTION</i> <b>DL</b>	1	QL(540 per 30 days)
MS CONTIN 100 MG TABLET ER <b>DL</b>	3	PA,QL(180 per 30 days)
MS CONTIN 15 MG, 30 MG, 60 MG TABLET ER <b>DL</b>	3	PA,QL(120 per 30 days)
MS CONTIN 200 MG TABLET ER <b>DL</b>	3	PA,QL(90 per 30 days)
<i>nabumetone 500 mg, 750 mg TABLET</i> <b>MO</b>	1	
<i>nalbuphine 10 mg/ml SOLUTION</i> <b>DL</b>	1	QL(240 per 30 days)
<i>nalbuphine 20 mg/ml SOLUTION</i> <b>DL</b>	1	QL(120 per 30 days)
NALFON 600 MG TABLET <b>MO</b>	1	ST
<i>nalocet 2.5-300 mg TABLET</i> <b>DL</b>	4	PA,QL(360 per 30 days)
NAPRELAN CR 375 MG TABLET, ER 24 HR., MULTIPHASE <b>MO</b>	2	ST,QL(120 per 30 days)
NAPRELAN CR 500 MG TABLET, ER 24 HR., MULTIPHASE <b>MO</b>	2	ST,QL(90 per 30 days)
NAPRELAN CR 750 MG TABLET, ER 24 HR., MULTIPHASE <b>MO</b>	2	ST,QL(60 per 30 days)
NAPROSYN 125 MG/5 ML SUSPENSION <b>DL</b>	4	PA
<i>naproxen 125 mg/5 ml SUSPENSION</i> <b>MO</b>	1	
<i>naproxen 250 mg, 375 mg TABLET</i> <b>MO</b>	1	
<i>naproxen 375 mg, 500 mg TABLET, DR/EC</i> <b>MO</b>	1	
<i>naproxen 500 mg TABLET</i> <b>MO</b>	1	
<i>naproxen sodium 275 mg, 550 mg TABLET</i> <b>MO</b>	1	
<i>naproxen sodium 375 mg TABLET, ER 24 HR., MULTIPHASE</i> <b>MO</b>	1	ST,QL(120 per 30 days)
<i>naproxen sodium 500 mg TABLET, ER 24 HR., MULTIPHASE</i> <b>MO</b>	1	ST,QL(90 per 30 days)
<i>naproxen sodium 750 mg TABLET, ER 24 HR., MULTIPHASE</i> <b>MO</b>	1	ST,QL(60 per 30 days)
<i>naproxen-esomeprazole 375-20 mg, 500-20 mg TABLET, IR, DR, BIPHASIC</i> <b>DL</b>	4	PA,QL(60 per 30 days)
NUCYNTA 100 MG, 50 MG, 75 MG TABLET <b>DL</b>	4	ST,QL(180 per 30 days)
NUCYNTA ER 100 MG, 150 MG, 200 MG, 250 MG TABLET, ER 12 HR. <b>DL</b>	4	ST,QL(60 per 30 days)
NUCYNTA ER 50 MG TABLET, ER 12 HR. <b>DL</b>	3	ST,QL(60 per 30 days)
ORUDIS 75 MG CAPSULE <b>DL</b>	4	ST
<i>oxaprozin 600 mg TABLET</i> <b>MO</b>	1	
<i>oxycodone 10 mg, 20 mg, 40 mg TABLET, ER 12 HR.</i> <b>DL</b>	3	ST,QL(90 per 30 days)
<i>oxycodone 10 mg, 5 mg TABLET</i> <b>DL</b>	1	QL(360 per 30 days)
<i>oxycodone 10 mg, 5 mg TABLET, ORAL ONLY</i> <b>DL</b>	4	PA,QL(360 per 30 days)
<i>oxycodone 15 mg, 20 mg, 30 mg TABLET</i> <b>DL</b>	1	QL(360 per 30 days)
<i>oxycodone 15 mg, 30 mg TABLET, ORAL ONLY</i> <b>DL</b>	4	PA,QL(180 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<i>oxycodone 20 mg/ml CONCENTRATE</i> <b>DL</b>	1	QL(270 per 30 days)
<i>oxycodone 5 mg CAPSULE</i> <b>DL</b>	1	QL(360 per 30 days)
<i>oxycodone 5 mg/5 ml SOLUTION</i> <b>DL</b>	1	QL(5400 per 30 days)
<i>oxycodone 80 mg TABLET, ER 12 HR.</i> <b>DL</b>	3	ST,QL(120 per 30 days)
<i>oxycodone-acetaminophen 10-300 mg, 5-300 mg, 7.5-300 mg TABLET</i> <b>DL</b>	4	PA,QL(390 per 30 days)
<i>oxycodone-acetaminophen 10-300 mg/5 ml SOLUTION</i> <b>DL</b>	4	PA,QL(900 per 30 days)
<i>oxycodone-acetaminophen 10-325 mg, 5-325 mg, 7.5-325 mg TABLET</i> <b>DL</b>	1	QL(360 per 30 days)
<i>oxycodone-acetaminophen 2.5-300 mg TABLET</i> <b>DL</b>	4	PA,QL(360 per 30 days)
<i>oxycodone-acetaminophen 2.5-325 mg TABLET</i> <b>DL</b>	1	QL(360 per 30 days)
<i>oxycodone-acetaminophen 5-325 mg/5 ml SOLUTION</i> <b>DL</b>	1	QL(1800 per 30 days)
OXYCONTIN 10 MG, 15 MG, 20 MG, 30 MG, 40 MG, 60 MG TABLET, ER 12 HR. <b>DL</b>	3	ST,QL(90 per 30 days)
OXYCONTIN 80 MG TABLET, ER 12 HR. <b>DL</b>	3	ST,QL(120 per 30 days)
<i>oxymorphone 10 mg, 15 mg, 20 mg, 30 mg, 5 mg, 7.5 mg TABLET, ER 12 HR.</i> <b>DL</b>	1	ST,QL(60 per 30 days)
<i>oxymorphone 10 mg, 5 mg TABLET</i> <b>DL</b>	1	QL(360 per 30 days)
<i>oxymorphone 40 mg TABLET, ER 12 HR.</i> <b>DL</b>	4	ST,QL(60 per 30 days)
PENNSAID 2 % SOLUTION IN PACKET <b>DL</b>	4	PA
PENNSAID 20 MG/GRAM /ACTUATION(2 %) SOLUTION IN METERED DOSE PUMP <b>DL</b>	4	PA,QL(224 per 28 days)
<i>pentazocine-naloxone 50-0.5 mg TABLET</i> <b>DL</b>	1	QL(360 per 30 days)
PERCOCET 10-325 MG, 5-325 MG, 7.5-325 MG TABLET <b>DL</b>	4	PA,QL(360 per 30 days)
PERCOCET 2.5-325 MG TABLET <b>DL</b>	1	PA,QL(360 per 30 days)
<i>piroxicam 10 mg, 20 mg CAPSULE</i> <b>MO</b>	1	
<i>primlev 10-300 mg, 5-300 mg, 7.5-300 mg TABLET</i> <b>DL</b>	4	PA,QL(390 per 30 days)
<i>prolate 10-300 mg, 5-300 mg, 7.5-300 mg TABLET</i> <b>DL</b>	4	PA,QL(390 per 30 days)
PROLATE 10-300 MG/5 ML SOLUTION <b>DL</b>	4	PA,QL(900 per 30 days)
QDOLO 5 MG/ML SOLUTION <b>DL</b>	4	QL(2400 per 30 days)
RELAFEN DS 1,000 MG TABLET <b>DL</b>	4	ST,QL(60 per 30 days)
ROXICODONE 15 MG TABLET <b>DL</b>	3	PA,QL(360 per 30 days)
ROXICODONE 30 MG TABLET <b>DL</b>	4	PA,QL(360 per 30 days)
ROXYBOND 10 MG, 5 MG TABLET, ORAL ONLY <b>DL</b>	4	PA,QL(360 per 30 days)
ROXYBOND 15 MG, 30 MG TABLET, ORAL ONLY <b>DL</b>	4	PA,QL(180 per 30 days)
SEGLENTIS 44-56 MG TABLET <b>DL</b>	3	PA,QL(120 per 30 days)
SPRIX 15.75 MG/SPRAY SPRAY, NON-AEROSOL <b>DL</b>	4	PA,QL(5 per 30 days)
<i>sulindac 150 mg, 200 mg TABLET</i> <b>MO</b>	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
tolectin 600 600 mg TABLET	4	
tolmetin 400 mg CAPSULE	4	
tolmetin 600 mg TABLET <b>MO</b>	1	
tramadol 100 mg TABLET <b>DL</b>	1	QL(120 per 30 days)
tramadol 100 mg, 200 mg, 300 mg CAPSULE, ER, BIPHASIC <b>DL</b>	1	ST,QL(30 per 30 days)
tramadol 100 mg, 200 mg, 300 mg TABLET, ER 24 HR. <b>DL</b>	1	ST,QL(30 per 30 days)
tramadol 100 mg, 200 mg, 300 mg TABLET, ER 24 HR., MULTIPHASE <b>DL</b>	1	ST,QL(30 per 30 days)
tramadol 25 mg TABLET <b>DL</b>	1	QL(180 per 30 days)
tramadol 5 mg/ml SOLUTION <b>DL</b>	3	QL(2400 per 30 days)
tramadol 50 mg TABLET <b>DL</b>	1	QL(240 per 30 days)
tramadol 75 mg TABLET <b>DL</b>	1	QL(150 per 30 days)
tramadol-acetaminophen 37.5-325 mg TABLET <b>DL</b>	1	QL(240 per 30 days)
TREZIX 320.5-30-16 MG CAPSULE <b>DL</b>	1	QL(300 per 30 days)
VIMOVO 375-20 MG, 500-20 MG TABLET, IR, DR, BIPHASIC <b>DL</b>	4	PA,QL(60 per 30 days)
VIVLODEX 10 MG, 5 MG CAPSULE <b>MO</b>	3	QL(30 per 30 days)
VYSCOXIA 10 MG/ML SUSPENSION <b>DL</b>	4	ST,QL(1200 per 30 days)
XIFYRM 30 MG/ML SOLUTION <b>MO</b>	3	
XTAMPZA ER 13.5 MG, 18 MG, 27 MG, 36 MG, 9 MG CAPSULE ER SPRINKLE 12 HR. <b>DL</b>	3	ST,QL(60 per 30 days)
xyvona 2 mg TABLET <b>DL</b>	4	ST,QL(240 per 30 days)
ZIPSOR 25 MG CAPSULE <b>DL</b>	4	ST,QL(120 per 30 days)
ZORVOLEX 18 MG, 35 MG CAPSULE <b>MO</b>	3	ST,QL(90 per 30 days)
<b>ANESTHETICS</b>		
bupivacaine (pf) 0.25 % (2.5 mg/ml), 0.5 % (5 mg/ml), 0.75 % (7.5 mg/ml) SOLUTION <b>MO</b>	1	
bupivacaine hcl 0.25 % (2.5 mg/ml), 0.5 % (5 mg/ml) SOLUTION <b>MO</b>	1	
bupivacaine liposome (pf) 1.3 % (13.3 mg/ml) SUSPENSION <b>MO</b>	1	
bupivacaine-dextrose-water(pf) 0.75 % (7.5 mg/ml) SOLUTION <b>MO</b>	1	
bupivacaine-epinephrine 0.25 %-1:200,000, 0.5 %-1:200,000 SOLUTION <b>MO</b>	1	
bupivacaine-epinephrine (pf) 0.25 %-1:200,000, 0.5 %-1:200,000 SOLUTION <b>MO</b>	1	
CARBOCAINE WITH NEO-COBEFRIN 2 % -1:20,000 CARTRIDGE <b>MO</b>	1	
chloroprocaine (pf) 20 mg/ml (2 %), 30 mg/ml (3 %) SOLUTION <b>MO</b>	1	
CLOTOTEKAL (PF) 10 MG/ML (1 %) SOLUTION <b>MO</b>	3	
dermacinrx lidocan 5 % ADHESIVE PATCH, MEDICATED <b>MO</b>	1	PA,QL(90 per 30 days)
EXPAREL (PF) 1.3 % (13.3 MG/ML) SUSPENSION <b>MO</b>	3	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
glydo 2 % JELLY IN APPLICATOR <b>MO</b>	1	
lidocaine 5 % ADHESIVE PATCH, MEDICATED <b>MO</b>	1	QL(90 per 30 days)
lidocaine 5 % OINTMENT <b>MO</b>	1	
lidocaine (pf) 10 mg/ml (1 %), 15 mg/ml (1.5 %), 20 mg/ml (2 %), 40 mg/ml (4 %), 5 mg/ml (0.5 %) SOLUTION <b>MO</b>	1	
lidocaine hcl 10 mg/ml (1 %), 2 %, 20 mg/ml (2 %), 4 %, 4 % (40 mg/ml), 5 mg/ml (0.5 %) SOLUTION <b>MO</b>	1	
lidocaine hcl 2 % JELLY <b>MO</b>	1	
lidocaine hcl 2 % JELLY IN APPLICATOR <b>MO</b>	1	
lidocaine viscous 2 % SOLUTION <b>MO</b>	1	
lidocaine-epinephrine 0.5 %-1:200,000, 1 %-1:100,000, 2 %-1:100,000 SOLUTION <b>MO</b>	1	
lidocaine-epinephrine bit 2 %-1:100,000, 2 %-1:50,000 CARTRIDGE <b>MO</b>	1	
lidocaine-prilocaine 2.5-2.5 % CREAM <b>MO</b>	1	
lidocan iii 5 % ADHESIVE PATCH, MEDICATED <b>MO</b>	1	PA,QL(90 per 30 days)
lidocan iv 5 % ADHESIVE PATCH, MEDICATED <b>MO</b>	1	PA,QL(90 per 30 days)
lidocan v 5 % ADHESIVE PATCH, MEDICATED <b>MO</b>	1	PA,QL(90 per 30 days)
LIDODERM 5 % ADHESIVE PATCH, MEDICATED <b>MO</b>	3	PA,QL(90 per 30 days)
lignospan standard 2 %-1:100,000 CARTRIDGE <b>MO</b>	1	
MARCAINE 0.25 % (2.5 MG/ML), 0.5 % (5 MG/ML) SOLUTION <b>MO</b>	3	
MARCAINE (PF) 0.25 % (2.5 MG/ML), 0.5 % (5 MG/ML), 0.75 % (7.5 MG/ML) SOLUTION <b>MO</b>	3	
MARCAINE SPINAL (PF) 0.75 % (7.5 MG/ML) SOLUTION <b>MO</b>	3	
MARCAINE-EPINEPHRINE 0.25 %-1:200,000, 0.5 %-1:200,000 SOLUTION <b>MO</b>	3	
marcaine-epinephrine 0.5 %-1:200,000 CARTRIDGE <b>MO</b>	1	
MARCAINE-EPINEPHRINE (PF) 0.25 %-1:200,000, 0.5 %-1:200,000 SOLUTION <b>MO</b>	3	
NAROPIN (PF) 10 MG/ML (1 %), 2 MG/ML (0.2 %), 5 MG/ML (0.5 %), 7.5 MG/ML (0.75 %) SOLUTION <b>MO</b>	3	
NESACAINE 10 MG/ML (1 %), 20 MG/ML (2 %) SOLUTION <b>MO</b>	3	
NESACAINE-MPF 20 MG/ML (2 %), 30 MG/ML (3 %) SOLUTION <b>MO</b>	3	
PLIAGLIS 7-7 % CREAM <b>MO</b>	3	
polocaine 1 % (10 mg/ml), 2 % SOLUTION <b>MO</b>	1	
polocaine-mpf 10 mg/ml (1 %), 15 mg/ml (1.5 %), 20 mg/ml (2 %) SOLUTION <b>MO</b>	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
ropivacaine (pf) 10 mg/ml (1 %), 2 mg/ml (0.2 %), 5 mg/ml (0.5 %), 7.5 mg/ml (0.75 %) SOLUTION <b>MO</b>	1	
SENSORCAINE 0.25 % (2.5 MG/ML), 0.5 % (5 MG/ML) SOLUTION <b>MO</b>	1	
sensorcaine-epinephrine 0.25 %-1:200,000, 0.5 %-1:200,000 SOLUTION <b>MO</b>	1	
SENSORCAINE-MPF 0.25 % (2.5 MG/ML), 0.5 % (5 MG/ML), 0.75 % (7.5 MG/ML) SOLUTION <b>MO</b>	1	
sensorcaine-mpf 0.25 % (2.5 mg/ml), 0.5 % (5 mg/ml), 0.75 % (7.5 mg/ml) SOLUTION <b>MO</b>	1	
sensorcaine-mpf spinal 0.75 % (7.5 mg/ml) SOLUTION <b>MO</b>	1	
sensorcaine-mpf/epinephrine 0.25 %-1:200,000 SOLUTION <b>MO</b>	1	
SENSORCAINE-MPF/EPINEPHRINE 0.5 %-1:200,000, 0.75 %-1:200,000 SOLUTION <b>MO</b>	1	
vivacaine 0.5 %-1:200,000 CARTRIDGE <b>MO</b>	1	
ZTLIDO 1.8 % ADHESIVE PATCH, MEDICATED <b>MO</b>	3	PA,QL(90 per 30 days)
<b>ANTI-ADDICTION/SUBSTANCE ABUSE TREATMENT AGENTS</b>		
acamprosate 333 mg TABLET, DR/EC <b>MO</b>	1	
buprenorphine hcl 2 mg, 8 mg SUBLINGUAL TABLET <b>MO</b>	1	QL(120 per 30 days)
buprenorphine-naloxone 12-3 mg, 2-0.5 mg, 4-1 mg, 8-2 mg FILM <b>MO</b>	1	
buprenorphine-naloxone 2-0.5 mg, 8-2 mg SUBLINGUAL TABLET <b>MO</b>	1	
bupropion hcl (smoking deter) 150 mg TABLET, ER 12 HR. <b>MO</b>	1	QL(90 per 30 days)
CHANTIX 0.5 MG, 1 MG TABLET <b>MO</b>	3	PA,QL(56 per 28 days)
CHANTIX CONTINUING MONTH BOX 1 MG TABLET <b>MO</b>	3	PA,QL(56 per 28 days)
CHANTIX STARTING MONTH BOX 0.5 MG (11)- 1 MG (42) TABLET, DOSE PACK <b>MO</b>	3	PA,QL(53 per 28 days)
disulfiram 250 mg, 500 mg TABLET <b>MO</b>	1	
KLOXXADO 8 MG/ACTUATION SPRAY, NON-AEROSOL <b>MO</b>	2	
lofexidine 0.18 mg TABLET <b>DL</b>	4	PA,QL(224 per 365 days)
LUCEMYRA 0.18 MG TABLET <b>DL</b>	4	PA,QL(224 per 365 days)
nalmefene 1 mg/ml SOLUTION <b>MO</b>	1	
naloxone 0.4 mg/ml SOLUTION <b>MO</b>	1	
naloxone 0.4 mg/ml, 1 mg/ml SYRINGE <b>MO</b>	1	
naltrexone 50 mg TABLET <b>MO</b>	1	
NARCAN 4 MG/ACTUATION SPRAY, NON-AEROSOL <b>MO</b>	3	PA
NICOTROL NS 10 MG/ML SPRAY, NON-AEROSOL <b>MO</b>	3	
OPVEE 2.7 MG/ACTUATION SPRAY, NON-AEROSOL <b>MO</b>	2	
REXTOVY 4 MG/ACTUATION SPRAY, NON-AEROSOL <b>MO</b>	2	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
SUBOXONE 12-3 MG, 2-0.5 MG, 4-1 MG, 8-2 MG FILM <b>MO</b>	3	PA
varenicline tartrate 0.5 mg (11)- 1 mg (42) TABLET, DOSE PACK <b>MO</b>	1	QL(53 per 28 days)
varenicline tartrate 0.5 mg, 1 mg TABLET <b>MO</b>	1	QL(56 per 28 days)
VIVITROL 380 MG SUSPENSION, ER, RECON <b>DL</b>	4	QL(1 per 28 days)
ZIMHI 5 MG/0.5 ML SYRINGE <b>MO</b>	3	PA
ZUBSOLV 0.7-0.18 MG, 1.4-0.36 MG, 11.4-2.9 MG, 2.9-0.71 MG, 5.7-1.4 MG, 8.6-2.1 MG SUBLINGUAL TABLET <b>MO</b>	1	
ZURNAI 1.5 MG/0.5 ML AUTO-INJECTOR <b>MO</b>	2	
<b>ANTIBACTERIALS</b>		
acetic acid 2 % SOLUTION <b>MO</b>	1	
amikacin 1,000 mg/4 ml, 500 mg/2 ml SOLUTION <b>MO</b>	1	
amoxicillin 125 mg, 250 mg CHEWABLE TABLET <b>MO</b>	1	
amoxicillin 125 mg/5 ml, 200 mg/5 ml, 250 mg/5 ml, 400 mg/5 ml SUSPENSION FOR RECONSTITUTION <b>MO</b>	1	
amoxicillin 250 mg CAPSULE <b>MO</b>	1	
amoxicillin 500 mg CAPSULE <b>MO</b>	1	
amoxicillin 500 mg TABLET <b>MO</b>	1	
amoxicillin 875 mg TABLET <b>MO</b>	1	
amoxicillin-pot clavulanate 1,000-62.5 mg TABLET, ER 12 HR. <b>MO</b>	1	
amoxicillin-pot clavulanate 200-28.5 mg, 400-57 mg CHEWABLE TABLET <b>MO</b>	1	
amoxicillin-pot clavulanate 200-28.5 mg/5 ml, 250-62.5 mg/5 ml, 400-57 mg/5 ml, 600-42.9 mg/5 ml SUSPENSION FOR RECONSTITUTION <b>MO</b>	1	
amoxicillin-pot clavulanate 250-125 mg, 500-125 mg TABLET <b>MO</b>	1	
amoxicillin-pot clavulanate 875-125 mg TABLET <b>MO</b>	1	
ampicillin 500 mg CAPSULE <b>MO</b>	1	
ampicillin sodium 1 gram, 10 gram, 125 mg, 2 gram, 250 mg, 500 mg RECON SOLUTION <b>MO</b>	1	
ampicillin-sulbactam 1.5 gram, 15 gram, 3 gram RECON SOLUTION <b>MO</b>	1	
ARIKAYCE 590 MG/8.4 ML SUSPENSION FOR NEBULIZATION <b>DL</b>	4	PA,QL(235.2 per 28 days)
AUGMENTIN 125-31.25 MG/5 ML, 250-62.5 MG/5 ML SUSPENSION FOR RECONSTITUTION <b>DL</b>	4	
AUGMENTIN 500-125 MG TABLET <b>MO</b>	3	PA
AUGMENTIN ES-600 600-42.9 MG/5 ML SUSPENSION FOR RECONSTITUTION <b>MO</b>	3	
AUGMENTIN XR 1,000-62.5 MG TABLET, ER 12 HR. <b>MO</b>	3	
AVELOX IN NACL (ISO-OSMOTIC) 400 MG/250 ML PIGGYBACK <b>MO</b>	3	PA

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<i>avidoxy</i> 100 mg TABLET <b>MO</b>	1	ST
AVYCAZ 2.5 GRAM RECON SOLUTION <b>DL</b>	4	
AZACTAM 1 GRAM, 2 GRAM RECON SOLUTION <b>MO</b>	3	PA
<i>azithromycin</i> 1 gram PACKET <b>MO</b>	1	
<i>azithromycin</i> 100 mg/5 ml, 200 mg/5 ml SUSPENSION FOR RECONSTITUTION <b>MO</b>	1	
<i>azithromycin</i> 250 mg TABLET <b>MO</b>	1	
<i>azithromycin</i> 500 mg RECON SOLUTION <b>MO</b>	1	
<i>azithromycin</i> 500 mg, 600 mg TABLET <b>MO</b>	1	
<i>aztreonam</i> 1 gram, 2 gram RECON SOLUTION <b>MO</b>	1	
<i>bacitracin</i> 50,000 unit RECON SOLUTION <b>MO</b>	1	
BACTRIM 400-80 MG TABLET <b>MO</b>	3	
BACTRIM DS 800-160 MG TABLET <b>MO</b>	3	
BAXDELA 300 MG RECON SOLUTION <b>DL</b>	4	QL(28 per 14 days)
BAXDELA 450 MG TABLET <b>DL</b>	4	QL(28 per 14 days)
BETHKIS 300 MG/4 ML SOLUTION FOR NEBULIZATION <b>DL</b>	4	PA
BICILLIN C-R 1,200,000 UNIT/ 2 ML(600K/600K), 1,200,000 UNIT/ 2 ML(900K/300K) SYRINGE <b>MO</b>	3	
BICILLIN L-A 1,200,000 UNIT/2 ML, 2,400,000 UNIT/4 ML, 600,000 UNIT/ML SYRINGE <b>MO</b>	3	
BLUJEP 750 MG TABLET <b>DL</b>	4	
<i>ceftazidime</i> 125 mg/5 ml, 250 mg/5 ml, 375 mg/5 ml SUSPENSION FOR RECONSTITUTION <b>MO</b>	1	
<i>ceftazidime</i> 250 mg, 500 mg CAPSULE <b>MO</b>	1	
<i>ceftazidime</i> 500 mg TABLET, ER 12 HR. <b>MO</b>	1	
<i>cefadroxil</i> 1 gram TABLET <b>MO</b>	1	
<i>cefadroxil</i> 250 mg/5 ml, 500 mg/5 ml SUSPENSION FOR RECONSTITUTION <b>MO</b>	1	
<i>cefadroxil</i> 500 mg CAPSULE <b>MO</b>	1	
<i>cefazolin</i> 1 gram, 10 gram, 2 gram, 3 gram, 500 mg RECON SOLUTION <b>MO</b>	1	
CEFAZOLIN 2 GRAM, 3 GRAM RECON SOLUTION <b>MO</b>	1	
<i>cefazolin</i> in dextrose (iso-os) 1 gram/50 ml, 2 gram/100 ml, 2 gram/50 ml, 3 gram/50 ml PIGGYBACK <b>MO</b>	1	
CEFAZOLIN IN DEXTROSE (ISO-OS) 3 GRAM/150 ML PIGGYBACK <b>MO</b>	1	
<i>cefepime</i> 125 mg/5 ml, 250 mg/5 ml SUSPENSION FOR RECONSTITUTION <b>MO</b>	1	
<i>cefepime</i> 300 mg CAPSULE <b>MO</b>	1	
<i>cefepime</i> 1 gram, 2 gram RECON SOLUTION <b>MO</b>	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
cefepime in dextrose 5 % 1 gram/50 ml, 2 gram/50 ml PIGGYBACK <b>MO</b>	1	
cefepime in dextrose,iso-osm 1 gram/50 ml, 2 gram/100 ml PIGGYBACK <b>MO</b>	3	
cefixime 100 mg/5 ml, 200 mg/5 ml SUSPENSION FOR RECONSTITUTION <b>MO</b>	1	
cefixime 400 mg CAPSULE <b>MO</b>	1	
cefixime 400 mg TABLET <b>MO</b>	1	
cefotetan 1 gram, 2 gram RECON SOLUTION <b>MO</b>	1	
cefoxitin 1 gram, 10 gram, 2 gram RECON SOLUTION <b>MO</b>	1	
cefoxitin in dextrose, iso-osm 1 gram/50 ml, 2 gram/50 ml PIGGYBACK <b>MO</b>	1	
cefpodoxime 100 mg, 200 mg TABLET <b>MO</b>	1	
cefpodoxime 100 mg/5 ml, 50 mg/5 ml SUSPENSION FOR RECONSTITUTION <b>MO</b>	1	
cefprozil 125 mg/5 ml, 250 mg/5 ml SUSPENSION FOR RECONSTITUTION <b>MO</b>	1	
cefprozil 250 mg, 500 mg TABLET <b>MO</b>	1	
ceftazidime 1 gram, 2 gram, 6 gram RECON SOLUTION <b>MO</b>	1	
ceftriaxone 1 gram, 10 gram, 100 gram, 2 gram, 250 mg, 500 mg RECON SOLUTION <b>MO</b>	1	
ceftriaxone in dextrose,iso-os 1 gram/50 ml, 2 gram/50 ml PIGGYBACK <b>MO</b>	1	
cefuroxime axetil 250 mg, 500 mg TABLET <b>MO</b>	1	
cefuroxime sodium 1.5 gram, 7.5 gram, 750 mg RECON SOLUTION <b>MO</b>	1	
cephalexin 125 mg/5 ml, 250 mg/5 ml SUSPENSION FOR RECONSTITUTION <b>MO</b>	1	
cephalexin 250 mg, 500 mg TABLET <b>MO</b>	1	
cephalexin 250 mg, 750 mg CAPSULE <b>MO</b>	1	
cephalexin 500 mg CAPSULE <b>MO</b>	1	
chloramphenicol sod succinate 1 gram RECON SOLUTION <b>MO</b>	1	
CIPRO 250 MG, 500 MG TABLET <b>MO</b>	3	
CIPRO 250 MG/5 ML, 500 MG/5 ML SUSPENSION, MICROCAPSULE RECON <b>MO</b>	3	
ciprofloxacin 250 mg/5 ml, 500 mg/5 ml SUSPENSION, MICROCAPSULE RECON <b>MO</b>	1	
ciprofloxacin hcl 100 mg, 250 mg, 750 mg TABLET <b>MO</b>	1	
ciprofloxacin hcl 500 mg TABLET <b>MO</b>	1	
ciprofloxacin in 5 % dextrose 200 mg/100 ml, 400 mg/200 ml PIGGYBACK <b>MO</b>	1	
CLAFORAN 1 GRAM, 10 GRAM, 2 GRAM RECON SOLUTION <b>MO</b>	3	
clarithromycin 125 mg/5 ml, 250 mg/5 ml SUSPENSION FOR RECONSTITUTION <b>MO</b>	1	
clarithromycin 250 mg, 500 mg TABLET <b>MO</b>	1	
clarithromycin 500 mg TABLET, ER 24 HR. <b>MO</b>	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
CLEOCIN 100 MG SUPPOSITORY <b>MO</b>	3	
CLEOCIN 150 MG/ML SOLUTION <b>MO</b>	1	
CLEOCIN 2 % CREAM <b>MO</b>	3	PA
CLEOCIN HCL 150 MG, 300 MG, 75 MG CAPSULE <b>MO</b>	3	
CLEOCIN PEDIATRIC 75 MG/5 ML RECON SOLUTION <b>MO</b>	1	
clindamycin hcl 150 mg, 300 mg, 75 mg CAPSULE <b>MO</b>	1	
clindamycin in 0.9 % sod chlor 300 mg/50 ml, 600 mg/50 ml, 900 mg/50 ml PIGGYBACK <b>MO</b>	1	
clindamycin in 5 % dextrose 300 mg/50 ml, 600 mg/50 ml, 900 mg/50 ml PIGGYBACK <b>MO</b>	1	
clindamycin palmitate hcl 75 mg/5 ml RECON SOLUTION <b>MO</b>	1	
clindamycin pediatric 75 mg/5 ml RECON SOLUTION <b>MO</b>	1	
clindamycin phosphate 150 mg/ml SOLUTION <b>MO</b>	1	
clindamycin phosphate 2 % CREAM <b>MO</b>	1	
CLINDESSE 2 % CREAM, ER <b>MO</b>	3	
colistin (colistimethate na) 150 mg RECON SOLUTION <b>MO</b>	1	
COLY-MYCIN M PARENTERAL 150 MG RECON SOLUTION <b>DL</b>	4	
CUBICIN RF 500 MG RECON SOLUTION <b>DL</b>	4	
dalbavancin 500 mg SOLUTION <b>DL</b>	4	QL(4 per 28 days)
DALVANCE 500 MG SOLUTION <b>DL</b>	4	QL(4 per 28 days)
daptomycin 350 mg RECON SOLUTION <b>MO</b>	1	
daptomycin 500 mg RECON SOLUTION <b>DL</b>	4	
daptomycin in 0.9 % sod chlor 1,000 mg/100 ml, 350 mg/50 ml, 500 mg/50 ml, 700 mg/100 ml PIGGYBACK <b>MO</b>	3	
demeclocycline 150 mg TABLET <b>MO</b>	1	QL(240 per 30 days)
demeclocycline 300 mg TABLET <b>MO</b>	1	QL(120 per 30 days)
dicloxacillin 250 mg, 500 mg CAPSULE <b>MO</b>	1	
DIFICID 200 MG TABLET <b>DL</b>	4	
DIFICID 40 MG/ML SUSPENSION FOR RECONSTITUTION <b>DL</b>	4	
DORYX 200 MG TABLET, DR/EC <b>MO</b>	3	ST,QL(30 per 30 days)
DORYX 80 MG TABLET, DR/EC <b>DL</b>	4	ST,QL(60 per 30 days)
DORYX MPC 60 MG TABLET, DR/EC <b>DL</b>	4	ST,QL(60 per 30 days)
doxy-100 100 mg RECON SOLUTION <b>MO</b>	1	
doxycycline hyclate 100 mg CAPSULE <b>MO</b>	1	
doxycycline hyclate 100 mg RECON SOLUTION <b>MO</b>	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

<b>DRUG NAME</b>	<b>TIER</b>	<b>UTILIZATION MANAGEMENT REQUIREMENTS</b>
<i>doxycycline hyclate 100 mg TABLET</i> <b>MO</b>	1	
<i>doxycycline hyclate 100 mg TABLET, DR/EC</i> <b>MO</b>	1	ST,QL(90 per 30 days)
<i>doxycycline hyclate 150 mg TABLET</i> <b>MO</b>	1	ST,QL(30 per 30 days)
<i>doxycycline hyclate 150 mg, 50 mg, 75 mg TABLET, DR/EC</i> <b>MO</b>	1	ST,QL(60 per 30 days)
<i>doxycycline hyclate 20 mg TABLET</i> <b>MO</b>	1	
<i>doxycycline hyclate 200 mg TABLET, DR/EC</i> <b>MO</b>	1	ST,QL(30 per 30 days)
<i>doxycycline hyclate 50 mg CAPSULE</i> <b>MO</b>	1	
<i>doxycycline hyclate 50 mg TABLET</i> <b>MO</b>	1	ST,QL(180 per 30 days)
<i>doxycycline hyclate 75 mg TABLET</i> <b>MO</b>	1	ST,QL(60 per 30 days)
<i>doxycycline hyclate 80 mg TABLET, DR/EC</i> <b>MO</b>	3	ST,QL(60 per 30 days)
<i>doxycycline monohydrate 100 mg, 150 mg, 50 mg, 75 mg TABLET</i> <b>MO</b>	1	
<i>doxycycline monohydrate 100 mg, 50 mg CAPSULE</i> <b>MO</b>	1	
<i>doxycycline monohydrate 150 mg CAPSULE</i> <b>MO</b>	1	QL(30 per 30 days)
<i>doxycycline monohydrate 25 mg/5 ml SUSPENSION FOR RECONSTITUTION</i> <b>MO</b>	1	
<i>doxycycline monohydrate 40 mg CAPSULE, IR/DR, BIPHASIC</i> <b>MO</b>	1	ST,QL(30 per 30 days)
<i>doxycycline monohydrate 75 mg CAPSULE</i> <b>MO</b>	1	QL(60 per 30 days)
<i>E.E.S. 400 400 MG TABLET</i> <b>MO</b>	1	
<i>E.E.S. GRANULES 200 MG/5 ML SUSPENSION FOR RECONSTITUTION</i> <b>MO</b>	3	
<i>EMBLAVEO 2 GRAM RECON SOLUTION</i> <b>DL</b>	4	
<i>EMROSI 40 MG CAPSULE, IR/ER, BIPHASIC</i> <b>DL</b>	4	PA,QL(30 per 30 days)
<i>ertapenem 1 gram RECON SOLUTION</i> <b>MO</b>	1	
<i>ERY-TAB 250 MG, 333 MG, 500 MG TABLET, DR/EC</i> <b>MO</b>	1	
<i>ERYPED 200 200 MG/5 ML SUSPENSION FOR RECONSTITUTION</i> <b>MO</b>	3	
<i>ERYPED 400 400 MG/5 ML SUSPENSION FOR RECONSTITUTION</i> <b>DL</b>	4	
<i>ERYTHROCIN 500 MG RECON SOLUTION</i> <b>MO</b>	1	
<i>ERYTHROCIN (AS STEARATE) 250 MG TABLET</i> <b>MO</b>	1	
<i>erythromycin 250 mg CAPSULE, DR/EC</i> <b>MO</b>	1	
<i>erythromycin 250 mg, 333 mg, 500 mg TABLET, DR/EC</i> <b>MO</b>	1	
<i>erythromycin 250 mg, 500 mg TABLET</i> <b>MO</b>	1	
<i>erythromycin ethylsuccinate 200 mg/5 ml, 400 mg/5 ml SUSPENSION FOR RECONSTITUTION</i> <b>MO</b>	1	
<i>erythromycin ethylsuccinate 400 mg TABLET</i> <b>MO</b>	1	
<i>erythromycin lactobionate 500 mg RECON SOLUTION</i> <b>DL</b>	4	
<i>FETROJA 1 GRAM RECON SOLUTION</i> <b>DL</b>	4	QL(84 per 14 days)
<i>fidaxomicin 200 mg TABLET</i> <b>DL</b>	4	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
FIRVANQ 25 MG/ML, 50 MG/ML RECON SOLUTION <b>MO</b>	3	
FLAGYL 375 MG CAPSULE <b>MO</b>	3	QL(320 per 30 days)
<i>fosfomycin tromethamine</i> 3 gram PACKET <b>MO</b>	1	
FURADANTIN 25 MG/5 ML SUSPENSION <b>MO</b>	3	
<i>gentamicin</i> 0.1 % CREAM <b>MO</b>	1	
<i>gentamicin</i> 0.1 % OINTMENT <b>MO</b>	1	
<i>gentamicin</i> 40 mg/ml SOLUTION <b>MO</b>	1	
<i>gentamicin in nacl (iso-osm)</i> 100 mg/100 ml, 100 mg/50 ml, 120 mg/100 ml, 60 mg/50 ml, 80 mg/100 ml, 80 mg/50 ml PIGGYBACK <b>MO</b>	1	
<i>gentamicin sulfate (ped) (pf)</i> 20 mg/2 ml SOLUTION <b>MO</b>	1	
HIPREX 1 GRAM TABLET <b>MO</b>	3	PA
HUMATIN 250 MG CAPSULE <b>DL</b>	4	
<i>imipenem-cilastatin</i> 250 mg, 500 mg RECON SOLUTION <b>MO</b>	1	
KIMYRSA 1,200 MG RECON SOLUTION <b>DL</b>	4	QL(1 per 30 days)
KITABIS PAK 300 MG/5 ML SOLUTION FOR NEBULIZATION <b>DL</b>	4	PA
KLARON 10 % SUSPENSION <b>MO</b>	3	QL(118 per 30 days)
<i>levofloxacin</i> 25 mg/ml, 250 mg/10 ml SOLUTION <b>MO</b>	1	
<i>levofloxacin</i> 250 mg, 750 mg TABLET <b>MO</b>	1	
<i>levofloxacin</i> 500 mg TABLET <b>MO</b>	1	
<i>levofloxacin in d5w</i> 250 mg/50 ml, 500 mg/100 ml, 750 mg/150 ml PIGGYBACK <b>MO</b>	1	
LINCOCIN 300 MG/ML SOLUTION <b>MO</b>	3	
<i>lincomycin</i> 300 mg/ml SOLUTION <b>MO</b>	1	
<i>linezolid</i> 100 mg/5 ml SUSPENSION FOR RECONSTITUTION <b>DL</b>	4	QL(1800 per 30 days)
<i>linezolid</i> 600 mg TABLET <b>MO</b>	1	QL(60 per 30 days)
<i>linezolid in dextrose 5%</i> 600 mg/300 ml PIGGYBACK <b>MO</b>	1	
<i>linezolid-0.9% sodium chloride</i> 600 mg/300 ml PARENTERAL SOLUTION <b>MO</b>	1	
MACROBID 100 MG CAPSULE <b>MO</b>	3	
MACRODANTIN 100 MG, 25 MG, 50 MG CAPSULE <b>MO</b>	3	
<i>meropenem</i> 1 gram, 500 mg RECON SOLUTION <b>MO</b>	1	
<i>meropenem-0.9% sodium chloride</i> 1 gram/50 ml, 500 mg/50 ml PIGGYBACK <b>MO</b>	1	
<i>methenamine hippurate</i> 1 gram TABLET <b>MO</b>	1	
METRO I.V. 500 MG/100 ML PIGGYBACK <b>MO</b>	3	
METROCREAM 0.75 % CREAM <b>MO</b>	3	PA

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
METROGEL 1 % GEL <b>MO</b>	3	ST
METROLOTION 0.75 % LOTION <b>MO</b>	3	PA
metronidazole 0.75 % CREAM <b>MO</b>	1	
metronidazole 0.75 % LOTION <b>MO</b>	1	
metronidazole 0.75 %, 0.75 % (37.5mg/5 gram), 1 %, 1.3 % (65 mg/5 gram) GEL <b>MO</b>	1	
metronidazole 1 % GEL WITH PUMP <b>MO</b>	1	
metronidazole 125 mg, 250 mg, 500 mg TABLET <b>MO</b>	1	
metronidazole 375 mg CAPSULE <b>MO</b>	1	QL(320 per 30 days)
metronidazole in nacl (iso-os) 500 mg/100 ml PIGGYBACK <b>MO</b>	1	
MINOCIN 100 MG RECON SOLUTION <b>DL</b>	4	PA
minocycline 100 mg, 50 mg, 75 mg CAPSULE <b>MO</b>	1	
minocycline 100 mg, 50 mg, 75 mg TABLET <b>MO</b>	1	
minocycline 105 mg, 115 mg, 135 mg, 45 mg, 55 mg, 65 mg, 80 mg, 90 mg TABLET, ER 24 HR. <b>MO</b>	1	ST,QL(30 per 30 days)
mondoxyne nl 100 mg CAPSULE <b>MO</b>	1	
mondoxyne nl 75 mg CAPSULE <b>MO</b>	1	ST,QL(60 per 30 days)
morgidox 50 mg CAPSULE <b>MO</b>	1	ST
moxifloxacin 400 mg TABLET <b>MO</b>	1	
moxifloxacin-sod.ace,sul-water 400 mg/250 ml PIGGYBACK <b>MO</b>	1	
moxifloxacin-sod.chloride(iso) 400 mg/250 ml PIGGYBACK <b>MO</b>	1	
nafcillin 1 gram, 10 gram, 2 gram RECON SOLUTION <b>MO</b>	1	
nafcillin in dextrose iso-osm 1 gram/50 ml, 2 gram/100 ml PIGGYBACK <b>DL</b>	4	
neomycin 500 mg TABLET <b>MO</b>	1	
nitrofurantoin 25 mg/5 ml, 50 mg/5 ml SUSPENSION <b>DL</b>	4	
nitrofurantoin macrocrystal 100 mg, 25 mg, 50 mg CAPSULE <b>MO</b>	1	
nitrofurantoin monohyd/m-cryst 100 mg CAPSULE <b>MO</b>	1	
NORITATE 1 % CREAM <b>DL</b>	4	ST,QL(60 per 30 days)
NUZYRA 100 MG RECON SOLUTION <b>DL</b>	4	
NUZYRA 150 MG TABLET <b>DL</b>	4	QL(30 per 14 days)
ofloxacin 300 mg, 400 mg TABLET <b>MO</b>	1	
ORACEA 40 MG CAPSULE, IR/DR, BIPHASIC <b>MO</b>	3	ST,QL(30 per 30 days)
ORBACTIV 400 MG RECON SOLUTION <b>DL</b>	4	QL(3 per 28 days)
ORLYNVAH 500-500 MG TABLET <b>DL</b>	4	
oxacillin 1 gram, 10 gram, 2 gram RECON SOLUTION <b>MO</b>	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
oxacillin in dextrose(iso-osm) 2 gram/50 ml PIGGYBACK <b>MO</b>	3	
penicillin g pot in dextrose 2 million unit/50 ml, 3 million unit/50 ml PIGGYBACK <b>MO</b>	3	
penicillin g potassium 20 million unit, 5 million unit RECON SOLUTION <b>MO</b>	1	
penicillin g sodium 5 million unit RECON SOLUTION <b>MO</b>	1	
penicillin v potassium 125 mg/5 ml, 250 mg/5 ml RECON SOLUTION <b>MO</b>	1	
penicillin v potassium 250 mg, 500 mg TABLET <b>MO</b>	1	
pfizerpen-g 20 million unit, 5 million unit RECON SOLUTION <b>MO</b>	1	
piperacillin-tazobactam 13.5 gram, 2.25 gram, 3.375 gram, 4.5 gram, 40.5 gram RECON SOLUTION <b>MO</b>	1	
PIPERACILLIN-TAZOBACTAM 2.25 GRAM/50 ML, 3.375 GRAM/50 ML PIGGYBACK <b>MO</b>	3	
PIPERACILLIN-TAZOBACTAM 4.5 GRAM/100 ML PIGGYBACK <b>DL</b>	4	
polymyxin b sulfate 500,000 unit RECON SOLUTION <b>MO</b>	1	
PRIMAXIN IV 500 MG RECON SOLUTION <b>MO</b>	3	
PRIMSOL 50 MG/5 ML SOLUTION <b>MO</b>	3	
RECARBRIO 1.25 GRAM RECON SOLUTION <b>DL</b>	4	
rosadan 0.75 % CREAM <b>MO</b>	1	ST
rosadan 0.75 % GEL <b>MO</b>	1	ST
SEYSARA 100 MG, 150 MG, 60 MG TABLET <b>DL</b>	4	ST,QL(30 per 30 days)
SIVEXTRO 200 MG RECON SOLUTION <b>DL</b>	4	QL(6 per 28 days)
SIVEXTRO 200 MG TABLET <b>DL</b>	4	QL(6 per 28 days)
SOLODYN 105 MG, 115 MG, 55 MG, 65 MG, 80 MG TABLET, ER 24 HR. <b>DL</b>	4	ST,QL(30 per 30 days)
SOLOSEC 2 GRAM DR GRANULES IN PACKET <b>MO</b>	3	PA
streptomycin 1 gram RECON SOLUTION <b>DL</b>	4	
sulfacetamide sodium 10 % OINTMENT <b>MO</b>	1	
sulfacetamide sodium (acne) 10 % SUSPENSION <b>MO</b>	1	QL(118 per 30 days)
sulfadiazine 500 mg TABLET <b>MO</b>	1	
sulfamethoxazole-trimethoprim 200-40 mg/5 ml SUSPENSION <b>MO</b>	1	
sulfamethoxazole-trimethoprim 400-80 mg TABLET <b>MO</b>	1	
sulfamethoxazole-trimethoprim 400-80 mg/5 ml SOLUTION <b>MO</b>	1	
sulfamethoxazole-trimethoprim 800-160 mg TABLET <b>MO</b>	1	
TARGADOX 50 MG TABLET <b>MO</b>	1	ST,QL(180 per 30 days)
tazicef 1 gram, 2 gram, 6 gram RECON SOLUTION <b>MO</b>	1	
TEFLARO 400 MG, 600 MG RECON SOLUTION <b>DL</b>	4	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
tetracycline 250 mg, 500 mg CAPSULE <b>MO</b>	1	
tetracycline 250 mg, 500 mg TABLET <b>DL</b>	4	
tigecycline 50 mg RECON SOLUTION <b>MO</b>	1	
tinidazole 250 mg, 500 mg TABLET <b>MO</b>	1	
TOBI 300 MG/5 ML SOLUTION FOR NEBULIZATION <b>DL</b>	4	PA
tobramycin 300 mg/4 ml SOLUTION FOR NEBULIZATION <b>DL</b>	4	PA
tobramycin in 0.225 % nacl 300 mg/5 ml SOLUTION FOR NEBULIZATION <b>DL</b>	4	BvsD
tobramycin sulfate 1.2 gram RECON SOLUTION <b>DL</b>	4	
tobramycin sulfate 10 mg/ml, 40 mg/ml SOLUTION <b>MO</b>	1	
trimethoprim 100 mg TABLET <b>MO</b>	1	
TYGACIL 50 MG RECON SOLUTION <b>DL</b>	4	
TYZAVAN 1 GRAM/200 ML, 1.25 GRAM/250 ML, 1.5 GRAM/300 ML, 1.75 GRAM/350 ML, 2 GRAM/400 ML, 500 MG/100 ML, 750 MG/150 ML PIGGYBACK <b>MO</b>	3	
UNASYN 1.5 GRAM, 15 GRAM, 3 GRAM RECON SOLUTION <b>MO</b>	3	
VABOMERE 2 GRAM RECON SOLUTION <b>DL</b>	4	QL(84 per 14 days)
VANCOGIN 125 MG CAPSULE <b>MO</b>	3	PA,QL(120 per 30 days)
VANCOGIN 250 MG CAPSULE <b>DL</b>	4	PA,QL(240 per 30 days)
vancomycin 1,000 mg, 1.25 gram, 1.5 gram, 10 gram, 25 mg/ml, 5 gram, 50 mg/ml, 500 mg, 750 mg RECON SOLUTION <b>MO</b>	1	
vancomycin 1.75 gram, 2 gram RECON SOLUTION <b>MO</b>	3	
vancomycin 125 mg CAPSULE <b>MO</b>	1	QL(120 per 30 days)
vancomycin 250 mg CAPSULE <b>MO</b>	1	QL(240 per 30 days)
vancomycin in 0.9 % sodium chl 1 gram/200 ml, 500 mg/100 ml, 750 mg/150 ml PIGGYBACK <b>MO</b>	3	
vancomycin in dextrose 5 % 1 gram/200 ml, 500 mg/100 ml, 750 mg/150 ml PIGGYBACK <b>MO</b>	3	
VANCOMYCIN IN DEXTROSE 5 % 1.25 GRAM/250 ML, 1.5 GRAM/300 ML PIGGYBACK <b>MO</b>	3	
vancomycin-diluent combo no.1 1 gram/200 ml, 1.25 gram/250 ml, 1.5 gram/300 ml, 1.75 gram/350 ml, 2 gram/400 ml, 500 mg/100 ml, 750 mg/150 ml PIGGYBACK <b>MO</b>	3	
VANDAZOLE 0.75 % (37.5MG/5 GRAM) GEL <b>MO</b>	3	
VIBATIV 750 MG RECON SOLUTION <b>DL</b>	4	
VIBRAMYCIN 100 MG CAPSULE <b>MO</b>	3	
XACDURO 1 GRAM-1 GRAM (0.5 GRAM X 2) RECON SOLUTION	4	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
XACIATO 2 % GEL <b>MO</b>	3	
XERAHA 100 MG, 50 MG RECON SOLUTION <b>MO</b>	3	
XIMINO 135 MG, 45 MG, 90 MG CAPSULE, ER 24 HR. <b>MO</b>	3	ST,QL(30 per 30 days)
ZEMDRI 50 MG/ML SOLUTION <b>DL</b>	4	
ZERBAXA 1.5 GRAM RECON SOLUTION <b>DL</b>	4	
ZEVTERA 667 MG RECON SOLUTION <b>DL</b>	4	
ZITHROMAX 1 GRAM PACKET <b>MO</b>	3	
ZITHROMAX 100 MG/5 ML, 200 MG/5 ML SUSPENSION FOR RECONSTITUTION <b>MO</b>	3	
ZITHROMAX 250 MG, 500 MG TABLET <b>MO</b>	3	
ZITHROMAX 500 MG RECON SOLUTION <b>MO</b>	3	
ZITHROMAX TRI-PAK 500 MG TABLET <b>MO</b>	3	
ZITHROMAX Z-PAK 250 MG TABLET <b>MO</b>	3	
ZOSYN IN DEXTROSE (ISO-OSM) 2.25 GRAM/50 ML, 3.375 GRAM/50 ML, 4.5 GRAM/100 ML PIGGYBACK <b>MO</b>	3	
ZYVOX 100 MG/5 ML SUSPENSION FOR RECONSTITUTION <b>DL</b>	4	PA,QL(1800 per 30 days)
ZYVOX 200 MG/100 ML, 600 MG/300 ML PIGGYBACK <b>MO</b>	3	
ZYVOX 600 MG TABLET <b>DL</b>	4	PA,QL(60 per 30 days)
<b>ANTICONVULSANTS</b>		
APTIOM 200 MG, 400 MG TABLET <b>DL</b>	4	PA,QL(30 per 30 days)
APTIOM 600 MG, 800 MG TABLET <b>DL</b>	4	PA,QL(60 per 30 days)
BANZEL 200 MG TABLET <b>DL</b>	4	PA,QL(480 per 30 days)
BANZEL 40 MG/ML SUSPENSION <b>DL</b>	4	PA,QL(2760 per 30 days)
BANZEL 400 MG TABLET <b>DL</b>	4	PA,QL(240 per 30 days)
<i>brivaracetam 10 mg, 100 mg, 25 mg, 50 mg, 75 mg TABLET</i> <b>DL</b>	4	PA,QL(60 per 30 days)
BRIVIACT 10 MG, 100 MG, 25 MG, 50 MG, 75 MG TABLET <b>DL</b>	4	PA,QL(60 per 30 days)
BRIVIACT 10 MG/ML SOLUTION <b>DL</b>	4	PA,QL(600 per 30 days)
BRIVIACT 50 MG/5 ML SOLUTION <b>DL</b>	4	PA
<i>carbamazepine 100 mg, 200 mg CHEWABLE TABLET</i> <b>MO</b>	1	
<i>carbamazepine 100 mg, 200 mg, 300 mg CAPSULE ER MULTIPHASE 12 HR.</i> <b>MO</b>	1	
<i>carbamazepine 100 mg, 200 mg, 400 mg TABLET, ER 12 HR.</i> <b>MO</b>	1	
<i>carbamazepine 100 mg/5 ml, 100 mg/5 ml (5 ml), 200 mg/10 ml SUSPENSION</i> <b>MO</b>	1	
<i>carbamazepine 200 mg TABLET</i> <b>MO</b>	1	
CARBATROL 100 MG, 200 MG, 300 MG CAPSULE ER MULTIPHASE 12 HR. <b>MO</b>	3	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
CELONTIN 300 MG CAPSULE <b>MO</b>	3	
CEREBYX 100 MG PE/2 ML, 500 MG PE/10 ML SOLUTION <b>MO</b>	3	
<i>clobazam</i> 10 mg, 20 mg TABLET <b>DL</b>	1	PA
<i>clobazam</i> 2.5 mg/ml SUSPENSION <b>DL</b>	1	PA
DEPAKOTE 125 MG, 250 MG, 500 MG TABLET, DR/EC <b>MO</b>	3	
DEPAKOTE ER 250 MG, 500 MG TABLET, ER 24 HR. <b>MO</b>	3	
DEPAKOTE SPRINKLES 125 MG CAPSULE, DR SPRINKLE <b>MO</b>	3	
DIACOMIT 250 MG, 500 MG CAPSULE <b>DL</b>	4	PA,QL(180 per 30 days)
DIACOMIT 250 MG, 500 MG POWDER IN PACKET <b>DL</b>	4	PA,QL(180 per 30 days)
<i>diazepam</i> 12.5-15-17.5-20 mg, 2.5 mg, 5-7.5-10 mg KIT <b>DL</b>	1	
DILANTIN 30 MG CAPSULE <b>MO</b>	1	
DILANTIN EXTENDED 100 MG CAPSULE <b>MO</b>	1	
DILANTIN INFATABS 50 MG CHEWABLE TABLET <b>MO</b>	1	
DILANTIN-125 125 MG/5 ML SUSPENSION <b>MO</b>	3	
<i>divalproex</i> 125 mg CAPSULE, DR SPRINKLE <b>MO</b>	1	
<i>divalproex</i> 125 mg, 250 mg, 500 mg TABLET, DR/EC <b>MO</b>	1	
<i>divalproex</i> 250 mg, 500 mg TABLET, ER 24 HR. <b>MO</b>	1	
ELEPSIA XR 1,000 MG, 1,500 MG TABLET, ER 24 HR. <b>DL</b>	4	QL(60 per 30 days)
EPIDIOLEX 100 MG/ML SOLUTION <b>DL</b>	4	PA
<i>epitol</i> 200 mg TABLET <b>MO</b>	1	
EPRONTIA 25 MG/ML SOLUTION <b>MO</b>	3	PA,QL(480 per 30 days)
EQUETRO 100 MG, 200 MG, 300 MG CAPSULE ER MULTIPHASE 12 HR. <b>MO</b>	3	PA
<i>eslicarbazepine</i> 200 mg, 400 mg TABLET <b>DL</b>	4	PA,QL(30 per 30 days)
<i>eslicarbazepine</i> 600 mg, 800 mg TABLET <b>DL</b>	4	PA,QL(60 per 30 days)
<i>ethosuximide</i> 250 mg CAPSULE <b>MO</b>	1	
<i>ethosuximide</i> 250 mg/5 ml SOLUTION <b>MO</b>	1	
<i>felbamate</i> 400 mg, 600 mg TABLET <b>MO</b>	1	PA
<i>felbamate</i> 600 mg/5 ml SUSPENSION <b>MO</b>	1	PA
FELBATOL 400 MG, 600 MG TABLET <b>DL</b>	4	PA
FINTEPLA 2.2 MG/ML SOLUTION <b>DL,LA</b>	4	PA,QL(360 per 30 days)
<i>fosphenytoin</i> 100 mg pe/2 ml, 500 mg pe/10 ml SOLUTION <b>MO</b>	1	
FYCOMPA 0.5 MG/ML SUSPENSION <b>DL</b>	4	PA,QL(680 per 28 days)
FYCOMPA 10 MG, 12 MG, 4 MG, 6 MG, 8 MG TABLET <b>DL</b>	4	PA,QL(30 per 30 days)
FYCOMPA 2 MG TABLET <b>MO</b>	3	PA,QL(30 per 30 days)
<i>gabapentin</i> 100 mg, 300 mg, 400 mg CAPSULE <b>MO</b>	1	QL(270 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<i>gabapentin 250 mg/5 ml, 250 mg/5 ml (5 ml), 300 mg/6 ml (6 ml) SOLUTION</i> <b>MO</b>	1	QL(2250 per 30 days)
<i>gabapentin 600 mg, 800 mg TABLET</i> <b>MO</b>	1	QL(180 per 30 days)
GABARONE 100 MG, 400 MG TABLET <b>DL</b>	4	QL(270 per 30 days)
KEPPRA 1,000 MG, 500 MG, 750 MG TABLET <b>DL</b>	4	PA
KEPPRA 100 MG/ML, 500 MG/5 ML SOLUTION <b>DL</b>	4	PA
KEPPRA 250 MG TABLET <b>MO</b>	3	PA
KEPPRA XR 500 MG TABLET, ER 24 HR. <b>DL</b>	4	PA,QL(180 per 30 days)
KEPPRA XR 750 MG TABLET, ER 24 HR. <b>DL</b>	4	PA,QL(120 per 30 days)
<i>lacosamide 10 mg/ml SOLUTION</i> <b>MO</b>	1	QL(1395 per 30 days)
<i>lacosamide 100 mg, 150 mg, 200 mg, 50 mg TABLET</i> <b>MO</b>	1	QL(60 per 30 days)
<i>lacosamide 200 mg/20 ml SOLUTION</i> <b>DL</b>	4	
LAMICTAL 100 MG TABLET <b>DL</b>	4	
LAMICTAL 150 MG, 200 MG, 25 MG TABLET <b>MO</b>	3	
LAMICTAL 25 MG TABLET, CHEWABLE DISPERSIBLE <b>DL</b>	4	
LAMICTAL 5 MG TABLET, CHEWABLE DISPERSIBLE <b>MO</b>	3	
LAMICTAL ODT 100 MG, 200 MG, 50 MG TABLET, DISINTEGRATING <b>DL</b>	4	
LAMICTAL ODT 25 MG TABLET, DISINTEGRATING <b>MO</b>	3	
LAMICTAL ODT STARTER (BLUE) 25 MG (21) -50 MG (7) TABLET, DISINTEGRATING,DOSE PK <b>DL</b>	4	
LAMICTAL ODT STARTER (GREEN) 50 MG (42) -100 MG (14) TABLET, DISINTEGRATING,DOSE PK <b>DL</b>	4	
LAMICTAL ODT STARTER (ORANGE) 25 MG(14)-50 MG (14)-100 MG (7) TABLET, DISINTEGRATING,DOSE PK <b>DL</b>	4	
LAMICTAL STARTER (BLUE) KIT 25 MG (35) TABLET, DOSE PACK <b>MO</b>	3	
LAMICTAL STARTER (GREEN) KIT 25 MG (84) -100 MG (14) TABLET, DOSE PACK <b>MO</b>	3	
LAMICTAL STARTER (ORANGE) KIT 25 MG (42) -100 MG (7) TABLET, DOSE PACK <b>MO</b>	3	
LAMICTAL XR 100 MG, 200 MG, 250 MG, 300 MG, 50 MG TABLET, ER 24 HR. <b>DL</b>	4	
LAMICTAL XR 25 MG TABLET, ER 24 HR. <b>MO</b>	3	
<b>MO</b> LAMICTAL XR STARTER (BLUE) 25 MG (21) -50 MG (7) TABLET, ER, DOSE PACK	3	
LAMICTAL XR STARTER (GREEN) 50 MG(14)-100MG (14)-200 MG (7) TABLET, ER, DOSE PACK <b>MO</b>	3	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
LAMICTAL XR STARTER (ORANGE) 25MG (14)-50 MG (14)-100MG (7) TABLET, ER, DOSE PACK <b>MO</b>	3	
lamotrigine 100 mg, 150 mg, 200 mg, 25 mg TABLET <b>MO</b>	1	
lamotrigine 100 mg, 200 mg, 25 mg, 250 mg, 300 mg, 50 mg TABLET, ER 24 HR. <b>MO</b>	1	
lamotrigine 100 mg, 200 mg, 25 mg, 50 mg TABLET, DISINTEGRATING <b>MO</b>	1	
lamotrigine 25 mg (21) -50 mg (7), 25 mg(14)-50 mg (14)-100 mg (7), 50 mg (42) -100 mg (14) TABLET, DISINTEGRATING,DOSE PK <b>MO</b>	1	
lamotrigine 25 mg (35), 25 mg (42) -100 mg (7), 25 mg (84) -100 mg (14) TABLET, DOSE PACK <b>MO</b>	1	
lamotrigine 25 mg, 5 mg TABLET, CHEWABLE DISPERSIBLE <b>MO</b>	1	
levetiracetam 1,000 mg, 250 mg, 750 mg TABLET <b>MO</b>	1	
levetiracetam 100 mg/ml, 500 mg/5 ml SOLUTION <b>MO</b>	1	
levetiracetam 250 mg TABLET FOR SUSPENSION <b>MO</b>	3	ST,QL(360 per 30 days)
levetiracetam 500 mg TABLET <b>MO</b>	1	
levetiracetam 500 mg TABLET, ER 24 HR. <b>MO</b>	1	QL(180 per 30 days)
levetiracetam 500 mg/5 ml (5 ml) SOLUTION <b>MO</b>	1	QL(900 per 30 days)
levetiracetam 750 mg TABLET, ER 24 HR. <b>MO</b>	1	QL(120 per 30 days)
levetiracetam in nacl (iso-os) 1,000 mg/100 ml, 1,500 mg/100 ml, 500 mg/100 ml PIGGYBACK <b>MO</b>	1	
LIBERVANT 10 MG, 12.5 MG, 15 MG, 5 MG, 7.5 MG FILM <b>DL</b>	4	QL(10 per 30 days)
methsuximide 300 mg CAPSULE <b>MO</b>	1	
MOTPOLY XR 100 MG, 150 MG, 200 MG CAPSULE, ER 24 HR. <b>DL</b>	4	PA,QL(60 per 30 days)
MYSOLINE 250 MG, 50 MG TABLET <b>DL</b>	4	PA
NAYZILAM 5 MG/SPRAY (0.1 ML) SPRAY, NON-AEROSOL <b>DL</b>	3	QL(10 per 30 days)
NEURONTIN 100 MG, 300 MG, 400 MG CAPSULE <b>MO</b>	3	PA,QL(270 per 30 days)
NEURONTIN 250 MG/5 ML SOLUTION <b>MO</b>	3	PA,QL(2250 per 30 days)
NEURONTIN 600 MG, 800 MG TABLET <b>DL</b>	4	PA,QL(180 per 30 days)
ONFI 10 MG, 20 MG TABLET <b>DL</b>	4	PA
ONFI 2.5 MG/ML SUSPENSION <b>DL</b>	4	PA
oxcarbazepine 150 mg, 300 mg, 600 mg TABLET <b>MO</b>	1	
oxcarbazepine 150 mg, 300 mg, 600 mg TABLET, ER 24 HR. <b>MO</b>	1	ST
oxcarbazepine 300 mg/5 ml (60 mg/ml) SUSPENSION <b>MO</b>	1	
OXTELLAR XR 150 MG, 300 MG TABLET, ER 24 HR. <b>MO</b>	3	ST
OXTELLAR XR 600 MG TABLET, ER 24 HR. <b>DL</b>	4	ST
pentobarbital sodium 50 mg/ml SOLUTION <b>MO</b>	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
perampanel 0.5 mg/ml SUSPENSION <b>DL</b>	4	PA,QL(680 per 28 days)
perampanel 10 mg, 12 mg, 4 mg, 6 mg, 8 mg TABLET <b>DL</b>	4	PA,QL(30 per 30 days)
perampanel 2 mg TABLET <b>MO</b>	1	PA,QL(30 per 30 days)
phenobarbital 100 mg, 16.2 mg, 32.4 mg, 64.8 mg, 97.2 mg TABLET <b>MO</b>	1	QL(90 per 30 days)
phenobarbital 15 mg, 60 mg TABLET <b>MO</b>	1	QL(120 per 30 days)
phenobarbital 20 mg/5 ml (4 mg/ml) ELIXIR <b>MO</b>	1	QL(1500 per 30 days)
phenobarbital 30 mg TABLET <b>MO</b>	1	QL(300 per 30 days)
phenobarbital sodium 130 mg/ml, 65 mg/ml SOLUTION <b>DL</b>	4	
PHENYTEK 200 MG, 300 MG CAPSULE <b>MO</b>	1	
phenytoin 100 mg/4 ml, 125 mg/5 ml SUSPENSION <b>MO</b>	1	
phenytoin 50 mg CHEWABLE TABLET <b>MO</b>	1	
phenytoin sodium 50 mg/ml SOLUTION <b>MO</b>	1	
phenytoin sodium 50 mg/ml SYRINGE <b>MO</b>	1	
phenytoin sodium extended 100 mg, 200 mg, 300 mg CAPSULE <b>MO</b>	1	
primidone 125 mg, 250 mg, 50 mg TABLET <b>MO</b>	1	
QUDEXY XR 100 MG, 50 MG CAPSULE ER SPRINKLE 24 HR. <b>MO</b>	3	PA,QL(30 per 30 days)
QUDEXY XR 150 MG, 200 MG CAPSULE ER SPRINKLE 24 HR. <b>DL</b>	4	PA,QL(60 per 30 days)
QUDEXY XR 25 MG CAPSULE ER SPRINKLE 24 HR. <b>MO</b>	3	PA,QL(90 per 30 days)
roweepra 500 mg TABLET <b>MO</b>	1	
rufinamide 200 mg TABLET <b>MO</b>	1	PA,QL(480 per 30 days)
rufinamide 40 mg/ml SUSPENSION	4	PA,QL(2760 per 30 days)
rufinamide 400 mg TABLET <b>MO</b>	1	PA,QL(240 per 30 days)
SABRIL 500 MG POWDER IN PACKET <b>DL</b>	4	PA,QL(180 per 30 days)
SABRIL 500 MG TABLET <b>DL</b>	4	PA,QL(180 per 30 days)
SEZABY 100 MG RECON SOLUTION <b>DL</b>	4	
SPRITAM 1,000 MG TABLET FOR SUSPENSION <b>MO</b>	3	ST,QL(90 per 30 days)
SPRITAM 250 MG TABLET FOR SUSPENSION <b>MO</b>	3	ST,QL(360 per 30 days)
SPRITAM 500 MG TABLET FOR SUSPENSION <b>MO</b>	3	ST,QL(180 per 30 days)
SPRITAM 750 MG TABLET FOR SUSPENSION <b>MO</b>	3	ST,QL(120 per 30 days)
SUBVENITE 10 MG/ML SUSPENSION <b>DL</b>	3	
subvenite 100 mg, 150 mg, 200 mg, 25 mg TABLET <b>MO</b>	1	
subvenite starter (blue) kit 25 mg (35) TABLET, DOSE PACK <b>MO</b>	1	
subvenite starter (green) kit 25 mg (84) -100 mg (14) TABLET, DOSE PACK <b>MO</b>	1	
subvenite starter (orange) kit 25 mg (42) -100 mg (7) TABLET, DOSE PACK <b>MO</b>	1	
SYMPAZAN 10 MG, 20 MG FILM <b>DL</b>	4	PA,QL(60 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
SYMPAZAN 5 MG FILM <b>DL</b>	3	PA,QL(60 per 30 days)
TEGRETOL 100 MG/5 ML SUSPENSION <b>MO</b>	3	
TEGRETOL 200 MG TABLET <b>MO</b>	3	
TEGRETOL XR 100 MG, 200 MG, 400 MG TABLET, ER 12 HR. <b>MO</b>	3	
<i>tiagabine 12 mg, 16 mg, 2 mg, 4 mg TABLET</i> <b>MO</b>	1	
TOPAMAX 100 MG, 200 MG TABLET <b>DL</b>	4	
TOPAMAX 15 MG, 25 MG CAPSULE, SPRINKLE <b>DL</b>	4	
TOPAMAX 25 MG, 50 MG TABLET <b>MO</b>	3	
<i>topiramate 100 mg, 200 mg, 25 mg, 50 mg TABLET</i> <b>MO</b>	1	
<i>topiramate 100 mg, 50 mg CAPSULE ER SPRINKLE 24 HR.</i> <b>MO</b>	3	PA,QL(30 per 30 days)
<i>topiramate 100 mg, 50 mg CAPSULE, ER 24 HR.</i> <b>MO</b>	1	PA,QL(30 per 30 days)
<i>topiramate 15 mg, 25 mg, 50 mg CAPSULE, SPRINKLE</i> <b>MO</b>	1	
<i>topiramate 150 mg, 200 mg CAPSULE ER SPRINKLE 24 HR.</i> <b>MO</b>	3	PA,QL(60 per 30 days)
<i>topiramate 200 mg CAPSULE, ER 24 HR.</i> <b>MO</b>	1	PA,QL(60 per 30 days)
<i>topiramate 25 mg CAPSULE ER SPRINKLE 24 HR.</i> <b>MO</b>	3	PA,QL(90 per 30 days)
<i>topiramate 25 mg CAPSULE, ER 24 HR.</i> <b>MO</b>	1	PA,QL(90 per 30 days)
<i>topiramate 25 mg/ml SOLUTION</i> <b>MO</b>	1	PA,QL(480 per 30 days)
TRILEPTAL 150 MG TABLET <b>MO</b>	3	PA
TRILEPTAL 300 MG, 600 MG TABLET <b>DL</b>	4	PA
TRILEPTAL 300 MG/5 ML (60 MG/ML) SUSPENSION <b>DL</b>	4	PA
TROKENDI XR 100 MG CAPSULE, ER 24 HR. <b>DL</b>	4	PA,QL(30 per 30 days)
TROKENDI XR 200 MG CAPSULE, ER 24 HR. <b>DL</b>	4	PA,QL(60 per 30 days)
TROKENDI XR 25 MG CAPSULE, ER 24 HR. <b>MO</b>	3	PA,QL(90 per 30 days)
TROKENDI XR 50 MG CAPSULE, ER 24 HR. <b>MO</b>	3	PA,QL(30 per 30 days)
<i>valproate sodium 500 mg/5 ml (100 mg/ml) SOLUTION</i> <b>MO</b>	1	
<i>valproic acid 250 mg CAPSULE</i> <b>MO</b>	1	
<i>valproic acid (as sodium salt) 250 mg/5 ml, 250 mg/5 ml (5 ml), 500 mg/10 ml (10 ml) SOLUTION</i> <b>MO</b>	1	
VALTOCO 10 MG/SPRAY (0.1 ML), 15 MG/2 SPRAY (7.5/0.1ML X 2), 20 MG/2 SPRAY (10MG/0.1ML X2), 5 MG/SPRAY (0.1 ML) SPRAY, NON-AEROSOL <b>DL</b>	4	QL(10 per 30 days)
<i>vigabatrin 500 mg POWDER IN PACKET</i> <b>DL</b>	4	PA,QL(180 per 30 days)
<i>vigabatrin 500 mg TABLET</i> <b>DL</b>	4	PA,QL(180 per 30 days)
<i>vigadrone 500 mg POWDER IN PACKET</i> <b>DL</b>	4	PA,QL(180 per 30 days)
<i>vigadrone 500 mg TABLET</i> <b>DL</b>	4	PA,QL(180 per 30 days)
VIGAFYDE 100 MG/ML SOLUTION <b>DL</b>	4	PA,QL(600 per 25 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<i>vigpoder</i> 500 mg POWDER IN PACKET <b>DL</b>	4	PA,QL(180 per 30 days)
VIMPAT 10 MG/ML SOLUTION <b>DL</b>	4	PA,QL(1395 per 30 days)
VIMPAT 100 MG, 150 MG, 200 MG TABLET <b>DL</b>	4	PA,QL(60 per 30 days)
VIMPAT 200 MG/20 ML SOLUTION <b>DL</b>	4	PA
VIMPAT 50 MG TABLET <b>MO</b>	3	PA,QL(60 per 30 days)
XCOPRI 100 MG, 25 MG, 50 MG TABLET <b>DL</b>	4	PA,QL(30 per 30 days)
XCOPRI 150 MG, 200 MG TABLET <b>DL</b>	4	PA,QL(60 per 30 days)
XCOPRI MAINTENANCE PACK 250MG/DAY(150 MG X1-100MG X1), 350 MG/DAY (200 MG X1-150MG X1) TABLET <b>DL</b>	4	PA,QL(56 per 28 days)
XCOPRI TITRATION PACK 12.5 MG (14)- 25 MG (14) TABLET, DOSE PACK <b>MO</b>	3	PA,QL(28 per 28 days)
XCOPRI TITRATION PACK 150 MG (14)- 200 MG (14), 50 MG (14)- 100 MG (14) TABLET, DOSE PACK <b>DL</b>	4	PA,QL(28 per 28 days)
ZARONTIN 250 MG CAPSULE <b>MO</b>	3	
ZARONTIN 250 MG/5 ML SOLUTION <b>MO</b>	1	
ZONEGRAN 100 MG, 25 MG CAPSULE <b>DL</b>	4	PA
ZONISADE 100 MG/5 ML SUSPENSION <b>MO</b>	3	PA,QL(900 per 30 days)
<i>zonisamide</i> 100 mg, 25 mg, 50 mg CAPSULE <b>MO</b>	1	
ZTALMY 50 MG/ML SUSPENSION <b>DL</b>	4	PA,QL(1080 per 30 days)
<b>ANTIDEMENTIA AGENTS</b>		
ADLARITY 10 MG/24 HOUR, 5 MG/24 HOUR PATCH, WEEKLY <b>MO</b>	3	ST,QL(4 per 28 days)
ARICEPT 10 MG, 5 MG TABLET <b>MO</b>	3	PA
ARICEPT 23 MG TABLET <b>MO</b>	3	PA,QL(30 per 30 days)
<i>donepezil</i> 10 mg, 5 mg TABLET <b>MO</b>	1	
<i>donepezil</i> 10 mg, 5 mg TABLET, DISINTEGRATING <b>MO</b>	1	
<i>donepezil</i> 23 mg TABLET <b>MO</b>	1	QL(30 per 30 days)
<i>ergoloid</i> 1 mg TABLET <b>MO</b>	1	
EXELON PATCH 13.3 MG/24 HOUR, 4.6 MG/24 HOUR, 9.5 MG/24 HOUR PATCH, 24 HR. <b>MO</b>	3	PA,QL(30 per 30 days)
<i>galantamine</i> 12 mg, 4 mg, 8 mg TABLET <b>MO</b>	1	QL(60 per 30 days)
<i>galantamine</i> 16 mg, 24 mg, 8 mg CAPSULE ER PELLETS 24 HR. <b>MO</b>	1	QL(30 per 30 days)
<i>galantamine</i> 4 mg/ml SOLUTION <b>MO</b>	1	QL(200 per 30 days)
LEQEMBI IQLIK 360 MG/1.8 ML AUTO-INJECTOR <b>DL</b>	4	PA
<i>memantine</i> 10 mg, 5 mg TABLET <b>MO</b>	1	PA
<i>memantine</i> 14 mg, 21 mg, 28 mg, 7 mg CAPSULE ER SPRINKLE 24 HR. <b>MO</b>	1	PA,QL(30 per 30 days)
<i>memantine</i> 2 mg/ml SOLUTION <b>MO</b>	1	PA

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
memantine 5-10 mg TABLET, DOSE PACK <b>MO</b>	1	PA,QL(98 per 30 days)
memantine-donepezil 14-10 mg, 21-10 mg, 28-10 mg CAPSULE ER SPRINKLE 24 HR. <b>MO</b>	1	PA,QL(30 per 30 days)
NAMENDA XR 14 MG, 21 MG, 28 MG, 7 MG CAPSULE ER SPRINKLE 24 HR. <b>MO</b>	3	PA,QL(30 per 30 days)
NAMENDA XR 7-14-21-28 MG CAPSULE ER SPRINKLE 24 HR. <b>MO</b>	3	PA,QL(28 per 28 days)
NAMZARIC 14-10 MG, 21-10 MG, 28-10 MG, 7-10 MG CAPSULE ER SPRINKLE 24 HR. <b>MO</b>	3	PA,QL(30 per 30 days)
NAMZARIC 7/14/21/28 MG-10 MG CAPSULE ER SPRINKLE 24 HR. <b>MO</b>	3	PA,QL(28 per 28 days)
rivastigmine 13.3 mg/24 hour, 4.6 mg/24 hour, 9.5 mg/24 hour PATCH, 24 HR. <b>MO</b>	1	QL(30 per 30 days)
rivastigmine tartrate 1.5 mg, 3 mg CAPSULE <b>MO</b>	1	QL(90 per 30 days)
rivastigmine tartrate 4.5 mg, 6 mg CAPSULE <b>MO</b>	1	QL(60 per 30 days)
ZUNVEYL 10 MG, 15 MG, 5 MG TABLET, DR/EC <b>MO</b>	3	PA,QL(60 per 30 days)
<b>ANTIDEPRESSANTS</b>		
amitriptyline 10 mg, 100 mg, 150 mg, 50 mg, 75 mg TABLET <b>MO</b>	1	
amitriptyline 25 mg TABLET <b>MO</b>	1	
amitriptyline-chlordiazepoxide 12.5-5 mg, 25-10 mg TABLET <b>DL</b>	1	
amoxapine 100 mg, 150 mg, 25 mg, 50 mg TABLET <b>MO</b>	1	
ANAFRANIL 25 MG, 50 MG, 75 MG CAPSULE <b>DL</b>	4	
APLENZIN 174 MG, 348 MG, 522 MG TABLET, ER 24 HR. <b>DL</b>	4	ST,QL(30 per 30 days)
AUVELITY 45-105 MG TABLET, IR/ER, BIPHASIC <b>MO</b>	3	ST,QL(60 per 30 days)
bupropion hcl 100 mg TABLET, SR 12 HR. <b>MO</b>	1	QL(120 per 30 days)
bupropion hcl 100 mg, 75 mg TABLET <b>MO</b>	1	QL(180 per 30 days)
bupropion hcl 150 mg TABLET, ER 24 HR. <b>MO</b>	1	QL(90 per 30 days)
bupropion hcl 150 mg TABLET, SR 12 HR. <b>MO</b>	1	QL(90 per 30 days)
bupropion hcl 200 mg TABLET, SR 12 HR. <b>MO</b>	1	QL(60 per 30 days)
bupropion hcl 300 mg TABLET, ER 24 HR. <b>MO</b>	1	QL(60 per 30 days)
bupropion hcl 450 mg TABLET, ER 24 HR. <b>MO</b>	1	ST,QL(30 per 30 days)
CELEXA 10 MG, 20 MG, 40 MG TABLET <b>MO</b>	3	PA
citalopram 10 mg, 20 mg, 40 mg TABLET <b>MO</b>	1	
citalopram 10 mg/5 ml SOLUTION <b>MO</b>	1	
CITALOPRAM 30 MG CAPSULE <b>MO</b>	3	QL(30 per 30 days)
clomipramine 25 mg, 50 mg, 75 mg CAPSULE <b>MO</b>	1	
desipramine 10 mg, 100 mg, 150 mg, 25 mg, 50 mg, 75 mg TABLET <b>MO</b>	1	
desvenlafaxine 100 mg, 50 mg TABLET, ER 24 HR. <b>MO</b>	3	QL(30 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<i>desvenlafaxine succinate 100 mg, 25 mg, 50 mg TABLET, ER 24 HR. MO</i>	1	QL(30 per 30 days)
EFFEXOR XR 150 MG CAPSULE, ER 24 HR. MO	3	PA,QL(60 per 30 days)
EFFEXOR XR 37.5 MG, 75 MG CAPSULE, ER 24 HR. MO	3	PA,QL(90 per 30 days)
EMSAM 12 MG/24 HR, 6 MG/24 HR, 9 MG/24 HR PATCH, 24 HR. DL	4	PA,QL(30 per 30 days)
<i>escitalopram oxalate 10 mg, 20 mg, 5 mg TABLET MO</i>	1	
<i>escitalopram oxalate 15 mg CAPSULE MO</i>	3	
<i>escitalopram oxalate 5 mg/5 ml SOLUTION MO</i>	1	QL(600 per 30 days)
EXXUA 18.2 MG (32 TABS) TABLET, ER 24 HR., DOSE PACK DL	4	PA
EXXUA 18.2 MG, 36.3 MG, 54.5 MG, 72.6 MG TABLET, ER 24 HR. DL	4	PA,QL(30 per 30 days)
FETZIMA 120 MG, 20 MG, 40 MG, 80 MG CAPSULE, ER 24 HR. MO	3	PA,QL(30 per 30 days)
FETZIMA 20 MG (2)- 40 MG (26) CAPSULE, ER 24 HR. MO	3	PA,QL(28 per 28 days)
<i>fluoxetine 10 mg CAPSULE MO</i>	1	QL(60 per 30 days)
<i>fluoxetine 10 mg TABLET MO</i>	1	QL(240 per 30 days)
<i>fluoxetine 20 mg CAPSULE MO</i>	1	QL(120 per 30 days)
<i>fluoxetine 20 mg TABLET MO</i>	1	QL(120 per 30 days)
<i>fluoxetine 20 mg/5 ml (4 mg/ml) SOLUTION MO</i>	1	
<i>fluoxetine 40 mg CAPSULE MO</i>	1	QL(90 per 30 days)
<i>fluoxetine 60 mg TABLET MO</i>	1	QL(30 per 30 days)
<i>fluoxetine 90 mg CAPSULE, DR/EC MO</i>	1	QL(4 per 28 days)
<i>fluvoxamine 100 mg, 150 mg CAPSULE, ER 24 HR. MO</i>	1	QL(60 per 30 days)
<i>fluvoxamine 100 mg, 25 mg, 50 mg TABLET MO</i>	1	QL(90 per 30 days)
FORFIVO XL 450 MG TABLET, ER 24 HR. MO	3	ST,QL(30 per 30 days)
<i>imipramine hcl 10 mg, 25 mg, 50 mg TABLET MO</i>	1	
<i>imipramine pamoate 100 mg, 125 mg, 150 mg, 75 mg CAPSULE MO</i>	1	
LEXAPRO 10 MG, 20 MG, 5 MG TABLET MO	3	PA
MARPLAN 10 MG TABLET MO	3	
<i>mirtazapine 15 mg, 30 mg, 45 mg TABLET, DISINTEGRATING MO</i>	1	QL(30 per 30 days)
<i>mirtazapine 15 mg, 30 mg, 7.5 mg TABLET MO</i>	1	
<i>mirtazapine 45 mg TABLET MO</i>	1	
NARDIL 15 MG TABLET MO	3	
<i>nefazodone 100 mg, 150 mg, 200 mg, 250 mg, 50 mg TABLET MO</i>	1	
NORPRAMIN 10 MG, 25 MG TABLET MO	3	
<i>nortriptyline 10 mg, 25 mg, 50 mg, 75 mg CAPSULE MO</i>	1	
<i>nortriptyline 10 mg/5 ml SOLUTION MO</i>	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
olanzapine-fluoxetine 12-25 mg, 12-50 mg, 3-25 mg, 6-25 mg, 6-50 mg CAPSULE <b>MO</b>	1	QL(30 per 30 days)
PAMELOR 10 MG, 25 MG, 50 MG, 75 MG CAPSULE <b>DL</b>	4	
PARNATE 10 MG TABLET <b>DL</b>	4	
paroxetine hcl 10 mg, 20 mg, 30 mg, 40 mg TABLET <b>MO</b>	1	
paroxetine hcl 10 mg/5 ml SUSPENSION <b>MO</b>	1	
paroxetine hcl 12.5 mg, 37.5 mg TABLET, ER 24 HR. <b>MO</b>	1	QL(60 per 30 days)
paroxetine hcl 25 mg TABLET, ER 24 HR. <b>MO</b>	1	QL(90 per 30 days)
paroxetine mesylate(menop.sym) 7.5 mg CAPSULE <b>MO</b>	1	QL(30 per 30 days)
PAXIL 10 MG, 20 MG, 30 MG, 40 MG TABLET <b>MO</b>	3	
PAXIL 10 MG/5 ML SUSPENSION <b>MO</b>	3	PA
PAXIL CR 12.5 MG, 37.5 MG TABLET, ER 24 HR. <b>MO</b>	3	QL(60 per 30 days)
PAXIL CR 25 MG TABLET, ER 24 HR. <b>MO</b>	3	QL(90 per 30 days)
perphenazine-amitriptyline 2-10 mg, 2-25 mg, 4-10 mg, 4-25 mg, 4-50 mg TABLET <b>MO</b>	1	
phenelzine 15 mg TABLET <b>MO</b>	1	
PRISTIQ 100 MG, 25 MG, 50 MG TABLET, ER 24 HR. <b>MO</b>	3	PA,QL(30 per 30 days)
protriptyline 10 mg, 5 mg TABLET <b>MO</b>	1	
PROZAC 10 MG CAPSULE <b>DL</b>	4	PA,QL(60 per 30 days)
PROZAC 20 MG CAPSULE <b>DL</b>	4	PA,QL(120 per 30 days)
PROZAC 40 MG CAPSULE <b>DL</b>	4	PA,QL(90 per 30 days)
RALDESY 10 MG/ML SOLUTION <b>DL</b>	4	
REMERON 15 MG, 30 MG TABLET <b>MO</b>	3	
REMERON SOLTAB 15 MG, 30 MG, 45 MG TABLET, DISINTEGRATING <b>MO</b>	3	QL(30 per 30 days)
sertraline 100 mg TABLET <b>MO</b>	1	QL(60 per 30 days)
SERTRALINE 150 MG, 200 MG CAPSULE <b>MO</b>	3	QL(30 per 30 days)
sertraline 150 mg, 200 mg CAPSULE <b>MO</b>	3	QL(30 per 30 days)
sertraline 20 mg/ml CONCENTRATE <b>MO</b>	1	
sertraline 25 mg, 50 mg TABLET <b>MO</b>	1	QL(90 per 30 days)
tranylcypromine 10 mg TABLET <b>MO</b>	1	
trazodone 100 mg, 150 mg, 50 mg TABLET <b>MO</b>	1	
trazodone 300 mg TABLET <b>MO</b>	1	
trimipramine 100 mg, 25 mg, 50 mg CAPSULE <b>MO</b>	1	
TRINTELLIX 10 MG, 20 MG, 5 MG TABLET <b>MO</b>	3	ST,QL(30 per 30 days)
venlafaxine 100 mg, 25 mg, 37.5 mg, 50 mg, 75 mg TABLET <b>MO</b>	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
venlafaxine 150 mg CAPSULE, ER 24 HR. <b>MO</b>	1	QL(60 per 30 days)
venlafaxine 150 mg, 225 mg, 37.5 mg TABLET, ER 24 HR. <b>MO</b>	1	QL(30 per 30 days)
venlafaxine 37.5 mg CAPSULE, ER 24 HR. <b>MO</b>	1	QL(90 per 30 days)
venlafaxine 75 mg CAPSULE, ER 24 HR. <b>MO</b>	1	QL(90 per 30 days)
venlafaxine 75 mg TABLET, ER 24 HR. <b>MO</b>	1	QL(60 per 30 days)
VENLAFAXINE BESYLATE 112.5 MG TABLET, ER 24 HR. <b>MO</b>	3	QL(60 per 30 days)
VIIIBRYD 10 MG, 20 MG, 40 MG TABLET <b>MO</b>	3	PA,QL(30 per 30 days)
vilazodone 10 mg, 20 mg, 40 mg TABLET <b>MO</b>	1	PA,QL(30 per 30 days)
WELLBUTRIN SR 100 MG TABLET, SR 12 HR. <b>MO</b>	3	PA,QL(120 per 30 days)
WELLBUTRIN SR 150 MG TABLET, SR 12 HR. <b>MO</b>	3	PA,QL(90 per 30 days)
WELLBUTRIN SR 200 MG TABLET, SR 12 HR. <b>MO</b>	3	PA,QL(60 per 30 days)
WELLBUTRIN XL 150 MG TABLET, ER 24 HR. <b>DL</b>	4	PA,QL(90 per 30 days)
WELLBUTRIN XL 300 MG TABLET, ER 24 HR. <b>DL</b>	4	PA,QL(60 per 30 days)
ZOLOFT 100 MG TABLET <b>MO</b>	3	PA,QL(60 per 30 days)
ZOLOFT 20 MG/ML CONCENTRATE <b>MO</b>	3	PA
ZOLOFT 25 MG, 50 MG TABLET <b>MO</b>	3	PA,QL(90 per 30 days)
ZULRESSO 5 MG/ML SOLUTION <b>DL</b>	4	PA,QL(100 per 365 days)
ZURZUVAE 20 MG, 25 MG CAPSULE <b>DL</b>	4	PA,QL(28 per 365 days)
ZURZUVAE 30 MG CAPSULE <b>DL</b>	4	PA,QL(14 per 365 days)
<b>ANTIEMETICS</b>		
AKYNZEO (FOSNETUPITANT) 235 MG-0.25 MG /20 ML SOLUTION <b>DL</b>	4	PA,QL(80 per 28 days)
AKYNZEO (FOSNETUPITANT) 235-0.25 MG RECON SOLUTION <b>DL</b>	4	PA,QL(4 per 28 days)
AKYNZEO (NETUPITANT) 300-0.5 MG CAPSULE <b>MO</b>	3	PA
ANTIVERT 25 MG CHEWABLE TABLET <b>MO</b>	3	
ANTIVERT 50 MG TABLET <b>MO</b>	3	
ANZEMET 50 MG TABLET <b>MO</b>	3	BvsD,QL(4 per 28 days)
APONVIE 32 MG/4.4 ML (7.2 MG/ML) EMULSION <b>MO</b>	3	
aprepitant 125 mg (1)- 80 mg (2) CAPSULE, DOSE PACK <b>MO</b>	1	BvsD
aprepitant 125 mg CAPSULE	4	BvsD,QL(2 per 28 days)
aprepitant 40 mg CAPSULE <b>MO</b>	1	BvsD,QL(2 per 28 days)
aprepitant 80 mg CAPSULE <b>MO</b>	1	BvsD,QL(4 per 28 days)
BONJESTA 20-20 MG TABLET, IR, DR, BIPHASIC <b>MO</b>	3	QL(60 per 30 days)
CINVANTI 130 MG/18 ML (7.2 MG/ML) EMULSION <b>MO</b>	3	PA,QL(36 per 28 days)
COMPAZINE 10 MG, 5 MG TABLET <b>MO</b>	3	BvsD
COMPAZINE 25 MG SUPPOSITORY <b>MO</b>	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<i>compro 25 mg SUPPOSITORY</i> <b>MO</b>	1	
DICLEGIS 10-10 MG TABLET, DR/EC <b>MO</b>	3	QL(120 per 30 days)
<i>dimenhydrinate 50 mg/ml SOLUTION</i> <b>MO</b>	1	
<i>doxylamine-pyridoxine (vit b6) 10-10 mg TABLET, DR/EC</i> <b>MO</b>	1	QL(120 per 30 days)
<i>dronabinol 10 mg, 2.5 mg, 5 mg CAPSULE</i> <b>MO</b>	1	BvsD,QL(120 per 30 days)
EMEND 125 MG (1)- 80 MG (2) CAPSULE, DOSE PACK <b>MO</b>	3	BvsD
EMEND 125 MG (25 MG/ ML FINAL CONC.) SUSPENSION FOR RECONSTITUTION <b>MO</b>	3	BvsD,QL(3 per 28 days)
EMEND 80 MG CAPSULE <b>MO</b>	3	BvsD,QL(4 per 28 days)
EMEND (FOSAPREPITANT) 150 MG RECON SOLUTION <b>MO</b>	3	PA
FOCINVEZ 150 MG/50 ML (3 MG/ML) SOLUTION <b>MO</b>	3	PA
<i>fosaprepitant 150 mg RECON SOLUTION</i> <b>MO</b>	1	PA
GIMOTI 15 MG/SPRAY SPRAY WITH PUMP <b>DL</b>	4	PA,QL(9.8 per 28 days)
<i>granisetron (pf) 1 mg/ml (1 ml), 100 mcg/ml SOLUTION</i> <b>MO</b>	1	
<i>granisetron hcl 1 mg TABLET</i> <b>MO</b>	1	BvsD,QL(28 per 28 days)
<i>granisetron hcl 1 mg/ml, 1 mg/ml (1 ml) SOLUTION</i> <b>MO</b>	1	
MARINOL 10 MG, 2.5 MG, 5 MG CAPSULE <b>DL</b>	4	BvsD,QL(120 per 30 days)
<i>meclizine 12.5 mg TABLET</i> <b>MO</b>	1	
<i>meclizine 25 mg TABLET</i> <b>MO</b>	1	
<i>meclizine 50 mg TABLET</i> <b>MO</b>	3	
<i>metoclopramide hcl 10 mg, 5 mg TABLET</i> <b>MO</b>	1	
<i>metoclopramide hcl 5 mg/5 ml, 5 mg/ml SOLUTION</i> <b>MO</b>	1	
<i>metoclopramide hcl 5 mg/ml SYRINGE</i> <b>MO</b>	1	
ondansetron 16 mg TABLET, DISINTEGRATING <b>DL</b>	4	BvsD
ondansetron 4 mg, 8 mg TABLET, DISINTEGRATING <b>MO</b>	1	BvsD
<i>ondansetron hcl 2 mg/ml SOLUTION</i> <b>MO</b>	1	
<i>ondansetron hcl 4 mg TABLET</i> <b>MO</b>	1	BvsD
<i>ondansetron hcl 4 mg/5 ml SOLUTION</i> <b>MO</b>	1	BvsD,QL(450 per 30 days)
<i>ondansetron hcl 8 mg TABLET</i> <b>MO</b>	1	BvsD
<i>ondansetron hcl (pf) 4 mg/2 ml SOLUTION</i> <b>MO</b>	1	
<i>ondansetron hcl (pf) 4 mg/2 ml SYRINGE</i> <b>MO</b>	1	
PHENERGAN 25 MG/ML, 50 MG/ML SOLUTION <b>MO</b>	1	
<i>prochlorperazine 25 mg SUPPOSITORY</i> <b>MO</b>	1	
<i>prochlorperazine edisylate 10 mg/2 ml (5 mg/ml), 5 mg/ml SOLUTION</i> <b>MO</b>	1	
<i>prochlorperazine maleate 10 mg, 5 mg TABLET</i> <b>MO</b>	1	BvsD

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<i>promethazine 12.5 mg, 25 mg, 50 mg SUPPOSITORY</i> <b>MO</b>	1	
<i>promethazine 12.5 mg, 25 mg, 50 mg TABLET</i> <b>MO</b>	1	
<i>promethazine 25 mg/ml, 50 mg/ml SOLUTION</i> <b>MO</b>	1	
<i>promethazine 6.25 mg/5 ml SYRUP</i> <b>MO</b>	1	
<i>promethegan 12.5 mg, 25 mg, 50 mg SUPPOSITORY</i> <b>MO</b>	1	
REGLAN 10 MG, 5 MG TABLET <b>MO</b>	3	
SANCUSO 3.1 MG/24 HOUR PATCH, WEEKLY <b>DL</b>	4	PA,QL(4 per 30 days)
<i>scopolamine base 1 mg over 3 days PATCH, 3 DAY</i> <b>MO</b>	1	QL(10 per 30 days)
TIGAN 100 MG/ML SOLUTION <b>MO</b>	3	
TRANSDERM-SCOP 1 MG OVER 3 DAYS PATCH, 3 DAY <b>MO</b>	3	QL(10 per 30 days)
<i>trimethobenzamide 300 mg CAPSULE</i> <b>MO</b>	1	BvsD
VARUBI 90 MG TABLET <b>MO</b>	3	PA
<b>ANTIFUNGALS</b>		
ABELCET 5 MG/ML SUSPENSION <b>MO</b>	3	BvsD
AMBISOME 50 MG SUSPENSION FOR RECONSTITUTION <b>DL</b>	4	BvsD
<i>amphotericin b 50 mg RECON SOLUTION</i> <b>MO</b>	1	BvsD
<i>amphotericin b liposome 50 mg SUSPENSION FOR RECONSTITUTION</i> <b>DL</b>	4	BvsD
ANCOBON 250 MG, 500 MG CAPSULE <b>MO</b>	3	
CANCIDAS 50 MG, 70 MG RECON SOLUTION <b>DL</b>	4	PA
<i>caspofungin 50 mg, 70 mg RECON SOLUTION</i> <b>MO</b>	1	
<i>ciclodan 8 % SOLUTION</i> <b>MO</b>	1	QL(13.2 per 30 days)
<i>ciclopirox 0.77 % CREAM</i> <b>MO</b>	1	QL(90 per 30 days)
<i>ciclopirox 0.77 % GEL</i> <b>MO</b>	1	QL(100 per 30 days)
<i>ciclopirox 0.77 % SUSPENSION</i> <b>MO</b>	1	QL(60 per 30 days)
<i>ciclopirox 1 % SHAMPOO</i> <b>MO</b>	1	QL(120 per 30 days)
<i>ciclopirox 8 % SOLUTION</i> <b>MO</b>	1	QL(13.2 per 30 days)
<i>clotrimazole 1 % CREAM</i> <b>MO</b>	1	
<i>clotrimazole 1 % SOLUTION</i> <b>MO</b>	1	
<i>clotrimazole 10 mg TROCHE</i> <b>MO</b>	1	
<i>clotrimazole-betamethasone 1-0.05 % CREAM</i> <b>MO</b>	1	QL(180 per 30 days)
<i>clotrimazole-betamethasone 1-0.05 % LOTION</i> <b>MO</b>	1	QL(90 per 28 days)
CRESEMBA 186 MG, 74.5 MG CAPSULE <b>DL</b>	4	PA
CRESEMBA 372 MG RECON SOLUTION <b>DL</b>	4	PA
DIFLUCAN 100 MG TABLET <b>MO</b>	3	PA
DIFLUCAN 200 MG TABLET	4	PA

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
DIFLUCAN 40 MG/ML SUSPENSION FOR RECONSTITUTION <b>DL</b>	4	PA
econazole nitrate 1 % CREAM <b>MO</b>	1	PA,QL(85 per 30 days)
econazole nitrate 1 % FOAM <b>DL</b>	4	
ERAXIS(WATER DILUENT) 100 MG RECON SOLUTION <b>MO</b>	3	
ERAXIS(WATER DILUENT) 50 MG RECON SOLUTION <b>DL</b>	4	
ERTACZO 2 % CREAM <b>DL</b>	4	QL(60 per 30 days)
EXELDERM 1 % CREAM	4	ST
EXELDERM 1 % SOLUTION	4	ST,QL(60 per 30 days)
EXTINA 2 % FOAM <b>MO</b>	3	QL(100 per 30 days)
fluconazole 10 mg/ml, 40 mg/ml SUSPENSION FOR RECONSTITUTION <b>MO</b>	1	
fluconazole 100 mg, 200 mg, 50 mg TABLET <b>MO</b>	1	
fluconazole 150 mg TABLET <b>MO</b>	1	
fluconazole in nacl (iso-osm) 100 mg/50 ml, 200 mg/100 ml, 400 mg/200 ml PIGGYBACK <b>MO</b>	1	
flucytosine 250 mg, 500 mg CAPSULE <b>DL</b>	4	
FULVICIN P/G 165 MG TABLET <b>DL</b>	4	
griseofulvin microsize 125 mg/5 ml SUSPENSION <b>MO</b>	1	
griseofulvin microsize 500 mg TABLET <b>MO</b>	1	
griseofulvin ultramicrosize 125 mg, 250 mg TABLET <b>MO</b>	1	
griseofulvin ultramicrosize 165 mg TABLET <b>DL</b>	4	
gynazole-1 2 % CREAM <b>MO</b>	1	
itraconazole 10 mg/ml SOLUTION <b>MO</b>	1	
itraconazole 100 mg CAPSULE <b>MO</b>	1	QL(120 per 30 days)
JUBLIA 10 % SOLUTION W/APPLICATOR <b>DL</b>	4	PA,QL(4 per 28 days)
ketoconazole 2 % CREAM <b>MO</b>	1	QL(60 per 30 days)
ketoconazole 2 % FOAM <b>MO</b>	1	QL(100 per 30 days)
ketoconazole 2 % SHAMPOO <b>MO</b>	1	QL(120 per 30 days)
ketoconazole 200 mg TABLET <b>MO</b>	1	PA
ketodan 2 % FOAM <b>MO</b>	1	QL(100 per 30 days)
klayesta 100,000 unit/gram POWDER <b>MO</b>	1	
LOPROX (AS OLAMINE) 0.77 % CREAM <b>MO</b>	3	PA,QL(90 per 30 days)
LOPROX (AS OLAMINE) 0.77 % SUSPENSION <b>MO</b>	3	PA,QL(60 per 30 days)
luliconazole 1 % CREAM <b>MO</b>	1	ST,QL(60 per 28 days)
LUZU 1 % CREAM <b>MO</b>	3	ST,QL(60 per 28 days)
miconazole 100 mg, 50 mg RECON SOLUTION <b>MO</b>	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
MICAFUNGIN IN 0.9 % SODIUM CHL 100 MG/100 ML, 150 MG/150 ML, 50 MG/50 ML PIGGYBACK <b>DL</b>	4	
<i>micafungin in 0.9 % sodium chl 150 mg/150 ml PIGGYBACK <b>DL</b></i>	4	
<i>miconazole nitrate-zinc ox-pet 0.25-15-81.35 % OINTMENT <b>MO</b></i>	1	
<i>miconazole-3 200 mg SUPPOSITORY <b>MO</b></i>	1	
MYCAMINE 100 MG, 50 MG RECON SOLUTION <b>DL</b>	4	
<i>naftifine 1 % CREAM <b>MO</b></i>	1	ST,QL(90 per 30 days)
<i>naftifine 2 % CREAM <b>MO</b></i>	1	ST,QL(120 per 30 days)
<i>naftifine 2 % GEL <b>MO</b></i>	1	ST,QL(120 per 30 days)
NAFTIN 1 % GEL <b>MO</b>	3	ST,QL(90 per 30 days)
NAFTIN 2 % GEL <b>MO</b>	3	ST,QL(120 per 30 days)
NOXAFIL 100 MG TABLET, DR/EC <b>DL</b>	4	PA
NOXAFIL 200 MG/5 ML (40 MG/ML) SUSPENSION <b>DL</b>	4	PA,QL(840 per 28 days)
NOXAFIL 300 MG SUSPENSION, DR FOR RECON <b>DL</b>	4	PA,QL(32 per 30 days)
NOXAFIL 300 MG/16.7 ML SOLUTION <b>DL</b>	4	PA
<i>nyamyc 100,000 unit/gram POWDER <b>MO</b></i>	1	
<i>nystatin 100,000 unit/gram CREAM <b>MO</b></i>	1	
<i>nystatin 100,000 unit/gram OINTMENT <b>MO</b></i>	1	
<i>nystatin 100,000 unit/gram POWDER <b>MO</b></i>	1	
<i>nystatin 100,000 unit/ml SUSPENSION <b>MO</b></i>	1	
<i>nystatin 500,000 unit TABLET <b>MO</b></i>	1	
<i>nystatin-triamcinolone 100,000-0.1 unit/g-% CREAM <b>MO</b></i>	1	
<i>nystatin-triamcinolone 100,000-0.1 unit/gram-% OINTMENT <b>MO</b></i>	1	
<i>nystop 100,000 unit/gram POWDER <b>MO</b></i>	1	
<i>oxiconazole 1 % CREAM <b>MO</b></i>	1	PA,QL(60 per 30 days)
OXISTAT 1 % LOTION <b>MO</b>	3	PA
<i>posaconazole 100 mg TABLET, DR/EC <b>DL</b></i>	4	PA
<i>posaconazole 200 mg/5 ml (40 mg/ml) SUSPENSION <b>DL</b></i>	4	PA,QL(840 per 28 days)
<i>posaconazole 300 mg/16.7 ml SOLUTION <b>DL</b></i>	4	PA
REZZAYO 200 MG RECON SOLUTION <b>DL</b>	4	PA
SPORANOX 10 MG/ML SOLUTION <b>DL</b>	4	
SPORANOX 100 MG CAPSULE <b>MO</b>	3	PA,QL(120 per 30 days)
<i>tavaborole 5 % SOLUTION W/APPLICATOR <b>MO</b></i>	1	PA,QL(10 per 30 days)
<i>terbinafine hcl 250 mg TABLET <b>MO</b></i>	1	
<i>terconazole 0.4 %, 0.8 % CREAM <b>MO</b></i>	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
terconazole 80 mg SUPPOSITORY <b>MO</b>	1	
TOLSURA 65 MG CAPSULE, SOLID DISPERSION <b>DL</b>	4	PA,QL(120 per 30 days)
VFEND 200 MG, 50 MG TABLET <b>MO</b>	3	QL(120 per 30 days)
VFEND 200 MG/5 ML (40 MG/ML) SUSPENSION FOR RECONSTITUTION <b>DL</b>	4	QL(400 per 30 days)
VFEND IV 200 MG RECON SOLUTION <b>MO</b>	3	
VIVJOA 150 MG CAPSULE <b>MO</b>	3	
voriconazole 200 mg RECON SOLUTION <b>MO</b>	1	
voriconazole 200 mg, 50 mg TABLET <b>MO</b>	1	QL(120 per 30 days)
voriconazole 200 mg/5 ml (40 mg/ml) SUSPENSION FOR RECONSTITUTION <b>DL</b>	4	QL(400 per 30 days)
voriconazole-hpbc 200 mg RECON SOLUTION <b>MO</b>	1	
VUSION 0.25-15-81.35 % OINTMENT <b>MO</b>	3	
XOLEGEL 2 % GEL <b>MO</b>	3	
<b>ANTIGOUT AGENTS</b>		
allopurinol 100 mg, 300 mg TABLET <b>MO</b>	1	
allopurinol 200 mg TABLET <b>MO</b>	3	
allopurinol sodium 500 mg RECON SOLUTION <b>MO</b>	1	
ALOPRIM 500 MG RECON SOLUTION <b>MO</b>	3	
colchicine 0.6 mg CAPSULE <b>MO</b>	1	PA
colchicine 0.6 mg TABLET <b>MO</b>	1	QL(120 per 30 days)
COLCRY 0.6 MG TABLET <b>MO</b>	3	PA,QL(120 per 30 days)
febuxostat 40 mg, 80 mg TABLET <b>MO</b>	1	ST,QL(30 per 30 days)
GLOPERBA 0.6 MG/5 ML SOLUTION <b>MO</b>	3	PA,QL(300 per 30 days)
MITIGARE 0.6 MG CAPSULE <b>MO</b>	3	PA
probenecid 500 mg TABLET <b>MO</b>	1	
probenecid-colchicine 500-0.5 mg TABLET <b>MO</b>	1	
ULORIC 40 MG, 80 MG TABLET <b>MO</b>	3	ST,QL(30 per 30 days)
ZYLOPRIM 100 MG TABLET <b>MO</b>	3	
<b>ANTIMIGRAINE AGENTS</b>		
AIMOVIG AUTOINJECTOR 140 MG/ML AUTO-INJECTOR <b>MO</b>	3	PA,QL(1 per 28 days)
AIMOVIG AUTOINJECTOR 70 MG/ML AUTO-INJECTOR <b>MO</b>	3	PA,QL(2 per 28 days)
AJOVY AUTOINJECTOR 225 MG/1.5 ML AUTO-INJECTOR <b>MO</b>	3	PA,QL(1.5 per 28 days)
AJOVY SYRINGE 225 MG/1.5 ML SYRINGE <b>MO</b>	3	PA,QL(1.5 per 28 days)
almotriptan malate 12.5 mg, 6.25 mg TABLET <b>MO</b>	1	ST,QL(9 per 30 days)
BREKIYA 1 MG/ML AUTO-INJECTOR <b>DL</b>	4	PA,QL(24 per 28 days)
dihydroergotamine 0.5 mg/pump act. (4 mg/ml) SPRAY, NON-AEROSOL <b>DL</b>	4	PA,QL(8 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<i>dihydroergotamine 1 mg/ml SOLUTION</i> <b>DL</b>	4	PA
<i>eletriptan 20 mg, 40 mg TABLET</i> <b>MO</b>	1	QL(9 per 30 days)
EMGALITY PEN 120 MG/ML PEN INJECTOR <b>MO</b>	3	PA,QL(2 per 30 days)
EMGALITY SYRINGE 120 MG/ML SYRINGE <b>MO</b>	3	PA,QL(2 per 30 days)
EMGALITY SYRINGE 300 MG/3 ML (100 MG/ML X 3) SYRINGE <b>MO</b>	3	PA,QL(3 per 30 days)
ERGOMAR 2 MG SUBLINGUAL TABLET <b>DL</b>	4	QL(20 per 28 days)
<i>ergotamine-caffeine 1-100 mg TABLET</i> <b>MO</b>	1	QL(40 per 30 days)
FROVA 2.5 MG TABLET <b>DL</b>	4	ST,QL(12 per 30 days)
<i>frovatriptan 2.5 mg TABLET</i> <b>MO</b>	1	ST,QL(12 per 30 days)
IMITREX 100 MG, 25 MG, 50 MG TABLET <b>MO</b>	3	PA,QL(9 per 30 days)
IMITREX STATDOSE PEN 4 MG/0.5 ML, 6 MG/0.5 ML PEN INJECTOR <b>MO</b>	3	PA,QL(6 per 30 days)
IMITREX STATDOSE REFILL 4 MG/0.5 ML, 6 MG/0.5 ML CARTRIDGE <b>DL</b>	4	PA,QL(6 per 30 days)
MAXALT 10 MG TABLET <b>MO</b>	3	PA,QL(12 per 30 days)
MAXALT-MLT 10 MG TABLET, DISINTEGRATING <b>MO</b>	3	PA,QL(12 per 30 days)
<i>migergot 2-100 mg SUPPOSITORY</i> <b>DL</b>	4	QL(20 per 28 days)
MIGRANAL 0.5 MG/PUMP ACT. (4 MG/ML) SPRAY, NON-AEROSOL <b>DL</b>	4	QL(8 per 30 days)
<i>naratriptan 1 mg, 2.5 mg TABLET</i> <b>MO</b>	1	QL(9 per 30 days)
NURTEC ODT 75 MG TABLET, DISINTEGRATING <b>DL</b>	4	PA,QL(18 per 30 days)
ONZETRA XSAIL 11 MG AEROSOL POWDER BREATH ACTIV. <b>MO</b>	3	ST,QL(16 per 30 days)
QULIPTA 10 MG, 30 MG, 60 MG TABLET <b>MO</b>	3	PA,QL(30 per 30 days)
RELPAX 40 MG TABLET <b>DL</b>	4	ST,QL(9 per 30 days)
REYVOW 100 MG TABLET <b>MO</b>	3	PA,QL(8 per 30 days)
REYVOW 50 MG TABLET <b>MO</b>	3	PA,QL(4 per 30 days)
<i>rizatriptan 10 mg, 5 mg TABLET</i> <b>MO</b>	1	QL(12 per 30 days)
<i>rizatriptan 10 mg, 5 mg TABLET, DISINTEGRATING</i> <b>MO</b>	1	QL(12 per 30 days)
<i>sumatriptan 20 mg/actuation, 5 mg/actuation SPRAY, NON-AEROSOL</i> <b>MO</b>	1	QL(12 per 30 days)
<i>sumatriptan succinate 100 mg, 25 mg, 50 mg TABLET</i> <b>MO</b>	1	QL(9 per 30 days)
<i>sumatriptan succinate 4 mg/0.5 ml, 6 mg/0.5 ml CARTRIDGE</i> <b>MO</b>	3	QL(6 per 30 days)
<i>sumatriptan succinate 4 mg/0.5 ml, 6 mg/0.5 ml PEN INJECTOR</i> <b>MO</b>	1	QL(6 per 30 days)
<i>sumatriptan succinate 6 mg/0.5 ml SOLUTION</i> <b>MO</b>	1	QL(6 per 30 days)
<i>sumatriptan succinate 6 mg/0.5 ml SYRINGE</i> <b>MO</b>	1	QL(6 per 30 days)
<i>sumatriptan-naproxen 85-500 mg TABLET</i> <b>MO</b>	1	ST,QL(18 per 30 days)
SYMBRAVO 10-20 MG TABLET <b>DL</b>	4	ST,QL(9 per 30 days)
TOSYMRA 10 MG/ACTUATION SPRAY, NON-AEROSOL <b>MO</b>	3	ST,QL(12 per 30 days)
TREXIMET 85-500 MG TABLET <b>DL</b>	4	ST,QL(18 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
TRUDHESA 0.725 MG/PUMP ACT. (4 MG/ML) SPRAY, NON-AEROSOL <b>DL</b>	4	PA,QL(8 per 30 days)
UBRELVY 100 MG, 50 MG TABLET <b>MO</b>	2	PA,QL(16 per 30 days)
VYEPTI 100 MG/ML SOLUTION	4	PA,QL(3 per 90 days)
ZAVZPRET 10 MG/ACTUATION SPRAY, NON-AEROSOL <b>DL</b>	4	PA,QL(8 per 30 days)
ZEMBRACE SYMTOUCH 3 MG/0.5 ML PEN INJECTOR <b>DL</b>	4	ST,QL(6 per 30 days)
zolmitriptan 2.5 mg TABLET <b>MO</b>	1	ST,QL(9 per 30 days)
zolmitriptan 2.5 mg TABLET, DISINTEGRATING <b>MO</b>	1	ST,QL(9 per 30 days)
zolmitriptan 2.5 mg, 5 mg SPRAY, NON-AEROSOL <b>MO</b>	1	ST,QL(12 per 30 days)
zolmitriptan 5 mg TABLET <b>MO</b>	1	ST,QL(6 per 30 days)
zolmitriptan 5 mg TABLET, DISINTEGRATING <b>MO</b>	1	ST,QL(6 per 30 days)
zomig 2.5 mg TABLET <b>MO</b>	3	ST,QL(9 per 30 days)
ZOMIG 2.5 MG, 5 MG SPRAY, NON-AEROSOL <b>MO</b>	3	ST,QL(12 per 30 days)
zomig 5 mg TABLET <b>MO</b>	3	ST,QL(6 per 30 days)
<b>ANTIMYASTHENIC AGENTS</b>		
MESTINON 60 MG TABLET <b>DL</b>	4	PA
MESTINON 60 MG/5 ML SYRUP <b>DL</b>	4	
MESTINON TIMESPAN 180 MG TABLET ER <b>DL</b>	4	PA
pyridostigmine bromide 180 mg TABLET ER <b>MO</b>	1	
pyridostigmine bromide 30 mg, 60 mg TABLET <b>MO</b>	1	
pyridostigmine bromide 60 mg/5 ml SYRUP <b>MO</b>	1	
REGONOL 5 MG/ML SOLUTION <b>MO</b>	3	
VYVGART 20 MG/ML SOLUTION <b>DL</b>	4	PA
VYVGART HYTRULO 1,000 MG-10,000 UNIT/5 ML SYRINGE <b>DL</b>	4	PA,QL(20 per 28 days)
VYVGART HYTRULO 1,008 MG-11,200 UNIT/5.6 ML SOLUTION <b>DL</b>	4	PA,QL(22.4 per 28 days)
<b>ANTIMYCOBACTERIALS</b>		
cycloserine 250 mg CAPSULE <b>DL</b>	4	
dapsone 100 mg, 25 mg TABLET <b>MO</b>	1	
ethambutol 100 mg, 400 mg TABLET <b>MO</b>	1	
isoniazid 100 mg, 300 mg TABLET <b>MO</b>	1	
isoniazid 100 mg/ml, 50 mg/5 ml SOLUTION <b>MO</b>	1	
MYAMBUTOL 400 MG TABLET <b>MO</b>	3	
MYCOBUTIN 150 MG CAPSULE <b>MO</b>	3	
PRETOMANID 200 MG TABLET <b>MO</b>	3	QL(30 per 30 days)
PRIFTIN 150 MG TABLET <b>MO</b>	3	
pyrazinamide 500 mg TABLET <b>MO</b>	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<i>rifabutin 150 mg CAPSULE</i> <b>MO</b>	1	
RIFADIN 600 MG RECON SOLUTION <b>MO</b>	3	
<i>rifampin 150 mg, 300 mg CAPSULE</i> <b>MO</b>	1	
<i>rifampin 600 mg RECON SOLUTION</i> <b>MO</b>	1	
SIRTURO 100 MG, 20 MG TABLET <b>DL</b>	4	PA
TRECTOR 250 MG TABLET <b>MO</b>	3	
<b>ANTINEOPLASTICS</b>		
<i>abiraterone 250 mg TABLET</i> <b>DL</b>	4	PA,QL(120 per 30 days)
<i>abiraterone 500 mg TABLET</i> <b>DL</b>	4	PA,QL(60 per 30 days)
<i>abirtega 250 mg TABLET</i> <b>MO</b>	1	PA,QL(120 per 30 days)
ABRAXANE 100 MG SUSPENSION FOR RECONSTITUTION <b>DL</b>	4	PA
ADCETRIS 50 MG RECON SOLUTION <b>DL</b>	4	PA
ADRIAMYCIN 50 MG RECON SOLUTION <b>MO</b>	1	BvsD
<i>adrucil 2.5 gram/50 ml SOLUTION</i> <b>MO</b>	1	BvsD
AFINITOR 10 MG, 2.5 MG, 5 MG, 7.5 MG TABLET <b>DL</b>	4	PA,QL(30 per 30 days)
AFINITOR DISPERZ 2 MG, 3 MG, 5 MG TABLET FOR SUSPENSION <b>DL</b>	4	PA
AKEEGA 100-500 MG, 50-500 MG TABLET <b>DL</b>	4	PA,QL(60 per 30 days)
ALECENSA 150 MG CAPSULE <b>DL</b>	4	PA,QL(240 per 30 days)
ALIMTA 100 MG, 500 MG RECON SOLUTION <b>DL</b>	4	PA
ALIQOPA 60 MG RECON SOLUTION <b>DL</b>	4	PA,QL(3 per 28 days)
ALUNBRIG 180 MG, 90 MG TABLET <b>DL</b>	4	PA,QL(30 per 30 days)
ALUNBRIG 30 MG TABLET <b>DL</b>	4	PA,QL(180 per 30 days)
ALUNBRIG 90 MG (7)- 180 MG (23) TABLET, DOSE PACK <b>DL</b>	4	PA,QL(30 per 30 days)
ALYMSYS 25 MG/ML SOLUTION <b>DL</b>	4	PA
<i>anastrozole 1 mg TABLET</i> <b>MO</b>	1	QL(30 per 30 days)
ANKTIVA 400 MCG/0.4 ML SOLUTION <b>DL</b>	4	PA
ARIMIDEX 1 MG TABLET <b>DL</b>	4	PA,QL(30 per 30 days)
AROMASIN 25 MG TABLET <b>DL</b>	4	PA,QL(60 per 30 days)
ARRANON 5 MG/ML SOLUTION <b>DL</b>	4	
<i>arsenic trioxide 1 mg/ml, 2 mg/ml SOLUTION</i> <b>DL</b>	4	PA
ASPARLAS 750 UNIT/ML SOLUTION <b>DL</b>	4	PA
AUGTYRO 160 MG CAPSULE <b>DL</b>	4	PA,QL(60 per 30 days)
AUGTYRO 40 MG CAPSULE <b>DL</b>	4	PA,QL(240 per 30 days)
AVASTIN 25 MG/ML SOLUTION <b>DL</b>	4	PA

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
AVGEMSI 1 GRAM/26.3 ML (38 MG/ML), 2 GRAM/52.6 ML (38 MG/ML) SOLUTION <b>DL</b>	4	
AVMAPKI-FAKZYNJA 0.8-200 MG COMBO PACK <b>DL</b>	4	PA,QL(66 per 28 days)
AXTLE 100 MG, 500 MG RECON SOLUTION <b>DL</b>	4	PA
AYVAKIT 100 MG, 200 MG, 25 MG, 300 MG, 50 MG TABLET <b>DL</b>	4	PA,QL(30 per 30 days)
<i>azacitidine 100 mg RECON SOLUTION</i> <b>DL</b>	4	PA
BALVERSA 3 MG TABLET <b>DL</b>	4	PA,QL(90 per 30 days)
BALVERSA 4 MG TABLET <b>DL</b>	4	PA,QL(60 per 30 days)
BALVERSA 5 MG TABLET <b>DL</b>	4	PA,QL(30 per 30 days)
BAVENCIO 20 MG/ML SOLUTION <b>DL</b>	4	PA
BELEODAQ 500 MG RECON SOLUTION <b>DL</b>	4	PA
<i>bendamustine 100 mg, 25 mg RECON SOLUTION</i> <b>DL</b>	4	PA
<i>bendamustine 25 mg/ml SOLUTION</i> <b>DL</b>	4	PA
BENDEKA 25 MG/ML SOLUTION <b>DL</b>	4	PA
BESPONSA 0.9 MG (0.25 MG/ML INITIAL) RECON SOLUTION <b>DL</b>	4	PA
<i>bexarotene 1 % GEL</i> <b>DL</b>	4	PA,QL(240 per 30 days)
<i>bexarotene 75 mg CAPSULE</i> <b>DL</b>	4	PA,QL(300 per 30 days)
<i>bicalutamide 50 mg TABLET</i> <b>MO</b>	1	QL(30 per 30 days)
BICNU 100 MG RECON SOLUTION <b>MO</b>	3	
BIZENGRI 375 MG/18.75 ML (20 MG/ML) SOLUTION <b>DL</b>	4	PA,QL(75 per 28 days)
BLENREP 70 MG RECON SOLUTION <b>DL</b>	4	PA
<i>bleomycin 15 unit, 30 unit RECON SOLUTION</i> <b>MO</b>	1	BvsD
<i>bortezomib 1 mg, 2.5 mg RECON SOLUTION</i> <b>MO</b>	3	PA
BORTEZOMIB 1 MG, 2.5 MG RECON SOLUTION <b>MO</b>	3	PA
<i>bortezomib 3.5 mg RECON SOLUTION</i> <b>MO</b>	1	PA
<i>bortezomib 3.5 mg RECON SOLUTION</i> <b>DL</b>	4	PA
BORUZU 2.5 MG/ML SOLUTION <b>DL</b>	4	PA
BOSULIF 100 MG CAPSULE <b>DL</b>	4	PA,QL(180 per 30 days)
BOSULIF 100 MG TABLET <b>DL</b>	4	PA,QL(120 per 30 days)
BOSULIF 400 MG, 500 MG TABLET <b>DL</b>	4	PA,QL(30 per 30 days)
BOSULIF 50 MG CAPSULE <b>DL</b>	4	PA,QL(360 per 30 days)
BRAFTOVI 75 MG CAPSULE <b>DL</b>	4	PA,QL(180 per 30 days)
BRUKINSA 160 MG TABLET <b>DL</b>	4	PA,QL(120 per 30 days)
BRUKINSA 80 MG CAPSULE <b>DL</b>	4	PA,QL(120 per 30 days)
<i>busulfan 60 mg/10 ml SOLUTION</i> <b>MO</b>	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
BUSULFEX 60 MG/10 ML SOLUTION <b>MO</b>	3	
CABOMETYX 20 MG, 40 MG, 60 MG TABLET <b>DL</b>	4	PA,QL(30 per 30 days)
CALQUENCE (ACALABRUTINIB MAL) 100 MG TABLET <b>DL</b>	4	PA,QL(60 per 30 days)
CAMPTOSAR 100 MG/5 ML, 300 MG/15 ML, 40 MG/2 ML SOLUTION <b>DL</b>	4	
CAPRELSA 100 MG TABLET <b>DL,LA</b>	4	PA,QL(60 per 30 days)
CAPRELSA 300 MG TABLET <b>DL,LA</b>	4	PA,QL(30 per 30 days)
<i>carboplatin 10 mg/ml SOLUTION</i> <b>MO</b>	1	
<i>carmustine 100 mg RECON SOLUTION</i> <b>MO</b>	1	
CASODEX 50 MG TABLET <b>DL</b>	4	QL(30 per 30 days)
<i>cisplatin 1 mg/ml SOLUTION</i> <b>MO</b>	1	
<i>cladribine 10 mg/10 ml SOLUTION</i> <b>DL</b>	4	BvsD
<i>clofarabine 1 mg/ml SOLUTION</i> <b>DL</b>	4	
CLOLAR 1 MG/ML SOLUTION <b>DL</b>	4	
COLUMVI 1 MG/ML SOLUTION <b>DL</b>	4	PA
COMETRIQ 100 MG/DAY(80 MG X1-20 MG X1) CAPSULE <b>DL</b>	4	PA,QL(56 per 28 days)
COMETRIQ 140 MG/DAY(80 MG X1-20 MG X3) CAPSULE <b>DL</b>	4	PA,QL(112 per 28 days)
COMETRIQ 60 MG/DAY (20 MG X 3/DAY) CAPSULE <b>DL</b>	4	PA,QL(84 per 28 days)
COPIKTRA 15 MG, 25 MG CAPSULE <b>DL</b>	4	PA,QL(56 per 28 days)
COSMEGEN 0.5 MG RECON SOLUTION <b>DL</b>	4	
COTELLIC 20 MG TABLET <b>DL</b>	4	PA,QL(63 per 28 days)
<i>cyclophosphamide 1 gram, 2 gram, 500 mg RECON SOLUTION</i> <b>MO</b>	1	BvsD
CYCLOPHOSPHAMIDE 100 MG/ML, 200 MG/ML SOLUTION <b>MO</b>	1	BvsD
<i>cyclophosphamide 200 mg/ml SOLUTION</i> <b>MO</b>	1	BvsD
<i>cyclophosphamide 25 mg, 50 mg CAPSULE</i> <b>MO</b>	1	BvsD
<i>cyclophosphamide 25 mg, 50 mg TABLET</i> <b>MO</b>	1	BvsD
<i>cyclophosphamide 500 mg/ml SOLUTION</i> <b>DL</b>	4	BvsD
CYRAMZA 10 MG/ML SOLUTION <b>DL</b>	4	PA
<i>cytarabine 20 mg/ml SOLUTION</i> <b>MO</b>	1	BvsD
<i>cytarabine (pf) 100 mg/5 ml (20 mg/ml), 2 gram/20 ml (100 mg/ml), 20 mg/ml SOLUTION</i> <b>MO</b>	1	BvsD
<i>dacarbazine 100 mg, 200 mg RECON SOLUTION</i> <b>MO</b>	1	
<i>dactinomycin 0.5 mg RECON SOLUTION</i> <b>DL</b>	4	
DANYELZA 4 MG/ML SOLUTION <b>DL</b>	4	PA,QL(120 per 28 days)
DANZITEN 71 MG, 95 MG TABLET <b>DL</b>	4	PA,QL(120 per 30 days)
DARZALEX 20 MG/ML SOLUTION <b>DL</b>	4	PA

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
DARZALEX FASPRO 1,800 MG-30,000 UNIT/15 ML SOLUTION <b>DL</b>	4	PA
dasatinib 100 mg, 50 mg, 70 mg, 80 mg TABLET <b>DL</b>	4	PA,QL(60 per 30 days)
dasatinib 140 mg TABLET <b>DL</b>	4	PA,QL(30 per 30 days)
dasatinib 20 mg TABLET <b>DL</b>	4	PA,QL(90 per 30 days)
DATROWAY 100 MG RECON SOLUTION <b>DL</b>	4	PA
daunorubicin 5 mg/ml SOLUTION <b>MO</b>	1	
DAURISMO 100 MG TABLET <b>DL</b>	4	PA,QL(30 per 30 days)
DAURISMO 25 MG TABLET <b>DL</b>	4	PA,QL(60 per 30 days)
decitabine 50 mg RECON SOLUTION <b>DL</b>	4	PA
dexrazoxane hcl 250 mg, 500 mg RECON SOLUTION <b>MO</b>	1	
docetaxel 160 mg/16 ml (10 mg/ml), 160 mg/8 ml (20 mg/ml), 20 mg/2 ml (10 mg/ml), 20 mg/ml (1 ml), 80 mg/4 ml (20 mg/ml), 80 mg/8 ml (10 mg/ml) SOLUTION <b>MO</b>	1	
DOXIL 2 MG/ML SUSPENSION <b>DL</b>	4	PA
doxorubicin 10 mg, 50 mg RECON SOLUTION <b>MO</b>	1	BvsD
doxorubicin 10 mg/5 ml, 2 mg/ml, 20 mg/10 ml, 50 mg/25 ml SOLUTION <b>MO</b>	1	BvsD
doxorubicin, peg-liposomal 2 mg/ml SUSPENSION <b>DL</b>	4	PA
ELAHERE 5 MG/ML SOLUTION <b>DL</b>	4	PA
ELITEK 1.5 MG, 7.5 MG RECON SOLUTION <b>DL</b>	4	PA
ELLENC 200 MG/100 ML, 50 MG/25 ML SOLUTION <b>DL</b>	4	
ELREXFIO 40 MG/ML SOLUTION <b>DL</b>	4	PA
ELZONRIS 1,000 MCG/ML SOLUTION <b>DL</b>	4	PA,QL(10 per 21 days)
EMCYT 140 MG CAPSULE <b>DL</b>	4	
EMPLICITI 300 MG, 400 MG RECON SOLUTION <b>DL</b>	4	PA
EMRELIS 100 MG, 20 MG RECON SOLUTION <b>DL</b>	4	PA
ENHERTU 100 MG RECON SOLUTION <b>DL</b>	4	PA
ENSACOVE 100 MG CAPSULE <b>DL</b>	4	PA,QL(60 per 30 days)
ENSACOVE 25 MG CAPSULE <b>DL</b>	4	PA,QL(270 per 30 days)
epirubicin 200 mg/100 ml, 50 mg/25 ml SOLUTION <b>MO</b>	1	
EPKINLY 4 MG/0.8 ML, 48 MG/0.8 ML SOLUTION <b>DL</b>	4	PA
ERBITUX 100 MG/50 ML, 200 MG/100 ML SOLUTION <b>DL</b>	4	PA
eribulin 1 mg/2 ml (0.5 mg/ml) SOLUTION <b>DL</b>	4	
ERIVEDGE 150 MG CAPSULE <b>DL</b>	4	PA,QL(28 per 28 days)
ERLEADA 240 MG TABLET <b>DL</b>	4	PA,QL(30 per 30 days)
ERLEADA 60 MG TABLET <b>DL</b>	4	PA,QL(120 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
erlotinib 100 mg, 150 mg TABLET <b>DL</b>	4	PA,QL(30 per 30 days)
erlotinib 25 mg TABLET <b>DL</b>	4	PA,QL(90 per 30 days)
ETOPOPHOS 100 MG RECON SOLUTION <b>MO</b>	3	
etoposide 20 mg/ml SOLUTION <b>MO</b>	1	
EULEXIN 125 MG CAPSULE <b>DL</b>	4	PA
everolimus (antineoplastic) 10 mg, 2.5 mg, 5 mg, 7.5 mg TABLET <b>DL</b>	4	PA,QL(30 per 30 days)
everolimus (antineoplastic) 2 mg, 3 mg, 5 mg TABLET FOR SUSPENSION <b>DL</b>	4	PA
EVOMELA 50 MG RECON SOLUTION <b>DL</b>	4	
exemestane 25 mg TABLET <b>MO</b>	1	QL(60 per 30 days)
EXKIVITY 40 MG CAPSULE <b>DL</b>	4	PA,QL(120 per 30 days)
FARESTON 60 MG TABLET <b>DL</b>	4	QL(30 per 30 days)
FASLODEX 250 MG/5 ML SYRINGE <b>DL</b>	4	PA,QL(30 per 30 days)
FEMARA 2.5 MG TABLET <b>MO</b>	3	PA,QL(30 per 30 days)
floxuridine 0.5 gram RECON SOLUTION <b>MO</b>	1	BvsD
fludarabine 50 mg RECON SOLUTION <b>MO</b>	1	
fludarabine 50 mg/2 ml SOLUTION <b>DL</b>	4	
fluorouracil 1 gram/20 ml, 2.5 gram/50 ml, 5 gram/100 ml, 500 mg/10 ml SOLUTION <b>MO</b>	1	BvsD
FOLOTYN 20 MG/ML (1 ML), 40 MG/2 ML (20 MG/ML) SOLUTION <b>DL</b>	4	PA
FOTIVDA 0.89 MG, 1.34 MG CAPSULE <b>DL</b>	4	PA,QL(21 per 28 days)
FRINDOVYX 500 MG/ML SOLUTION <b>DL</b>	4	BvsD
FRUZAQLA 1 MG CAPSULE <b>DL</b>	4	PA,QL(84 per 28 days)
FRUZAQLA 5 MG CAPSULE <b>DL</b>	4	PA,QL(21 per 28 days)
fulvestrant 250 mg/5 ml SYRINGE <b>MO</b>	1	PA,QL(30 per 30 days)
FUSILEV 50 MG RECON SOLUTION <b>DL</b>	4	PA
FYARRO 100 MG SUSPENSION FOR RECONSTITUTION <b>DL</b>	4	PA
GAVRETO 100 MG CAPSULE <b>DL,LA</b>	4	PA,QL(120 per 30 days)
GAZYVA 1,000 MG/40 ML SOLUTION <b>DL</b>	4	PA,QL(120 per 28 days)
gefitinib 250 mg TABLET <b>DL</b>	4	PA
gemcitabine 1 gram, 2 gram, 200 mg RECON SOLUTION <b>MO</b>	1	
gemcitabine 1 gram/26.3 ml (38 mg/ml), 2 gram/52.6 ml (38 mg/ml), 200 mg/5.26 ml (38 mg/ml) SOLUTION <b>MO</b>	1	
GILOTRIF 20 MG, 30 MG, 40 MG TABLET <b>DL,LA</b>	4	PA,QL(30 per 30 days)
GLEEVEC 100 MG TABLET <b>DL</b>	4	PA,QL(90 per 30 days)
GLEEVEC 400 MG TABLET <b>DL</b>	4	PA,QL(60 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
GLEOSTINE 10 MG CAPSULE <b>MO</b>	3	PA
GLEOSTINE 100 MG CAPSULE <b>DL</b>	4	PA
GLEOSTINE 40 MG CAPSULE	4	PA
GOMEKLI 1 MG TABLET FOR SUSPENSION <b>DL</b>	4	PA
GOMEKLI 1 MG, 2 MG CAPSULE <b>DL</b>	4	PA
GRAFAPEX 1 GRAM, 5 GRAM RECON SOLUTION <b>DL</b>	4	
HALAVEN 1 MG/2 ML (0.5 MG/ML) SOLUTION <b>DL</b>	4	
HERCEPTIN 150 MG RECON SOLUTION <b>DL</b>	4	PA
HERCEPTIN HYLECTA 600 MG-10,000 UNIT/5 ML SOLUTION <b>DL</b>	4	PA,QL(5 per 21 days)
HERCESSI 150 MG, 420 MG RECON SOLUTION <b>DL</b>	4	PA
HERNEXEOS 60 MG TABLET <b>DL</b>	4	PA,QL(180 per 30 days)
HERZUMA 150 MG, 420 MG RECON SOLUTION <b>DL</b>	4	PA
HYDREA 500 MG CAPSULE <b>MO</b>	3	
<i>hydroxyurea 500 mg CAPSULE <b>MO</b></i>	1	
HYRNUO 10 MG TABLET <b>DL</b>	4	PA,QL(120 per 30 days)
IBRANCE 100 MG, 125 MG, 75 MG CAPSULE <b>DL</b>	4	PA,QL(21 per 28 days)
IBRANCE 100 MG, 125 MG, 75 MG TABLET <b>DL</b>	4	PA,QL(21 per 28 days)
IBTROZI 200 MG CAPSULE <b>DL</b>	4	PA,QL(90 per 30 days)
ICLUSIG 10 MG, 30 MG, 45 MG TABLET <b>DL</b>	4	PA,QL(30 per 30 days)
ICLUSIG 15 MG TABLET <b>DL</b>	4	PA,QL(60 per 30 days)
IDAMYCIN PFS 1 MG/ML SOLUTION <b>DL</b>	4	
<i>idarubicin 1 mg/ml SOLUTION <b>DL</b></i>	4	
IDHIFA 100 MG, 50 MG TABLET <b>DL</b>	4	PA,QL(30 per 30 days)
IFEX 1 GRAM, 3 GRAM RECON SOLUTION <b>MO</b>	3	
<i>ifosfamide 1 gram, 3 gram RECON SOLUTION <b>MO</b></i>	1	
<i>ifosfamide 1 gram/20 ml, 3 gram/60 ml SOLUTION <b>MO</b></i>	1	
<i>imatinib 100 mg TABLET <b>MO</b></i>	1	PA,QL(90 per 30 days)
<i>imatinib 400 mg TABLET <b>DL</b></i>	4	PA,QL(60 per 30 days)
IMBRUVICA 140 MG CAPSULE <b>DL</b>	4	PA,QL(120 per 30 days)
IMBRUVICA 140 MG, 280 MG TABLET <b>DL</b>	4	PA
IMBRUVICA 420 MG TABLET <b>DL</b>	4	PA,QL(28 per 28 days)
IMBRUVICA 70 MG CAPSULE <b>DL</b>	4	PA,QL(28 per 28 days)
IMBRUVICA 70 MG/ML SUSPENSION <b>DL</b>	4	PA
IMDELLTRA 1 MG, 10 MG RECON SOLUTION <b>DL</b>	4	PA
IMFINZI 50 MG/ML SOLUTION <b>DL</b>	4	PA

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
IMJUDO 20 MG/ML SOLUTION <b>DL</b>	4	PA
IMKELDI 80 MG/ML SOLUTION <b>DL</b>	4	PA,QL(300 per 30 days)
IMLYGIC 10EXP6 (1 MILLION) PFU/ML SUSPENSION <b>DL</b>	4	PA,QL(4 per 365 days)
IMLYGIC 10EXP8 (100 MILLION) PFU/ML SUSPENSION <b>DL</b>	4	PA,QL(8 per 28 days)
INFUGEM 1,200 MG/120 ML (10 MG/ML), 1,300 MG/130 ML (10 MG/ML), 1,400 MG/140 ML (10 MG/ML), 1,500 MG/150 ML (10 MG/ML), 1,600 MG/160 ML (10 MG/ML), 1,700 MG/170 ML (10 MG/ML), 1,800 MG/180 ML (10 MG/ML), 1,900 MG/190 ML (10 MG/ML), 2,000 MG/200 ML (10 MG/ML), 2,200 MG/220 ML (10 MG/ML) PIGGYBACK <b>DL</b>	4	
INLEXZO 225 MG IMPLANT <b>DL</b>	4	PA
INLURIYO 200 MG TABLET <b>DL</b>	4	PA,QL(84 per 28 days)
INLYTA 1 MG TABLET <b>DL</b>	4	PA,QL(180 per 30 days)
INLYTA 5 MG TABLET <b>DL</b>	4	PA,QL(120 per 30 days)
INQOVI 35-100 MG TABLET <b>DL</b>	4	PA,QL(5 per 28 days)
INREBIC 100 MG CAPSULE <b>DL</b>	4	PA,QL(120 per 30 days)
IRESSA 250 MG TABLET <b>DL</b>	4	PA
<i>irinotecan</i> 100 mg/5 ml, 300 mg/15 ml, 40 mg/2 ml, 500 mg/25 ml SOLUTION <b>MO</b>	1	
ISTODAX 10 MG/2 ML RECON SOLUTION <b>DL</b>	4	PA
ITOVEBI 3 MG TABLET <b>DL</b>	4	PA,QL(56 per 28 days)
ITOVEBI 9 MG TABLET <b>DL</b>	4	PA,QL(28 per 28 days)
IVRA 90 MG/ML SOLUTION <b>DL</b>	4	
IWILFIN 192 MG TABLET <b>DL</b>	4	PA,QL(240 per 30 days)
IXEMPRA 15 MG, 45 MG RECON SOLUTION <b>DL</b>	4	PA
JAKAFI 10 MG, 15 MG, 20 MG, 25 MG, 5 MG TABLET <b>DL</b>	4	PA,QL(60 per 30 days)
JAYPIRCA 100 MG, 50 MG TABLET <b>DL</b>	4	PA,QL(90 per 30 days)
JEMPERLI 50 MG/ML SOLUTION	4	PA,QL(20 per 42 days)
JEVTANA 10 MG/ML (FIRST DILUTION) SOLUTION <b>DL</b>	4	PA
JOBEVNE 25 MG/ML SOLUTION <b>DL</b>	4	PA
KADCYLA 100 MG, 160 MG RECON SOLUTION <b>DL</b>	4	PA
KANJINTI 150 MG, 420 MG RECON SOLUTION <b>DL</b>	4	PA
KEYTRUDA 25 MG/ML SOLUTION <b>DL</b>	4	PA
KEYTRUDA QLEX 395 MG-4,800 UNIT/2.4 ML, 790 MG-9,600 UNIT/4.8 ML SOLUTION <b>DL</b>	4	PA
KHAPZORY 175 MG RECON SOLUTION <b>DL</b>	4	PA
KIMMTRAK 100 MCG/0.5 ML SOLUTION <b>DL</b>	4	PA

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
KISQALI 200 MG/DAY (200 MG X 1) TABLET <b>DL</b>	4	PA,QL(21 per 28 days)
KISQALI 400 MG/DAY (200 MG X 2) TABLET <b>DL</b>	4	PA,QL(42 per 28 days)
KISQALI 600 MG/DAY (200 MG X 3) TABLET <b>DL</b>	4	PA,QL(63 per 28 days)
KISQALI FEMARA CO-PACK 200 MG/DAY(200 MG X 1)-2.5 MG TABLET <b>DL</b>	4	PA,QL(49 per 28 days)
KISQALI FEMARA CO-PACK 400 MG/DAY(200 MG X 2)-2.5 MG TABLET <b>DL</b>	4	PA,QL(70 per 28 days)
KISQALI FEMARA CO-PACK 600 MG/DAY(200 MG X 3)-2.5 MG TABLET <b>DL</b>	4	PA,QL(91 per 28 days)
KOSELUGO 10 MG CAPSULE <b>DL</b>	4	PA,QL(240 per 30 days)
KOSELUGO 25 MG CAPSULE <b>DL</b>	4	PA,QL(120 per 30 days)
KOSELUGO 5 MG CAPSULE, SPRINKLE <b>DL</b>	4	PA,QL(600 per 30 days)
KOSELUGO 7.5 MG CAPSULE, SPRINKLE <b>DL</b>	4	PA,QL(360 per 30 days)
KRAZATI 200 MG TABLET <b>DL</b>	4	PA,QL(180 per 30 days)
KYPROLIS 10 MG RECON SOLUTION <b>DL</b>	4	PA,QL(6 per 28 days)
KYPROLIS 30 MG RECON SOLUTION <b>DL</b>	4	PA,QL(3 per 28 days)
KYPROLIS 60 MG RECON SOLUTION <b>DL</b>	4	PA,QL(12 per 28 days)
<i>lapatinib</i> 250 mg TABLET <b>DL</b>	4	PA,QL(180 per 30 days)
LAZCLUZE 240 MG TABLET <b>DL</b>	4	PA,QL(30 per 30 days)
LAZCLUZE 80 MG TABLET <b>DL</b>	4	PA,QL(60 per 30 days)
<i>lenalidomide</i> 10 mg, 15 mg, 2.5 mg, 20 mg, 25 mg, 5 mg CAPSULE <b>DL</b>	4	PA,QL(28 per 28 days)
LENVIMA 10 MG/DAY (10 MG X 1), 4 MG CAPSULE <b>DL</b>	4	PA,QL(30 per 30 days)
LENVIMA 12 MG/DAY (4 MG X 3), 18 MG/DAY (10 MG X 1-4 MG X2), 24 MG/DAY(10 MG X 2-4 MG X 1) CAPSULE <b>DL</b>	4	PA,QL(90 per 30 days)
LENVIMA 14 MG/DAY(10 MG X 1-4 MG X 1), 20 MG/DAY (10 MG X 2), 8 MG/DAY (4 MG X 2) CAPSULE <b>DL</b>	4	PA,QL(60 per 30 days)
<i>letrozole</i> 2.5 mg TABLET <b>MO</b>	1	QL(30 per 30 days)
<i>leucovorin calcium</i> 10 mg, 15 mg, 25 mg, 5 mg TABLET <b>MO</b>	1	
<i>leucovorin calcium</i> 10 mg/ml SOLUTION <b>MO</b>	1	
<i>leucovorin calcium</i> 100 mg, 200 mg, 350 mg, 50 mg, 500 mg RECON SOLUTION <b>MO</b>	1	
LEUKERAN 2 MG TABLET <b>DL</b>	4	
<i>levoleucovorin calcium</i> 10 mg/ml SOLUTION <b>MO</b>	1	PA
<i>levoleucovorin calcium</i> 50 mg RECON SOLUTION <b>MO</b>	1	PA
LEVULAN 20 % SOLUTION <b>MO</b>	3	
LIBTAYO 50 MG/ML SOLUTION <b>DL</b>	4	PA,QL(7 per 21 days)
<i>lomustine</i> 10 mg CAPSULE <b>MO</b>	1	PA
<i>lomustine</i> 100 mg, 40 mg CAPSULE <b>DL</b>	4	PA

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
LONSURF 15-6.14 MG TABLET <b>DL</b>	4	PA,QL(100 per 30 days)
LONSURF 20-8.19 MG TABLET <b>DL</b>	4	PA,QL(80 per 30 days)
LOQTORZI 240 MG/6 ML (40 MG/ML) SOLUTION <b>DL</b>	4	PA
LORBRENA 100 MG TABLET <b>DL</b>	4	PA,QL(30 per 30 days)
LORBRENA 25 MG TABLET <b>DL</b>	4	PA,QL(90 per 30 days)
LUMAKRAS 120 MG TABLET <b>DL</b>	4	PA,QL(240 per 30 days)
LUMAKRAS 240 MG TABLET <b>DL</b>	4	PA,QL(120 per 30 days)
LUMAKRAS 320 MG TABLET <b>DL</b>	4	PA,QL(90 per 30 days)
LUNSUMIO 1 MG/ML SOLUTION <b>DL</b>	4	PA
LYNOZYFIC 2 MG/ML, 20 MG/ML SOLUTION <b>DL</b>	4	PA
LYNPARZA 100 MG, 150 MG TABLET <b>DL</b>	4	PA,QL(120 per 30 days)
LYSODREN 500 MG TABLET <b>DL</b>	4	
LYTGOBI 12 MG/DAY (4 MG X 3), 16 MG/DAY (4 MG X 4), 20 MG/DAY (4 MG X 5) TABLET <b>DL</b>	4	PA,QL(140 per 28 days)
MARGENZA 25 MG/ML SOLUTION <b>DL</b>	4	PA
MATULANE 50 MG CAPSULE <b>DL</b>	4	
MEKINIST 0.05 MG/ML RECON SOLUTION <b>DL</b>	4	PA,QL(1170 per 28 days)
MEKINIST 0.5 MG TABLET <b>DL</b>	4	PA,QL(120 per 30 days)
MEKINIST 2 MG TABLET <b>DL</b>	4	PA,QL(30 per 30 days)
MEKTOVI 15 MG TABLET <b>DL</b>	4	PA,QL(180 per 30 days)
<i>melphalan 2 mg TABLET <b>MO</b></i>	1	BvsD
<i>melphalan hcl 50 mg RECON SOLUTION <b>MO</b></i>	1	
<i>mercaptopurine 20 mg/ml SUSPENSION <b>DL</b></i>	4	
<i>mercaptopurine 50 mg TABLET <b>MO</b></i>	1	
<i>mesna 100 mg/ml SOLUTION <b>MO</b></i>	1	
<i>mesna 400 mg TABLET <b>DL</b></i>	4	
MESNEX 100 MG/ML SOLUTION <b>DL</b>	4	
MESNEX 400 MG TABLET <b>DL</b>	4	
<i>mitomycin 20 mg, 5 mg RECON SOLUTION <b>MO</b></i>	1	
<i>mitomycin 40 mg RECON SOLUTION <b>DL</b></i>	4	
<i>mitoxantrone 2 mg/ml CONCENTRATE <b>MO</b></i>	1	
MODEYSO 125 MG CAPSULE <b>DL</b>	4	PA,QL(20 per 28 days)
MUTAMYCIN 20 MG, 40 MG, 5 MG RECON SOLUTION <b>DL</b>	4	
MVASI 25 MG/ML SOLUTION <b>DL</b>	4	PA
MYLOTARG 4.5 MG (1 MG/ML INITIAL CONC) RECON SOLUTION <b>DL</b>	4	PA

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<i>nelarabine 5 mg/ml SOLUTION</i> <b>DL</b>	4	
NERLYNX 40 MG TABLET <b>DL</b>	4	PA,QL(180 per 30 days)
NEXAVAR 200 MG TABLET <b>DL</b>	4	PA,QL(120 per 30 days)
NILANDRON 150 MG TABLET <b>DL</b>	4	PA,QL(60 per 30 days)
<i>nilotinib d-tartrate 150 mg, 200 mg, 50 mg CAPSULE</i> <b>DL</b>	4	PA,QL(120 per 30 days)
<i>nilotinib hcl 150 mg, 200 mg, 50 mg CAPSULE</i> <b>DL</b>	4	PA,QL(120 per 30 days)
<i>nilutamide 150 mg TABLET</i> <b>DL</b>	4	QL(60 per 30 days)
NINLARO 2.3 MG, 3 MG, 4 MG CAPSULE <b>DL</b>	4	PA,QL(3 per 28 days)
NIPENT 10 MG RECON SOLUTION <b>DL</b>	4	
NUBEQA 300 MG TABLET <b>DL</b>	4	PA,QL(120 per 30 days)
ODOMZO 200 MG CAPSULE <b>DL</b>	4	PA,QL(30 per 30 days)
OGIVRI 150 MG, 420 MG RECON SOLUTION <b>DL</b>	4	PA
OGSIVEO 100 MG, 150 MG TABLET <b>DL</b>	4	PA,QL(60 per 30 days)
OGSIVEO 50 MG TABLET <b>DL</b>	4	PA,QL(180 per 30 days)
OJEMDA 25 MG/ML SUSPENSION FOR RECONSTITUTION <b>DL</b>	4	PA,QL(96 per 28 days)
OJEMDA 400 MG/WEEK (100 MG X 4) TABLET <b>DL</b>	4	PA,QL(16 per 28 days)
OJEMDA 500 MG/WEEK (100 MG X 5) TABLET <b>DL</b>	4	PA,QL(20 per 28 days)
OJEMDA 600 MG/WEEK (100 MG X 6) TABLET <b>DL</b>	4	PA,QL(24 per 28 days)
OJJAARA 100 MG, 150 MG, 200 MG TABLET <b>DL</b>	4	PA,QL(30 per 30 days)
ONCASPAR 750 UNIT/ML SOLUTION <b>DL</b>	4	PA
ONIVYDE 4.3 MG/ML DISPERSION <b>DL</b>	4	PA
ONTRUZANT 150 MG, 420 MG RECON SOLUTION <b>DL</b>	4	PA
ONUREG 200 MG, 300 MG TABLET <b>DL</b>	4	PA,QL(14 per 28 days)
OPDIVO 100 MG/10 ML SOLUTION <b>DL</b>	4	PA,QL(40 per 28 days)
OPDIVO 120 MG/12 ML, 240 MG/24 ML SOLUTION <b>DL</b>	4	PA,QL(48 per 28 days)
OPDIVO 40 MG/4 ML SOLUTION <b>DL</b>	4	PA,QL(16 per 28 days)
OPDIVO QVANTIG 300 MG-5,000 UNIT/2.5 ML, 600 MG-10,000 UNIT/5 ML SOLUTION <b>DL</b>	4	PA,QL(10 per 28 days)
OPDUALAG 240-80 MG/20 ML SOLUTION <b>DL</b>	4	PA,QL(40 per 28 days)
ORGOVYX 120 MG TABLET <b>DL</b>	4	PA,QL(32 per 30 days)
ORSERDU 345 MG TABLET <b>DL</b>	4	PA,QL(30 per 30 days)
ORSERDU 86 MG TABLET <b>DL</b>	4	PA,QL(90 per 30 days)
<i>oxaliplatin 100 mg, 50 mg RECON SOLUTION</i> <b>MO</b>	1	
<i>oxaliplatin 100 mg/20 ml, 200 mg/40 ml, 50 mg/10 ml (5 mg/ml) SOLUTION</i> <b>MO</b>	1	
<i>paclitaxel 6 mg/ml CONCENTRATE</i> <b>MO</b>	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<i>paclitaxel protein-bound 100 mg SUSPENSION FOR RECONSTITUTION</i> <b>DL</b>	4	PA
PADCEV 20 MG RECON SOLUTION <b>DL</b>	4	PA,QL(21 per 28 days)
PADCEV 30 MG RECON SOLUTION <b>DL</b>	4	PA,QL(15 per 28 days)
PANRETIN 0.1 % GEL <b>DL</b>	4	PA
<i>paraplatin 10 mg/ml SOLUTION</i> <b>MO</b>	1	
<i>pazopanib 200 mg TABLET</i> <b>DL</b>	4	PA,QL(120 per 30 days)
<i>pazopanib 400 mg TABLET</i> <b>DL</b>	4	PA,QL(60 per 30 days)
PEDMARK 12.5 GRAM/100ML (125 MG/ML) SOLUTION <b>DL</b>	4	PA
PEMAZYRE 13.5 MG, 4.5 MG, 9 MG TABLET <b>DL</b>	4	PA,QL(28 per 28 days)
<i>pemetrexed 100 mg, 500 mg RECON SOLUTION</i> <b>DL</b>	4	PA
<i>pemetrexed 25 mg/ml SOLUTION</i> <b>DL</b>	4	PA,QL(120 per 21 days)
<i>pemetrexed disodium 1,000 mg, 750 mg RECON SOLUTION</i> <b>DL</b>	4	PA
<i>pemetrexed disodium 100 mg, 500 mg RECON SOLUTION</i> <b>MO</b>	1	PA
<i>pemetrexed disodium 25 mg/ml SOLUTION</i> <b>DL</b>	4	PA
PEMRYDI RTU 10 MG/ML SOLUTION <b>DL</b>	4	PA
PERJETA 420 MG/14 ML (30 MG/ML) SOLUTION <b>DL</b>	4	PA
PHESGO 1,200 MG-600MG- 30000 UNIT/15ML SOLUTION <b>DL</b>	4	PA,QL(15 per 21 days)
PHESGO 600 MG-600 MG- 20000 UNIT/10ML SOLUTION <b>DL</b>	4	PA,QL(10 per 21 days)
PHYRAGO 100 MG, 50 MG, 70 MG, 80 MG TABLET <b>DL</b>	4	PA,QL(60 per 30 days)
PHYRAGO 140 MG TABLET <b>DL</b>	4	PA,QL(30 per 30 days)
PHYRAGO 20 MG TABLET <b>DL</b>	4	PA,QL(90 per 30 days)
PIQRAY 200 MG/DAY (200 MG X 1) TABLET <b>DL</b>	4	PA,QL(28 per 28 days)
PIQRAY 250 MG/DAY (200 MG X1-50 MG X1), 300 MG/DAY (150 MG X 2) TABLET <b>DL</b>	4	PA,QL(56 per 28 days)
POLIVY 140 MG RECON SOLUTION <b>DL</b>	4	PA,QL(2 per 21 days)
POLIVY 30 MG RECON SOLUTION <b>DL</b>	4	PA,QL(8 per 21 days)
POMALYST 1 MG, 2 MG, 3 MG, 4 MG CAPSULE <b>DL</b>	4	PA,QL(21 per 28 days)
PORTRAZZA 800 MG/50 ML (16 MG/ML) SOLUTION <b>DL</b>	4	PA,QL(100 per 21 days)
POTELIGE0 4 MG/ML SOLUTION <b>DL</b>	4	PA
<i>pralatrexate 20 mg/ml (1 ml), 40 mg/2 ml (20 mg/ml) SOLUTION</i> <b>DL</b>	4	PA
PURIXAN 20 MG/ML SUSPENSION <b>DL</b>	4	
QINLOCK 50 MG TABLET <b>DL</b>	4	PA,QL(90 per 30 days)
RETEVMO 120 MG, 160 MG, 80 MG TABLET <b>DL</b>	4	PA,QL(60 per 30 days)
RETEVMO 40 MG CAPSULE <b>DL</b>	4	PA,QL(180 per 30 days)
RETEVMO 40 MG TABLET <b>DL</b>	4	PA,QL(90 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
RETEVMO 80 MG CAPSULE <b>DL</b>	4	PA,QL(120 per 30 days)
REVLIMID 10 MG, 15 MG, 2.5 MG, 20 MG, 25 MG, 5 MG CAPSULE <b>DL</b>	4	PA,QL(28 per 28 days)
REVUFORJ 110 MG, 160 MG, 25 MG TABLET <b>DL</b>	4	PA
REZLIDHIA 150 MG CAPSULE <b>DL</b>	4	PA,QL(60 per 30 days)
RIABNI 10 MG/ML SOLUTION <b>DL</b>	4	PA
RITUXAN 10 MG/ML CONCENTRATE <b>DL</b>	4	PA
RITUXAN HYCELA 1400 MG/11.7 ML (120 MG/ML) SOLUTION <b>DL</b>	4	PA,QL(46.8 per 28 days)
RITUXAN HYCELA 1600 MG/13.4 ML (120 MG/ML) SOLUTION <b>DL</b>	4	PA,QL(13.4 per 28 days)
<i>romidepsin 10 mg/2 ml RECON SOLUTION</i> <b>DL</b>	4	PA
ROMIDEPSIN 5 MG/ML SOLUTION <b>DL</b>	4	PA
ROMVIMZA 14 MG, 20 MG, 30 MG CAPSULE <b>DL</b>	4	PA
ROZLYTREK 100 MG CAPSULE <b>DL</b>	4	PA,QL(150 per 30 days)
ROZLYTREK 200 MG CAPSULE <b>DL</b>	4	PA,QL(90 per 30 days)
ROZLYTREK 50 MG PELLETS IN PACKET <b>DL</b>	4	PA,QL(360 per 30 days)
RUBRACA 200 MG, 250 MG, 300 MG TABLET <b>DL</b>	4	PA,QL(120 per 30 days)
RUXIENCE 10 MG/ML SOLUTION <b>DL</b>	4	PA
RYBREVANT 50 MG/ML SOLUTION <b>DL</b>	4	PA,QL(784 per 365 days)
RYBREVANT FASPRO 1,600 MG-20,000 UNIT/10 ML, 2,240 MG-28,000 UNIT/14 ML SOLUTION <b>DL</b>	4	PA
RYDAPT 25 MG CAPSULE <b>DL</b>	4	PA,QL(224 per 28 days)
RYLAZE 10 MG/0.5 ML SOLUTION <b>DL</b>	4	PA
RYTELO 188 MG, 47 MG RECON SOLUTION <b>DL</b>	4	PA
SARCLISA 20 MG/ML SOLUTION <b>DL</b>	4	PA
SCEMBLIX 100 MG TABLET <b>DL</b>	4	PA,QL(120 per 30 days)
SCEMBLIX 20 MG TABLET <b>DL</b>	4	PA,QL(60 per 30 days)
SCEMBLIX 40 MG TABLET <b>DL</b>	4	PA,QL(300 per 30 days)
SOLTAMOX 20 MG/10 ML SOLUTION <b>DL</b>	4	
<i>sorafenib 200 mg TABLET</i> <b>DL</b>	4	PA,QL(120 per 30 days)
SPRYCEL 100 MG, 50 MG, 70 MG, 80 MG TABLET <b>DL</b>	4	PA,QL(60 per 30 days)
SPRYCEL 140 MG TABLET <b>DL</b>	4	PA,QL(30 per 30 days)
SPRYCEL 20 MG TABLET <b>DL</b>	4	PA,QL(90 per 30 days)
STIVARGA 40 MG TABLET <b>DL</b>	4	PA,QL(84 per 28 days)
<i>sunitinib malate 12.5 mg, 25 mg, 37.5 mg, 50 mg CAPSULE</i> <b>DL</b>	4	PA,QL(28 per 28 days)
SUTENT 12.5 MG, 25 MG, 37.5 MG, 50 MG CAPSULE <b>DL</b>	4	PA,QL(28 per 28 days)
TABLOID 40 MG TABLET <b>MO</b>	3	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
TABRECTA 150 MG, 200 MG TABLET <b>DL</b>	4	PA,QL(112 per 28 days)
TAFINLAR 10 MG TABLET FOR SUSPENSION <b>DL</b>	4	PA,QL(840 per 28 days)
TAFINLAR 50 MG CAPSULE <b>DL</b>	4	PA,QL(180 per 30 days)
TAFINLAR 75 MG CAPSULE <b>DL</b>	4	PA,QL(120 per 30 days)
TAGRISSE 40 MG, 80 MG TABLET <b>DL</b>	4	PA,QL(30 per 30 days)
TALVEY 2 MG/ML, 40 MG/ML SOLUTION <b>DL</b>	4	PA
TALZENNA 0.1 MG, 0.35 MG, 0.5 MG, 0.75 MG, 1 MG CAPSULE <b>DL</b>	4	PA,QL(30 per 30 days)
TALZENNA 0.25 MG CAPSULE <b>DL</b>	4	PA,QL(90 per 30 days)
<i>tamoxifen 10 mg, 20 mg TABLET <b>MO</b></i>	1	
TARCEVA 100 MG, 150 MG TABLET <b>DL</b>	4	PA,QL(30 per 30 days)
TARCEVA 25 MG TABLET <b>DL</b>	4	PA,QL(90 per 30 days)
TARGRETIN 1 % GEL <b>DL</b>	4	PA,QL(240 per 30 days)
TARGRETIN 75 MG CAPSULE <b>DL</b>	4	PA,QL(300 per 30 days)
TASIGNA 150 MG, 200 MG, 50 MG CAPSULE <b>DL</b>	4	PA,QL(120 per 30 days)
TAZVERIK 200 MG TABLET <b>DL</b>	4	PA,QL(240 per 30 days)
TECENTRIQ 1,200 MG/20 ML (60 MG/ML) SOLUTION <b>DL</b>	4	PA,QL(20 per 21 days)
TECENTRIQ 840 MG/14 ML (60 MG/ML) SOLUTION <b>DL</b>	4	PA,QL(28 per 28 days)
TECENTRIQ HYBREZA 1,875 MG-30,000 UNIT/15 ML SOLUTION <b>DL</b>	4	PA,QL(15 per 21 days)
TECVAYLI 10 MG/ML, 90 MG/ML SOLUTION <b>DL</b>	4	PA
TEMODAR 100 MG RECON SOLUTION <b>DL</b>	4	PA,QL(27 per 30 days)
<i>temsirolimus 30 mg/3 ml (10 mg/ml) (first) RECON SOLUTION <b>DL</b></i>	4	PA,QL(8 per 28 days)
TEPADINA 100 MG, 15 MG RECON SOLUTION <b>DL</b>	4	
TEPADINA 200 MG SOLUTION <b>DL</b>	4	
TEPMETKO 225 MG TABLET <b>DL</b>	4	PA,QL(60 per 30 days)
TEPYLUTE 10 MG/ML SOLUTION <b>DL</b>	4	
TEVIMBRA 10 MG/ML SOLUTION <b>DL</b>	4	PA,QL(20 per 21 days)
THALOMID 100 MG CAPSULE <b>DL</b>	4	PA,QL(120 per 30 days)
THALOMID 150 MG CAPSULE <b>DL</b>	4	PA,QL(60 per 30 days)
THALOMID 200 MG CAPSULE <b>DL</b>	4	PA,QL(30 per 30 days)
THALOMID 50 MG CAPSULE <b>DL</b>	4	PA,QL(240 per 30 days)
<i>thiotepa 100 mg RECON SOLUTION <b>DL</b></i>	4	
<i>thiotepa 15 mg RECON SOLUTION <b>MO</b></i>	1	
TIBSOVO 250 MG TABLET <b>DL</b>	4	PA,QL(60 per 30 days)
TIVDAK 40 MG RECON SOLUTION <b>DL</b>	4	PA,QL(5 per 21 days)
<i>topotecan 4 mg RECON SOLUTION</i>	4	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
topotecan 4 mg/4 ml (1 mg/ml) SOLUTION <b>MO</b>	1	
toremifene 60 mg TABLET <b>DL</b>	4	QL(30 per 30 days)
TORISEL 30 MG/3 ML (10 MG/ML) (FIRST) RECON SOLUTION <b>DL</b>	4	PA,QL(8 per 28 days)
torpenz 10 mg, 2.5 mg, 5 mg, 7.5 mg TABLET <b>DL</b>	4	PA,QL(30 per 30 days)
TRAZIMERA 150 MG, 420 MG RECON SOLUTION <b>DL</b>	4	PA
TREANDA 100 MG, 25 MG RECON SOLUTION <b>DL</b>	4	PA
tretinoin (antineoplastic) 10 mg CAPSULE <b>DL</b>	4	
TRISENOX 2 MG/ML SOLUTION <b>DL</b>	4	PA
TRODELVY 180 MG RECON SOLUTION <b>DL</b>	4	PA
TRUQAP 160 MG, 200 MG TABLET <b>DL</b>	4	PA,QL(64 per 28 days)
TRUXIMA 10 MG/ML SOLUTION <b>DL</b>	4	PA
TUKYSA 150 MG TABLET <b>DL</b>	4	PA,QL(120 per 30 days)
TUKYSA 50 MG TABLET <b>DL</b>	4	PA,QL(300 per 30 days)
TURALIO 125 MG CAPSULE <b>DL,LA</b>	4	PA,QL(120 per 30 days)
TYKERB 250 MG TABLET <b>DL</b>	4	PA,QL(180 per 30 days)
UNITUXIN 3.5 MG/ML SOLUTION <b>DL</b>	4	PA
VALCHLOR 0.016 % GEL <b>DL</b>	4	PA,QL(60 per 28 days)
valrubicin 40 mg/ml SOLUTION <b>DL</b>	4	PA,QL(80 per 28 days)
VALSTAR 40 MG/ML SOLUTION <b>DL</b>	4	PA,QL(80 per 28 days)
VANFLYTA 17.7 MG, 26.5 MG TABLET <b>DL</b>	4	PA,QL(56 per 28 days)
VECTIBIX 100 MG/5 ML (20 MG/ML), 400 MG/20 ML (20 MG/ML) SOLUTION <b>DL</b>	4	PA
VEGZELMA 25 MG/ML SOLUTION <b>DL</b>	4	PA
VELCADE 3.5 MG RECON SOLUTION <b>DL</b>	4	PA
VENCLEXTA 10 MG TABLET <b>MO</b>	2	PA,QL(56 per 28 days)
VENCLEXTA 100 MG TABLET <b>DL</b>	4	PA,QL(180 per 30 days)
VENCLEXTA 50 MG TABLET	4	PA,QL(28 per 28 days)
VENCLEXTA STARTING PACK 10 MG-50 MG- 100 MG TABLET, DOSE PACK <b>DL</b>	4	PA,QL(42 per 28 days)
VERZENIO 100 MG, 150 MG, 200 MG, 50 MG TABLET <b>DL</b>	4	PA,QL(60 per 30 days)
VIDAZA 100 MG RECON SOLUTION <b>DL</b>	4	PA
vinblastine 1 mg/ml SOLUTION <b>MO</b>	1	BvsD
vincasar pfs 1 mg/ml, 2 mg/2 ml SOLUTION <b>MO</b>	1	BvsD
vincristine 1 mg/ml, 2 mg/2 ml SOLUTION <b>MO</b>	1	BvsD
vinorelbine 10 mg/ml, 50 mg/5 ml SOLUTION <b>MO</b>	1	
VITRAKVI 100 MG CAPSULE <b>DL</b>	4	PA,QL(60 per 30 days)
VITRAKVI 20 MG/ML SOLUTION <b>DL</b>	4	PA,QL(300 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
VITRAKVI 25 MG CAPSULE <b>DL</b>	4	PA,QL(180 per 30 days)
VIVIMUSTA 25 MG/ML SOLUTION <b>DL</b>	4	PA
VIZIMPRO 15 MG, 30 MG, 45 MG TABLET <b>DL</b>	4	PA,QL(30 per 30 days)
VONJO 100 MG CAPSULE <b>DL</b>	4	PA,QL(120 per 30 days)
VORANIGO 10 MG TABLET <b>DL</b>	4	PA,QL(60 per 30 days)
VORANIGO 40 MG TABLET <b>DL</b>	4	PA,QL(30 per 30 days)
VOTRIENT 200 MG TABLET <b>DL</b>	4	PA,QL(120 per 30 days)
VYLOY 100 MG, 300 MG RECON SOLUTION <b>DL</b>	4	PA
VYXEOS 44-100 MG RECON SOLUTION <b>DL</b>	4	PA
XALKORI 150 MG PELLETT <b>DL</b>	4	PA,QL(180 per 30 days)
XALKORI 20 MG PELLETT <b>DL</b>	4	PA,QL(120 per 30 days)
XALKORI 200 MG, 250 MG CAPSULE <b>DL</b>	4	PA,QL(120 per 30 days)
XALKORI 50 MG PELLETT <b>DL</b>	4	PA,QL(240 per 30 days)
XOSPATA 40 MG TABLET <b>DL</b>	4	PA,QL(90 per 30 days)
XPOVIO 100 MG/WEEK (50 MG X 2), 40MG TWICE WEEK (40 MG X 2), 80 MG/WEEK (40 MG X 2) TABLET <b>DL</b>	4	PA,QL(8 per 28 days)
XPOVIO 40 MG/WEEK (10 MG X 4) TABLET <b>DL</b>	4	PA,QL(16 per 28 days)
XPOVIO 40 MG/WEEK (40 MG X 1), 60 MG/WEEK (60 MG X 1), 80 MG/WEEK (80 MG X 1) TABLET <b>DL</b>	4	PA,QL(4 per 28 days)
XPOVIO 60MG TWICE WEEK (120 MG/WEEK) TABLET <b>DL</b>	4	PA,QL(24 per 28 days)
XPOVIO 80MG TWICE WEEK (160 MG/WEEK) TABLET <b>DL</b>	4	PA,QL(32 per 28 days)
XTANDI 40 MG CAPSULE <b>DL</b>	4	PA,QL(120 per 30 days)
XTANDI 40 MG TABLET <b>DL</b>	4	PA,QL(120 per 30 days)
XTANDI 80 MG TABLET <b>DL</b>	4	PA,QL(60 per 30 days)
YERVOY 200 MG/40 ML (5 MG/ML), 50 MG/10 ML (5 MG/ML) SOLUTION <b>DL</b>	4	PA
YONDELIS 1 MG RECON SOLUTION <b>DL</b>	4	PA
YONSA 125 MG TABLET <b>DL</b>	4	PA,QL(120 per 30 days)
ZALTRAP 100 MG/4 ML (25 MG/ML), 200 MG/8 ML (25 MG/ML) SOLUTION <b>DL</b>	4	PA
ZANOSAR 1 GRAM RECON SOLUTION <b>MO</b>	3	
ZEJULA 100 MG, 200 MG, 300 MG TABLET <b>DL</b>	4	PA,QL(30 per 30 days)
ZELBORAF 240 MG TABLET <b>DL</b>	4	PA,QL(240 per 30 days)
ZEPZELCA 4 MG RECON SOLUTION <b>DL</b>	4	PA
ZIIHERA 300 MG RECON SOLUTION <b>DL</b>	4	PA
ZIRABEV 25 MG/ML SOLUTION <b>DL</b>	4	PA
ZOLINZA 100 MG CAPSULE <b>DL</b>	4	PA,QL(120 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
ZYDELIG 100 MG, 150 MG TABLET <b>DL</b>	4	PA,QL(60 per 30 days)
ZYKADIA 150 MG TABLET <b>DL</b>	4	PA,QL(150 per 30 days)
ZYNLONTA 10 MG RECON SOLUTION <b>DL</b>	4	PA
ZYNYZ 500 MG/20 ML SOLUTION <b>DL</b>	4	PA,QL(20 per 28 days)
ZYTIGA 250 MG TABLET <b>DL</b>	4	PA,QL(120 per 30 days)
ZYTIGA 500 MG TABLET <b>DL</b>	4	PA,QL(60 per 30 days)
<b>ANTIPARASITICS</b>		
<i>albendazole 200 mg TABLET <b>MO</b></i>	1	
<i>atovaquone 750 mg/5 ml SUSPENSION <b>MO</b></i>	1	
<i>atovaquone-proguanil 250-100 mg, 62.5-25 mg TABLET <b>MO</b></i>	1	
BILTRICIDE 600 MG TABLET <b>DL</b>	4	PA
<i>chloroquine phosphate 250 mg, 500 mg TABLET <b>MO</b></i>	1	
COARTEM 20-120 MG TABLET <b>MO</b>	3	QL(24 per 30 days)
DARAPRIM 25 MG TABLET <b>DL</b>	4	PA,QL(90 per 30 days)
EGATEN 250 MG TABLET <b>MO</b>	3	
<i>emverm 100 mg CHEWABLE TABLET <b>DL</b></i>	4	
<i>hydroxychloroquine 100 mg, 300 mg, 400 mg TABLET <b>MO</b></i>	1	
<i>hydroxychloroquine 200 mg TABLET <b>MO</b></i>	1	
IMPAVIDO 50 MG CAPSULE <b>DL</b>	4	QL(84 per 28 days)
<i>ivermectin 3 mg, 6 mg TABLET <b>MO</b></i>	1	
KRINTAFEL 150 MG TABLET <b>MO</b>	3	QL(4 per 180 days)
LAMPIT 120 MG, 30 MG TABLET <b>MO</b>	3	
MALARONE 250-100 MG TABLET <b>MO</b>	3	PA
MALARONE PEDIATRIC 62.5-25 MG TABLET <b>MO</b>	3	PA
<i>mefloquine 250 mg TABLET <b>MO</b></i>	1	
MEPRON 750 MG/5 ML SUSPENSION <b>DL</b>	4	
NEBUPENT 300 MG RECON SOLUTION <b>MO</b>	3	BvsD
<i>nitazoxanide 500 mg TABLET <b>DL</b></i>	4	
PENTAM 300 MG RECON SOLUTION <b>MO</b>	3	
<i>pentamidine 300 mg RECON SOLUTION <b>MO</b></i>	1	
<i>pentamidine 300 mg RECON SOLUTION <b>MO</b></i>	1	BvsD
PLAQUENIL 200 MG TABLET <b>MO</b>	3	PA
<i>praziquantel 600 mg TABLET <b>MO</b></i>	1	
<i>primaquine 26.3 mg (15 mg base) TABLET <b>MO</b></i>	1	
<i>pyrimethamine 25 mg TABLET <b>DL</b></i>	4	QL(90 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
quinine sulfate 324 mg CAPSULE <b>MO</b>	1	PA,QL(42 per 7 days)
SOVUNA 200 MG, 300 MG TABLET <b>MO</b>	3	
STROMECHOL 3 MG TABLET <b>MO</b>	3	PA
<b>ANTIPARKINSON AGENTS</b>		
amantadine hcl 100 mg CAPSULE <b>MO</b>	1	
amantadine hcl 100 mg TABLET <b>MO</b>	1	
amantadine hcl 50 mg/5 ml SOLUTION <b>MO</b>	1	
APOKYN 10 MG/ML CARTRIDGE <b>DL</b>	4	PA,QL(84 per 28 days)
apomorphine 10 mg/ml CARTRIDGE <b>DL</b>	4	PA,QL(84 per 28 days)
AZILECT 0.5 MG, 1 MG TABLET <b>DL</b>	4	PA,QL(30 per 30 days)
benztropine 0.5 mg, 1 mg, 2 mg TABLET <b>MO</b>	1	
benztropine 1 mg/ml SOLUTION <b>MO</b>	1	
bromocriptine 2.5 mg TABLET <b>MO</b>	1	
bromocriptine 5 mg CAPSULE <b>MO</b>	1	QL(600 per 30 days)
carbidopa 25 mg TABLET <b>MO</b>	1	
carbidopa-levodopa 10-100 mg, 25-100 mg, 25-250 mg TABLET, DISINTEGRATING <b>MO</b>	1	
carbidopa-levodopa 10-100 mg, 25-250 mg TABLET <b>MO</b>	1	
carbidopa-levodopa 23.75-95 mg, 48.75-195 mg CAPSULE, ER <b>MO</b>	3	ST,QL(360 per 30 days)
carbidopa-levodopa 25-100 mg TABLET <b>MO</b>	1	
carbidopa-levodopa 25-100 mg, 50-200 mg TABLET ER <b>MO</b>	1	
carbidopa-levodopa 36.25-145 mg CAPSULE, ER <b>MO</b>	3	ST,QL(270 per 30 days)
carbidopa-levodopa 61.25-245 mg CAPSULE, ER <b>MO</b>	3	ST,QL(300 per 30 days)
carbidopa-levodopa-entacapone 12.5-50-200 mg, 18.75-75-200 mg, 25-100-200 mg, 31.25-125-200 mg, 37.5-150-200 mg, 50-200-200 mg TABLET <b>MO</b>	1	
COMTAN 200 MG TABLET <b>MO</b>	3	PA,QL(300 per 30 days)
CREXONT 35-140 MG, 52.5-210 MG, 70-280 MG, 87.5-350 MG CAPSULE, IR/ER, BIPHASIC <b>MO</b>	3	ST,QL(180 per 30 days)
DHIVY 25-100 MG TABLET <b>MO</b>	3	
DUOPA 4.63-20 MG/ML INTESTINAL PUMP SUSPENSION <b>DL</b>	4	PA,QL(2800 per 28 days)
entacapone 200 mg TABLET <b>MO</b>	1	QL(300 per 30 days)
GOCOVRI 137 MG CAPSULE, ER 24 HR. <b>DL</b>	4	PA,QL(60 per 30 days)
GOCOVRI 68.5 MG CAPSULE, ER 24 HR. <b>DL</b>	4	PA,QL(30 per 30 days)
INBRIJA 42 MG CAPSULE <b>DL</b>	4	PA,QL(300 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
INBRIJA 42 MG CAPSULE, W/INHALATION DEVICE <b>DL</b>	4	PA,QL(300 per 30 days)
LODOSYN 25 MG TABLET <b>DL</b>	4	PA
MIRAPEX ER 0.375 MG, 0.75 MG, 1.5 MG, 2.25 MG, 3 MG, 3.75 MG, 4.5 MG TABLET, ER 24 HR. <b>MO</b>	3	ST,QL(30 per 30 days)
NEUPRO 1 MG/24 HOUR, 2 MG/24 HOUR, 3 MG/24 HOUR, 4 MG/24 HOUR, 6 MG/24 HOUR, 8 MG/24 HOUR PATCH, 24 HR. <b>MO</b>	3	ST,QL(30 per 30 days)
NOURIANZ 20 MG, 40 MG TABLET <b>DL</b>	4	PA,QL(30 per 30 days)
ONAPGO 4.9 MG/ ML CARTRIDGE <b>DL</b>	4	PA,QL(600 per 30 days)
ONGENTYS 25 MG, 50 MG CAPSULE <b>MO</b>	3	PA,QL(30 per 30 days)
OSMOLEX ER 129 MG, 193 MG, 258 MG TABLET, IR/ER 24 HR., BIPHASIC <b>MO</b>	3	PA,QL(30 per 30 days)
OSMOLEX ER 322 MG/DAY(129 MG X1-193MG X1) TABLET, IR/ER 24 HR., BIPHASIC <b>MO</b>	3	PA,QL(60 per 30 days)
PARLODEL 2.5 MG TABLET <b>MO</b>	3	PA
PARLODEL 5 MG CAPSULE <b>MO</b>	3	PA,QL(600 per 30 days)
<i>pramipexole 0.125 mg, 0.25 mg, 0.5 mg, 0.75 mg, 1 mg, 1.5 mg TABLET</i> <b>MO</b>	1	
<i>pramipexole 0.375 mg, 0.75 mg, 1.5 mg, 2.25 mg, 3 mg, 3.75 mg, 4.5 mg TABLET, ER 24 HR.</i> <b>MO</b>	1	ST,QL(30 per 30 days)
<i>rasagiline 0.5 mg, 1 mg TABLET</i> <b>MO</b>	1	QL(30 per 30 days)
<i>ropinirole 0.25 mg, 0.5 mg, 1 mg, 2 mg, 3 mg, 4 mg, 5 mg TABLET</i> <b>MO</b>	1	
<i>ropinirole 12 mg, 2 mg, 4 mg, 6 mg, 8 mg TABLET, ER 24 HR.</i> <b>MO</b>	1	ST,QL(90 per 30 days)
RYTARY 23.75-95 MG, 48.75-195 MG CAPSULE, ER <b>MO</b>	3	ST,QL(360 per 30 days)
RYTARY 36.25-145 MG CAPSULE, ER <b>MO</b>	3	ST,QL(270 per 30 days)
RYTARY 61.25-245 MG CAPSULE, ER <b>MO</b>	3	ST,QL(300 per 30 days)
<i>selegiline hcl 5 mg CAPSULE</i> <b>MO</b>	1	
<i>selegiline hcl 5 mg TABLET</i> <b>MO</b>	1	
SINEMET 10-100 MG, 25-100 MG TABLET <b>MO</b>	3	PA
STALEVO 100 25-100-200 MG TABLET <b>DL</b>	4	PA
STALEVO 125 31.25-125-200 MG TABLET <b>DL</b>	4	PA
STALEVO 150 37.5-150-200 MG TABLET <b>DL</b>	4	PA
STALEVO 200 50-200-200 MG TABLET <b>DL</b>	4	PA
STALEVO 50 12.5-50-200 MG TABLET <b>DL</b>	4	PA
STALEVO 75 18.75-75-200 MG TABLET <b>DL</b>	4	PA
TASMAR 100 MG TABLET <b>DL</b>	4	PA
<i>tolcapone 100 mg TABLET</i> <b>DL</b>	4	PA
<i>trihexyphenidyl 0.4 mg/ml ELIXIR</i> <b>MO</b>	1	
<i>trihexyphenidyl 2 mg, 5 mg TABLET</i> <b>MO</b>	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
VYALEV 12-240 MG/ML SOLUTION <b>DL</b>	4	PA
XADAGO 100 MG, 50 MG TABLET <b>DL</b>	4	PA,QL(30 per 30 days)
ZELAPAR 1.25 MG TABLET, DISINTEGRATING <b>DL</b>	4	
<b>ANTIPSYCHOTICS</b>		
ABILIFY 10 MG, 15 MG, 2 MG, 20 MG, 30 MG, 5 MG TABLET <b>MO</b>	3	PA
ABILIFY ASIMTUFII 720 MG/2.4 ML SUSPENSION, ER, SYRINGE	4	QL(2.4 per 56 days)
ABILIFY ASIMTUFII 960 MG/3.2 ML SUSPENSION, ER, SYRINGE	4	QL(3.2 per 56 days)
ABILIFY MAINTENA 300 MG, 400 MG SUSPENSION, ER, RECON <b>DL</b>	4	QL(1 per 28 days)
ABILIFY MAINTENA 300 MG, 400 MG SUSPENSION, ER, SYRINGE <b>DL</b>	4	QL(1 per 28 days)
ABILIFY MYCITE MAINTENANCE KIT 10 MG, 15 MG, 2 MG, 20 MG, 30 MG, 5 MG TABLET WITH SENSOR AND STRIP <b>DL</b>	4	PA,QL(30 per 30 days)
ABILIFY MYCITE STARTER KIT 10 MG, 15 MG, 2 MG, 20 MG, 30 MG, 5 MG TABLET W/SENSOR AND STRIP, POD <b>DL</b>	4	PA,QL(30 per 30 days)
<i>aripiprazole 1 mg/ml SOLUTION <b>MO</b></i>	1	QL(750 per 30 days)
<i>aripiprazole 10 mg, 15 mg TABLET, DISINTEGRATING <b>MO</b></i>	1	QL(60 per 30 days)
<i>aripiprazole 10 mg, 15 mg, 2 mg, 20 mg, 30 mg, 5 mg TABLET <b>MO</b></i>	1	
ARISTADA 1,064 MG/3.9 ML SUSPENSION, ER, SYRINGE	4	QL(3.9 per 56 days)
ARISTADA 441 MG/1.6 ML SUSPENSION, ER, SYRINGE <b>DL</b>	4	QL(1.6 per 28 days)
ARISTADA 662 MG/2.4 ML SUSPENSION, ER, SYRINGE <b>DL</b>	4	QL(2.4 per 28 days)
ARISTADA 882 MG/3.2 ML SUSPENSION, ER, SYRINGE <b>DL</b>	4	QL(3.2 per 28 days)
ARISTADA INITIO 675 MG/2.4 ML SUSPENSION, ER, SYRINGE <b>DL</b>	4	QL(2.4 per 42 days)
<i>asenapine maleate 10 mg, 2.5 mg, 5 mg SUBLINGUAL TABLET <b>MO</b></i>	1	PA,QL(60 per 30 days)
CAPLYTA 10.5 MG, 21 MG, 42 MG CAPSULE <b>DL</b>	3	PA,QL(30 per 30 days)
<i>chlorpromazine 10 mg, 25 mg TABLET <b>MO</b></i>	1	BvsD
<i>chlorpromazine 100 mg, 200 mg, 50 mg TABLET <b>MO</b></i>	1	
<i>chlorpromazine 100 mg/ml, 30 mg/ml CONCENTRATE <b>MO</b></i>	1	
<i>chlorpromazine 25 mg/ml SOLUTION <b>MO</b></i>	1	
<i>clozapine 100 mg TABLET <b>MO</b></i>	1	QL(270 per 30 days)
<i>clozapine 100 mg TABLET, DISINTEGRATING <b>MO</b></i>	1	PA,QL(270 per 30 days)
<i>clozapine 12.5 mg TABLET, DISINTEGRATING <b>MO</b></i>	1	PA
<i>clozapine 150 mg TABLET, DISINTEGRATING <b>MO</b></i>	1	PA,QL(180 per 30 days)
<i>clozapine 200 mg TABLET <b>MO</b></i>	1	QL(135 per 30 days)
<i>clozapine 200 mg TABLET, DISINTEGRATING <b>MO</b></i>	1	PA,QL(135 per 30 days)
<i>clozapine 25 mg TABLET <b>MO</b></i>	1	QL(1080 per 30 days)
<i>clozapine 25 mg TABLET, DISINTEGRATING <b>MO</b></i>	1	PA,QL(1080 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
clozapine 50 mg TABLET <b>MO</b>	1	
CLOZARIL 100 MG TABLET <b>DL</b>	4	QL(270 per 30 days)
CLOZARIL 200 MG TABLET <b>DL</b>	4	QL(135 per 30 days)
CLOZARIL 25 MG TABLET <b>MO</b>	3	QL(1080 per 30 days)
CLOZARIL 50 MG TABLET <b>DL</b>	4	
droperidol 2.5 mg/ml SOLUTION <b>MO</b>	1	
FANAPT 1 MG, 10 MG, 12 MG, 2 MG, 4 MG, 6 MG, 8 MG TABLET <b>DL</b>	3	PA,QL(60 per 30 days)
FANAPT TITRATION PACK A 1MG(2)-2MG(2)- 4MG(2)-6MG(2) TABLET, DOSE PACK <b>MO</b>	3	PA,QL(56 per 28 days)
FANAPT TITRATION PACK B 1 MG(6)-2MG(2)- 6 MG(2)-8 MG(2) TABLET, DOSE PACK <b>MO</b>	3	PA,QL(56 per 28 days)
FANAPT TITRATION PACK C 1 MG(4)-2 MG(2) -6 MG (2) TABLET, DOSE PACK <b>MO</b>	3	PA,QL(56 per 28 days)
fluphenazine decanoate 25 mg/ml SOLUTION <b>MO</b>	1	
fluphenazine hcl 1 mg, 10 mg, 2.5 mg, 5 mg TABLET <b>MO</b>	1	
fluphenazine hcl 2.5 mg/5 ml ELIXIR <b>MO</b>	1	
fluphenazine hcl 2.5 mg/ml SOLUTION <b>MO</b>	1	
fluphenazine hcl 5 mg/ml CONCENTRATE <b>MO</b>	1	
GEODON 20 MG, 40 MG, 60 MG, 80 MG CAPSULE <b>DL</b>	4	PA
GEODON 20 MG/ML (FINAL CONC.) RECON SOLUTION <b>MO</b>	3	PA
HALDOL DECANOATE 100 MG/ML, 50 MG/ML SOLUTION <b>MO</b>	3	PA
haloperidol 0.5 mg, 1 mg, 10 mg, 2 mg, 20 mg, 5 mg TABLET <b>MO</b>	1	
haloperidol decanoate 100 mg/ml, 50 mg/ml SOLUTION <b>MO</b>	1	
haloperidol lactate 2 mg/ml CONCENTRATE <b>MO</b>	1	
haloperidol lactate 5 mg/ml SOLUTION <b>MO</b>	1	
haloperidol lactate 5 mg/ml SYRINGE <b>MO</b>	1	
INVEGA 3 MG, 9 MG TABLET, ER 24 HR. <b>MO</b>	3	PA,QL(30 per 30 days)
INVEGA 6 MG TABLET, ER 24 HR. <b>MO</b>	3	PA,QL(60 per 30 days)
INVEGA HAFYERA 1,092 MG/3.5 ML SYRINGE	4	QL(3.5 per 180 days)
INVEGA HAFYERA 1,560 MG/5 ML SYRINGE	4	QL(5 per 180 days)
INVEGA SUSTENNA 117 MG/0.75 ML, 234 MG/1.5 ML, 78 MG/0.5 ML SYRINGE <b>DL</b>	4	QL(1.5 per 28 days)
INVEGA SUSTENNA 156 MG/ML SYRINGE <b>DL</b>	4	QL(1 per 28 days)
INVEGA SUSTENNA 39 MG/0.25 ML SYRINGE <b>MO</b>	3	QL(1.5 per 28 days)
INVEGA TRINZA 273 MG/0.88 ML SYRINGE	4	QL(0.88 per 90 days)
INVEGA TRINZA 410 MG/1.32 ML SYRINGE	4	QL(1.32 per 90 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
INVEGA TRINZA 546 MG/1.75 ML SYRINGE	4	QL(1.75 per 90 days)
INVEGA TRINZA 819 MG/2.63 ML SYRINGE	4	QL(2.63 per 90 days)
LATUDA 120 MG, 20 MG, 40 MG, 60 MG TABLET <b>DL</b>	4	PA,QL(30 per 30 days)
LATUDA 80 MG TABLET <b>DL</b>	4	PA,QL(60 per 30 days)
loxapine succinate 10 mg, 25 mg, 5 mg, 50 mg CAPSULE <b>MO</b>	1	
lurasidone 120 mg, 20 mg, 40 mg, 60 mg TABLET <b>MO</b>	1	QL(30 per 30 days)
lurasidone 80 mg TABLET <b>MO</b>	1	QL(60 per 30 days)
LYBALVI 10-10 MG, 15-10 MG, 20-10 MG, 5-10 MG TABLET <b>DL</b>	4	PA,QL(30 per 30 days)
molindone 10 mg TABLET <b>MO</b>	1	QL(240 per 30 days)
molindone 25 mg TABLET <b>MO</b>	1	QL(270 per 30 days)
molindone 5 mg TABLET <b>MO</b>	1	QL(360 per 30 days)
NUPLAZID 10 MG TABLET <b>DL</b>	4	PA,QL(30 per 30 days)
NUPLAZID 34 MG CAPSULE <b>DL</b>	4	PA,QL(30 per 30 days)
olanzapine 10 mg RECON SOLUTION <b>MO</b>	1	
olanzapine 10 mg, 15 mg, 2.5 mg, 20 mg, 5 mg, 7.5 mg TABLET <b>MO</b>	1	
olanzapine 10 mg, 5 mg TABLET, DISINTEGRATING <b>MO</b>	1	QL(30 per 30 days)
olanzapine 15 mg, 20 mg TABLET, DISINTEGRATING <b>MO</b>	1	QL(60 per 30 days)
OPIPZA 10 MG FILM <b>DL</b>	4	PA,QL(90 per 30 days)
OPIPZA 2 MG FILM <b>DL</b>	4	PA,QL(30 per 30 days)
OPIPZA 5 MG FILM <b>DL</b>	4	PA,QL(180 per 30 days)
paliperidone 1.5 mg, 3 mg, 9 mg TABLET, ER 24 HR. <b>MO</b>	1	QL(30 per 30 days)
paliperidone 6 mg TABLET, ER 24 HR. <b>MO</b>	1	QL(60 per 30 days)
perphenazine 16 mg, 2 mg, 4 mg, 8 mg TABLET <b>MO</b>	1	
PERSERIS 120 MG, 90 MG SUSPENSION, ER, SYRINGE <b>DL</b>	4	QL(1 per 28 days)
pimozide 1 mg, 2 mg TABLET <b>MO</b>	1	
quetiapine 100 mg TABLET <b>MO</b>	1	QL(90 per 30 days)
quetiapine 150 mg TABLET <b>MO</b>	1	QL(30 per 30 days)
quetiapine 150 mg TABLET, ER 24 HR. <b>MO</b>	1	QL(90 per 30 days)
quetiapine 200 mg TABLET <b>MO</b>	1	QL(120 per 30 days)
quetiapine 200 mg TABLET, ER 24 HR. <b>MO</b>	1	QL(30 per 30 days)
quetiapine 25 mg, 50 mg TABLET <b>MO</b>	1	QL(120 per 30 days)
quetiapine 300 mg, 400 mg TABLET <b>MO</b>	1	QL(60 per 30 days)
quetiapine 300 mg, 400 mg TABLET, ER 24 HR. <b>MO</b>	1	QL(60 per 30 days)
quetiapine 50 mg TABLET, ER 24 HR. <b>MO</b>	1	QL(120 per 30 days)
REXULTI 0.25 MG, 0.5 MG, 1 MG, 2 MG, 3 MG, 4 MG TABLET <b>DL</b>	4	PA,QL(30 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
RISPERDAL 0.5 MG TABLET <b>MO</b>	3	QL(120 per 30 days)
RISPERDAL 1 MG, 2 MG, 3 MG, 4 MG TABLET <b>MO</b>	3	QL(60 per 30 days)
RISPERDAL 1 MG/ML SOLUTION <b>MO</b>	3	
RISPERDAL CONSTA 12.5 MG/2 ML, 25 MG/2 ML SUSPENSION, ER, RECON <b>MO</b>	3	QL(2 per 28 days)
RISPERDAL CONSTA 37.5 MG/2 ML, 50 MG/2 ML SUSPENSION, ER, RECON <b>DL</b>	4	QL(2 per 28 days)
<i>risperidone</i> 0.25 mg, 1 mg, 2 mg, 3 mg, 4 mg TABLET <b>MO</b>	1	QL(60 per 30 days)
<i>risperidone</i> 0.25 mg, 1 mg, 2 mg, 3 mg, 4 mg TABLET, <i>DISINTEGRATING</i> <b>MO</b>	1	ST,QL(60 per 30 days)
<i>risperidone</i> 0.5 mg TABLET <b>MO</b>	1	QL(120 per 30 days)
<i>risperidone</i> 0.5 mg TABLET, <i>DISINTEGRATING</i> <b>MO</b>	1	ST,QL(120 per 30 days)
<i>risperidone</i> 1 mg/ml SOLUTION <b>MO</b>	1	
<i>risperidone</i> microspheres 12.5 mg/2 ml, 25 mg/2 ml SUSPENSION, ER, RECON <b>MO</b>	1	QL(2 per 28 days)
<i>risperidone</i> microspheres 37.5 mg/2 ml, 50 mg/2 ml SUSPENSION, ER, RECON <b>DL</b>	4	QL(2 per 28 days)
SAPHRIS 10 MG, 2.5 MG, 5 MG SUBLINGUAL TABLET <b>DL</b>	4	PA,QL(60 per 30 days)
SECUADO 3.8 MG/24 HOUR, 5.7 MG/24 HOUR, 7.6 MG/24 HOUR PATCH, 24 HR. <b>DL</b>	4	PA,QL(30 per 30 days)
SEROQUEL 100 MG TABLET <b>MO</b>	3	QL(90 per 30 days)
SEROQUEL 200 MG, 25 MG, 50 MG TABLET <b>MO</b>	3	QL(120 per 30 days)
SEROQUEL 300 MG, 400 MG TABLET <b>MO</b>	3	QL(60 per 30 days)
SEROQUEL XR 150 MG TABLET, ER 24 HR. <b>MO</b>	3	PA,QL(90 per 30 days)
SEROQUEL XR 200 MG TABLET, ER 24 HR. <b>MO</b>	3	PA,QL(30 per 30 days)
SEROQUEL XR 300 MG, 400 MG TABLET, ER 24 HR. <b>MO</b>	3	PA,QL(60 per 30 days)
SEROQUEL XR 50 MG TABLET, ER 24 HR. <b>MO</b>	3	PA,QL(120 per 30 days)
SEROQUEL XR 50 MG(3)-200 MG (1)-300 MG(11) TABLET, ER 24 HR., DOSE PACK <b>MO</b>	3	PA,QL(15 per 30 days)
<i>thioridazine</i> 10 mg, 100 mg, 25 mg, 50 mg TABLET <b>MO</b>	1	
<i>thiothixene</i> 1 mg, 10 mg, 2 mg, 5 mg CAPSULE <b>MO</b>	1	
<i>trifluoperazine</i> 1 mg, 10 mg, 2 mg, 5 mg TABLET <b>MO</b>	1	
UZEDY 100 MG/0.28 ML SUSPENSION, ER, SYRINGE <b>DL</b>	4	QL(0.28 per 28 days)
UZEDY 125 MG/0.35 ML SUSPENSION, ER, SYRINGE <b>DL</b>	4	QL(0.35 per 28 days)
UZEDY 150 MG/0.42 ML SUSPENSION, ER, SYRINGE	4	QL(0.42 per 56 days)
UZEDY 200 MG/0.56 ML SUSPENSION, ER, SYRINGE	4	QL(0.56 per 56 days)
UZEDY 250 MG/0.7 ML SUSPENSION, ER, SYRINGE	4	QL(0.7 per 56 days)
UZEDY 50 MG/0.14 ML SUSPENSION, ER, SYRINGE <b>DL</b>	4	QL(0.14 per 28 days)
UZEDY 75 MG/0.21 ML SUSPENSION, ER, SYRINGE <b>DL</b>	4	QL(0.21 per 28 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
VERSACLOZ 50 MG/ML SUSPENSION <b>DL</b>	4	PA,QL(540 per 30 days)
VRAYLAR 0.5 MG, 0.75 MG, 1.5 MG, 3 MG, 4.5 MG, 6 MG CAPSULE <b>DL</b>	3	PA,QL(30 per 30 days)
ziprasidone hcl 20 mg, 40 mg, 60 mg, 80 mg CAPSULE <b>MO</b>	1	
ziprasidone mesylate 20 mg/ml (final conc.) RECON SOLUTION <b>MO</b>	1	
ZYPREXA 10 MG RECON SOLUTION <b>MO</b>	3	
ZYPREXA 2.5 MG, 5 MG TABLET <b>MO</b>	3	
ZYPREXA 20 MG TABLET <b>DL</b>	4	
ZYPREXA RELPREVV 210 MG SUSPENSION FOR RECONSTITUTION <b>MO</b>	3	QL(4 per 28 days)
ZYPREXA RELPREVV 300 MG SUSPENSION FOR RECONSTITUTION <b>DL</b>	4	QL(2 per 28 days)
ZYPREXA RELPREVV 405 MG SUSPENSION FOR RECONSTITUTION <b>DL</b>	4	QL(1 per 28 days)
<b>ANTISPASTICITY AGENTS</b>		
baclofen 10 mg TABLET <b>MO</b>	1	
baclofen 10 mg/5 ml (2 mg/ml) SOLUTION <b>DL</b>	4	
baclofen 15 mg, 20 mg TABLET <b>MO</b>	1	
baclofen 25 mg/5 ml (5 mg/ml) SUSPENSION <b>MO</b>	1	QL(480 per 30 days)
baclofen 5 mg TABLET <b>MO</b>	1	QL(90 per 30 days)
baclofen 5 mg/5 ml SOLUTION <b>MO</b>	1	
DANTRIUM 20 MG RECON SOLUTION <b>MO</b>	3	
DANTRIUM 25 MG CAPSULE <b>MO</b>	3	
dantrolene 100 mg, 25 mg, 50 mg CAPSULE <b>MO</b>	1	
dantrolene 20 mg RECON SOLUTION <b>MO</b>	1	
FLEQSUVY 25 MG/5 ML (5 MG/ML) SUSPENSION <b>DL</b>	4	QL(480 per 30 days)
LYVISPAH 10 MG, 20 MG GRANULES IN PACKET <b>MO</b>	3	ST,QL(120 per 30 days)
LYVISPAH 5 MG GRANULES IN PACKET <b>MO</b>	3	ST,QL(270 per 30 days)
OZOBAX 5 MG/5 ML SOLUTION <b>DL</b>	4	
OZOBAX DS 10 MG/5 ML (2 MG/ML) SOLUTION <b>DL</b>	4	
revonto 20 mg RECON SOLUTION <b>MO</b>	1	
tizanidine 2 mg TABLET <b>MO</b>	1	
tizanidine 2 mg, 4 mg, 6 mg CAPSULE <b>MO</b>	1	ST
tizanidine 4 mg TABLET <b>MO</b>	1	
ZANAFLEX 2 MG, 4 MG, 6 MG CAPSULE <b>MO</b>	3	ST
ZANAFLEX 4 MG TABLET <b>MO</b>	3	ST
ZANAFLEX 8 MG CAPSULE <b>DL</b>	4	ST
<b>ANTIVIRALS</b>		
abacavir 20 mg/ml SOLUTION <b>MO</b>	1	QL(960 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
abacavir 300 mg TABLET <b>MO</b>	1	QL(60 per 30 days)
abacavir-lamivudine 600-300 mg TABLET <b>MO</b>	1	QL(30 per 30 days)
acyclovir 200 mg CAPSULE <b>MO</b>	1	
acyclovir 200 mg/5 ml (5 ml) SUSPENSION <b>DL</b>	4	
acyclovir 200 mg/5 ml SUSPENSION <b>MO</b>	1	
acyclovir 400 mg, 800 mg TABLET <b>MO</b>	1	
acyclovir 5 % CREAM <b>MO</b>	3	PA,QL(5 per 30 days)
acyclovir 5 % OINTMENT <b>MO</b>	1	PA,QL(30 per 30 days)
acyclovir sodium 50 mg/ml SOLUTION <b>MO</b>	1	BvsD
adefovir 10 mg TABLET <b>MO</b>	1	
APTIVUS 250 MG CAPSULE <b>DL</b>	4	QL(120 per 30 days)
atazanavir 150 mg, 200 mg CAPSULE <b>MO</b>	1	QL(60 per 30 days)
atazanavir 300 mg CAPSULE <b>MO</b>	1	QL(30 per 30 days)
ATRIPLA 600-200-300 MG TABLET <b>DL</b>	4	QL(30 per 30 days)
BARACLUDE 0.05 MG/ML SOLUTION <b>DL</b>	4	QL(630 per 30 days)
BARACLUDE 0.5 MG, 1 MG TABLET <b>DL</b>	4	PA,QL(30 per 30 days)
BIKTARVY 30-120-15 MG, 50-200-25 MG TABLET <b>DL</b>	4	QL(30 per 30 days)
CABENUVA 400 MG/2 ML - 600 MG/2 ML, 600 MG/3 ML - 900 MG/3 ML SUSPENSION, ER <b>DL</b>	4	QL(50 per 365 days)
cidofovir 75 mg/ml SOLUTION <b>DL</b>	4	
CIMDUO 300-300 MG TABLET <b>DL</b>	4	QL(30 per 30 days)
COMPLERA 200-25-300 MG TABLET <b>DL</b>	4	QL(30 per 30 days)
darunavir 600 mg TABLET <b>MO</b>	1	QL(60 per 30 days)
darunavir 800 mg TABLET <b>DL</b>	4	QL(30 per 30 days)
DELSTRIGO 100-300-300 MG TABLET <b>DL</b>	4	QL(30 per 30 days)
DENAVIR 1 % CREAM <b>MO</b>	3	PA
DESCOVY 120-15 MG, 200-25 MG TABLET <b>DL</b>	4	QL(30 per 30 days)
didanosine 250 mg, 400 mg CAPSULE, DR/EC <b>MO</b>	1	QL(30 per 30 days)
DOVATO 50-300 MG TABLET <b>DL</b>	4	QL(30 per 30 days)
EDURANT 25 MG TABLET <b>DL</b>	4	QL(30 per 30 days)
EDURANT PED 2.5 MG TABLET FOR SUSPENSION <b>DL</b>	4	QL(180 per 30 days)
efavirenz 200 mg CAPSULE <b>MO</b>	1	QL(120 per 30 days)
efavirenz 50 mg CAPSULE <b>MO</b>	1	QL(480 per 30 days)
efavirenz 600 mg TABLET <b>MO</b>	1	QL(30 per 30 days)
efavirenz-emtricitabin-tenofovir 600-200-300 mg TABLET <b>MO</b>	1	QL(30 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<i>efavirenz-lamivu-tenofov disop</i> 400-300-300 mg, 600-300-300 mg TABLET <b>DL</b>	4	QL(30 per 30 days)
<i>emtricitic-rilpivirine-tenof df</i> 200-25-300 mg TABLET <b>DL</b>	4	QL(30 per 30 days)
<i>emtricitabine</i> 200 mg CAPSULE <b>MO</b>	1	QL(30 per 30 days)
<i>emtricitabine-tenofovir (tdf)</i> 100-150 mg, 133-200 mg, 167-250 mg, 200-300 mg TABLET <b>MO</b>	1	QL(30 per 30 days)
EMTRIVA 10 MG/ML SOLUTION <b>MO</b>	3	QL(680 per 28 days)
EMTRIVA 200 MG CAPSULE <b>MO</b>	3	QL(30 per 30 days)
<i>entecavir</i> 0.5 mg, 1 mg TABLET <b>MO</b>	1	QL(30 per 30 days)
EPCLUSA 150-37.5 MG PELLETS IN PACKET <b>DL</b>	4	PA,QL(28 per 28 days)
EPCLUSA 200-50 MG PELLETS IN PACKET <b>DL</b>	4	PA,QL(56 per 28 days)
EPCLUSA 200-50 MG, 400-100 MG TABLET <b>DL</b>	4	PA,QL(28 per 28 days)
EPIVIR 10 MG/ML SOLUTION <b>MO</b>	3	QL(900 per 30 days)
EPIVIR 150 MG TABLET <b>MO</b>	3	QL(60 per 30 days)
EPIVIR 300 MG TABLET <b>MO</b>	3	QL(30 per 30 days)
<i>etravirine</i> 100 mg TABLET <b>DL</b>	4	QL(120 per 30 days)
<i>etravirine</i> 200 mg TABLET <b>DL</b>	4	QL(60 per 30 days)
EVOTAZ 300-150 MG TABLET <b>DL</b>	4	QL(30 per 30 days)
<i>famciclovir</i> 125 mg, 250 mg, 500 mg TABLET <b>MO</b>	1	QL(90 per 30 days)
FLUMADINE 100 MG TABLET <b>MO</b>	3	
<i>fosamprenavir</i> 700 mg TABLET <b>DL</b>	4	QL(120 per 30 days)
<i>foscarnet</i> 24 mg/ml SOLUTION <b>MO</b>	1	BvsD
FUZEON 90 MG RECON SOLUTION <b>DL</b>	4	QL(60 per 30 days)
<i>ganciclovir sodium</i> 50 mg/ml SOLUTION <b>MO</b>	1	BvsD
<i>ganciclovir sodium</i> 500 mg RECON SOLUTION <b>MO</b>	1	BvsD
GENVOYA 150-150-200-10 MG TABLET <b>DL</b>	4	QL(30 per 30 days)
HARVONI 33.75-150 MG PELLETS IN PACKET <b>DL</b>	4	PA,QL(28 per 28 days)
HARVONI 45-200 MG PELLETS IN PACKET <b>DL</b>	4	PA,QL(56 per 28 days)
HARVONI 45-200 MG, 90-400 MG TABLET <b>DL</b>	4	PA,QL(28 per 28 days)
HEPSERA 10 MG TABLET <b>DL</b>	4	
INTELENCE 100 MG TABLET <b>DL</b>	4	QL(120 per 30 days)
INTELENCE 200 MG TABLET <b>DL</b>	4	QL(60 per 30 days)
INTELENCE 25 MG TABLET <b>MO</b>	3	QL(120 per 30 days)
ISENTRESS 100 MG CHEWABLE TABLET <b>DL</b>	4	QL(180 per 30 days)
ISENTRESS 100 MG POWDER IN PACKET <b>MO</b>	3	QL(300 per 30 days)
ISENTRESS 25 MG CHEWABLE TABLET <b>MO</b>	2	QL(180 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
ISENTRESS 400 MG TABLET <b>DL</b>	4	QL(120 per 30 days)
ISENTRESS HD 600 MG TABLET <b>DL</b>	4	QL(60 per 30 days)
JULUCA 50-25 MG TABLET <b>DL</b>	4	QL(30 per 30 days)
KALETRA 100-25 MG TABLET <b>MO</b>	3	QL(300 per 30 days)
KALETRA 200-50 MG TABLET <b>MO</b>	3	QL(150 per 30 days)
KALETRA 400-100 MG/5 ML SOLUTION <b>DL</b>	4	
lamivudine 10 mg/ml SOLUTION <b>MO</b>	1	QL(900 per 30 days)
lamivudine 100 mg TABLET <b>MO</b>	1	QL(90 per 30 days)
lamivudine 150 mg TABLET <b>MO</b>	1	QL(60 per 30 days)
lamivudine 300 mg TABLET <b>MO</b>	1	QL(30 per 30 days)
lamivudine-zidovudine 150-300 mg TABLET <b>MO</b>	1	QL(60 per 30 days)
ledipasvir-sofosbuvir 90-400 mg TABLET <b>DL</b>	4	PA,QL(28 per 28 days)
LIVTENCITY 200 MG TABLET <b>DL</b>	4	PA,QL(120 per 30 days)
lopinavir-ritonavir 100-25 mg TABLET <b>MO</b>	1	QL(300 per 30 days)
lopinavir-ritonavir 200-50 mg TABLET <b>MO</b>	1	QL(150 per 30 days)
lopinavir-ritonavir 400-100 mg/5 ml SOLUTION <b>MO</b>	1	
maraviroc 150 mg TABLET <b>DL</b>	4	QL(240 per 30 days)
maraviroc 300 mg TABLET <b>DL</b>	4	QL(120 per 30 days)
MAVYRET 100-40 MG TABLET <b>DL</b>	4	PA,QL(84 per 28 days)
MAVYRET 50-20 MG PELLETS IN PACKET <b>DL</b>	4	PA,QL(150 per 30 days)
nevirapine 100 mg TABLET, ER 24 HR. <b>MO</b>	1	QL(120 per 30 days)
nevirapine 200 mg TABLET <b>MO</b>	1	QL(60 per 30 days)
nevirapine 400 mg TABLET, ER 24 HR. <b>MO</b>	1	QL(30 per 30 days)
nevirapine 50 mg/5 ml SUSPENSION <b>MO</b>	1	QL(1200 per 30 days)
NORVIR 100 MG CAPSULE <b>MO</b>	3	QL(360 per 30 days)
NORVIR 100 MG POWDER IN PACKET <b>MO</b>	3	QL(360 per 30 days)
NORVIR 100 MG TABLET <b>MO</b>	3	QL(360 per 30 days)
ODEFSEY 200-25-25 MG TABLET <b>DL</b>	4	QL(30 per 30 days)
oseltamivir 30 mg CAPSULE <b>MO</b>	1	QL(224 per 365 days)
oseltamivir 45 mg CAPSULE <b>MO</b>	1	QL(112 per 365 days)
oseltamivir 6 mg/ml SUSPENSION FOR RECONSTITUTION <b>MO</b>	1	QL(1440 per 365 days)
oseltamivir 75 mg CAPSULE <b>MO</b>	1	QL(112 per 365 days)
PAXLOVID 150 MG (10)- 100 MG (10) TABLET, DOSE PACK <b>MO</b>	2	QL(40 per 10 days)
PAXLOVID 150 MG (6)- 100 MG (5) TABLET, DOSE PACK <b>MO</b>	2	QL(22 per 10 days)
PAXLOVID 300 MG (150 MG X 2)-100 MG TABLET, DOSE PACK <b>MO</b>	2	QL(60 per 10 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<i>penciclovir 1 % CREAM</i> <b>MO</b>	1	PA
PIFELTRO 100 MG TABLET <b>DL</b>	4	QL(60 per 30 days)
PREVYMIS 120 MG, 20 MG PELLETS IN PACKET <b>DL</b>	4	PA,QL(120 per 30 days)
PREVYMIS 240 MG TABLET <b>DL</b>	4	PA,QL(28 per 28 days)
PREVYMIS 240 MG/12 ML SOLUTION <b>DL</b>	4	PA,QL(336 per 28 days)
PREVYMIS 480 MG TABLET <b>DL</b>	4	PA
PREVYMIS 480 MG/24 ML SOLUTION <b>DL</b>	4	PA,QL(672 per 28 days)
PREZCOBIX 675-150 MG, 800-150 MG-MG TABLET <b>DL</b>	4	QL(30 per 30 days)
PREZISTA 100 MG/ML SUSPENSION <b>DL</b>	4	QL(360 per 30 days)
PREZISTA 150 MG TABLET <b>DL</b>	4	QL(240 per 30 days)
PREZISTA 600 MG TABLET <b>DL</b>	4	QL(60 per 30 days)
PREZISTA 75 MG TABLET <b>MO</b>	3	QL(480 per 30 days)
PREZISTA 800 MG TABLET <b>DL</b>	4	QL(30 per 30 days)
RELENZA DISKHALER 5 MG/ACTUATION BLISTER WITH DEVICE <b>MO</b>	3	QL(60 per 180 days)
RETROVIR 10 MG/ML SOLUTION <b>MO</b>	3	
RETROVIR 10 MG/ML SYRUP <b>MO</b>	3	QL(1680 per 28 days)
RETROVIR 100 MG CAPSULE <b>MO</b>	3	QL(180 per 30 days)
REYATAZ 200 MG CAPSULE <b>DL</b>	4	QL(60 per 30 days)
REYATAZ 300 MG CAPSULE <b>DL</b>	4	QL(30 per 30 days)
REYATAZ 50 MG POWDER IN PACKET <b>MO</b>	3	
<i>ribavirin 200 mg CAPSULE</i> <b>MO</b>	1	
<i>ribavirin 200 mg TABLET</i> <b>MO</b>	1	
<i>rimantadine 100 mg TABLET</i> <b>MO</b>	1	
<i>ritonavir 100 mg TABLET</i> <b>MO</b>	1	QL(360 per 30 days)
RUKOBIA 600 MG TABLET, ER 12 HR. <b>DL</b>	4	QL(60 per 30 days)
SELZENTRY 150 MG TABLET <b>DL</b>	4	QL(240 per 30 days)
SELZENTRY 20 MG/ML SOLUTION <b>DL</b>	4	QL(1800 per 30 days)
SELZENTRY 300 MG TABLET <b>DL</b>	4	QL(120 per 30 days)
SOVALDI 150 MG PELLETS IN PACKET <b>DL</b>	4	PA,QL(28 per 28 days)
SOVALDI 200 MG PELLETS IN PACKET <b>DL</b>	4	PA,QL(56 per 28 days)
SOVALDI 200 MG, 400 MG TABLET <b>DL</b>	4	PA,QL(28 per 28 days)
<i>stavudine 15 mg, 20 mg CAPSULE</i> <b>MO</b>	1	QL(120 per 30 days)
<i>stavudine 30 mg, 40 mg CAPSULE</i> <b>MO</b>	1	QL(60 per 30 days)
STRIBILD 150-150-200-300 MG TABLET <b>DL</b>	4	QL(30 per 30 days)
SUNLENCA 300 MG TABLET <b>DL</b>	4	QL(10 per 365 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
SUNLENCA 309 MG/ML SOLUTION	4	QL(9 per 365 days)
SYMFI 600-300-300 MG TABLET <b>DL</b>	4	QL(30 per 30 days)
SYMFI LO 400-300-300 MG TABLET <b>DL</b>	4	QL(30 per 30 days)
SYMTUZA 800-150-200-10 MG TABLET <b>DL</b>	4	QL(30 per 30 days)
TAMIFLU 30 MG CAPSULE <b>MO</b>	3	PA,QL(224 per 365 days)
TAMIFLU 45 MG, 75 MG CAPSULE <b>MO</b>	3	PA,QL(112 per 365 days)
TAMIFLU 6 MG/ML SUSPENSION FOR RECONSTITUTION <b>MO</b>	3	PA,QL(1440 per 365 days)
<i>tenofovir disoproxil fumarate 300 mg TABLET</i> <b>MO</b>	1	QL(30 per 30 days)
TIVICAY 50 MG TABLET <b>DL</b>	4	QL(60 per 30 days)
TIVICAY PD 5 MG TABLET FOR SUSPENSION <b>DL</b>	4	QL(180 per 30 days)
TRIUMEQ 600-50-300 MG TABLET <b>DL</b>	4	QL(30 per 30 days)
TRIUMEQ PD 60-5-30 MG TABLET FOR SUSPENSION <b>MO</b>	3	QL(180 per 30 days)
TROGARZO 200 MG/1.33 ML (150 MG/ML) SOLUTION <b>DL</b>	4	
TRUVADA 100-150 MG, 133-200 MG, 167-250 MG, 200-300 MG TABLET <b>DL</b>	4	QL(30 per 30 days)
TYBOST 150 MG TABLET <b>MO</b>	2	QL(30 per 30 days)
<i>valacyclovir 1 gram, 500 mg TABLET</i> <b>MO</b>	1	
VALCYTE 450 MG TABLET <b>DL</b>	4	PA,QL(120 per 30 days)
VALCYTE 50 MG/ML RECON SOLUTION <b>DL</b>	4	PA,QL(1056 per 30 days)
<i>valganciclovir 450 mg TABLET</i> <b>MO</b>	1	QL(120 per 30 days)
<i>valganciclovir 50 mg/ml RECON SOLUTION</i> <b>DL</b>	4	QL(1056 per 30 days)
VALTREX 1 GRAM, 500 MG TABLET <b>MO</b>	3	PA
VEMLIDY 25 MG TABLET <b>DL</b>	4	QL(30 per 30 days)
VIRACEPT 250 MG TABLET <b>DL</b>	4	QL(300 per 30 days)
VIRACEPT 625 MG TABLET <b>DL</b>	4	QL(120 per 30 days)
VIREAD 150 MG, 200 MG, 250 MG, 300 MG TABLET <b>DL</b>	4	QL(30 per 30 days)
VIREAD 40 MG/SCOOP (40 MG/GRAM) POWDER <b>DL</b>	4	QL(240 per 30 days)
VOCABRIA 30 MG TABLET <b>DL</b>	4	QL(30 per 30 days)
VOSEVI 400-100-100 MG TABLET <b>DL</b>	4	PA,QL(28 per 28 days)
XERESE 5-1 % CREAM <b>DL</b>	4	QL(5 per 30 days)
XOFLUZA 20 MG, 40 MG, 80 MG TABLET <b>MO</b>	3	
ZEPATIER 50-100 MG TABLET <b>DL</b>	4	PA,QL(28 per 28 days)
ZIAGEN 20 MG/ML SOLUTION <b>MO</b>	3	QL(960 per 30 days)
<i>zidovudine 10 mg/ml SYRUP</i> <b>MO</b>	1	QL(1680 per 28 days)
<i>zidovudine 100 mg CAPSULE</i> <b>MO</b>	1	QL(180 per 30 days)
<i>zidovudine 300 mg TABLET</i> <b>MO</b>	1	QL(60 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
ZIRGAN 0.15 % GEL <b>MO</b>	3	QL(5 per 30 days)
ZOVIRAX 200 MG/5 ML SUSPENSION <b>MO</b>	3	PA
ZOVIRAX 5 % CREAM <b>MO</b>	3	PA,QL(5 per 30 days)
ZOVIRAX 5 % OINTMENT <b>MO</b>	3	PA,QL(30 per 30 days)
<b>ANXIOLYTICS</b>		
alprazolam 0.25 mg, 0.5 mg, 1 mg TABLET <b>DL</b>	1	QL(120 per 30 days)
alprazolam 0.25 mg, 0.5 mg, 1 mg, 2 mg TABLET, DISINTEGRATING <b>DL</b>	1	
alprazolam 0.5 mg, 1 mg, 2 mg, 3 mg TABLET, ER 24 HR. <b>DL</b>	1	QL(60 per 30 days)
alprazolam 2 mg TABLET <b>DL</b>	1	QL(150 per 30 days)
alprazolam intensol 1 mg/ml CONCENTRATE <b>DL</b>	1	
ATIVAN 0.5 MG, 1 MG TABLET <b>DL</b>	4	PA,QL(90 per 30 days)
ATIVAN 2 MG TABLET <b>DL</b>	4	PA,QL(150 per 30 days)
ATIVAN 2 MG/ML, 4 MG/ML SOLUTION <b>DL</b>	3	PA
BUCAPSOL 10 MG, 15 MG, 7.5 MG CAPSULE <b>DL</b>	4	
bupirone 10 mg, 5 mg TABLET <b>MO</b>	1	
bupirone 15 mg, 30 mg, 7.5 mg TABLET <b>MO</b>	1	
chlordiazepoxide hcl 10 mg, 25 mg, 5 mg CAPSULE <b>DL</b>	1	QL(120 per 30 days)
clonazepam 0.125 mg, 0.25 mg, 0.5 mg, 1 mg, 2 mg TABLET, DISINTEGRATING <b>DL</b>	1	
clonazepam 0.5 mg, 1 mg TABLET <b>DL</b>	1	
clonazepam 2 mg TABLET <b>DL</b>	1	
clorazepate dipotassium 15 mg, 3.75 mg, 7.5 mg TABLET <b>DL</b>	1	
diazepam 10 mg TABLET <b>DL</b>	1	QL(120 per 30 days)
diazepam 2 mg TABLET <b>DL</b>	1	QL(90 per 30 days)
diazepam 5 mg TABLET <b>DL</b>	1	QL(90 per 30 days)
diazepam 5 mg/5 ml (1 mg/ml), 5 mg/5 ml (1 mg/ml, 5 ml) SOLUTION <b>DL</b>	1	QL(1200 per 30 days)
diazepam 5 mg/ml CONCENTRATE <b>DL</b>	1	QL(240 per 30 days)
diazepam 5 mg/ml SOLUTION <b>DL</b>	1	
diazepam 5 mg/ml SYRINGE <b>DL</b>	1	
diazepam intensol 5 mg/ml CONCENTRATE <b>DL</b>	1	QL(240 per 30 days)
doxepin 10 mg, 100 mg, 150 mg, 25 mg, 50 mg, 75 mg CAPSULE <b>MO</b>	1	
doxepin 10 mg/ml CONCENTRATE <b>MO</b>	1	
hydroxyzine hcl 10 mg, 50 mg TABLET <b>MO</b>	1	
hydroxyzine hcl 10 mg/5 ml, 25 mg/ml, 50 mg/ml SOLUTION <b>MO</b>	1	
hydroxyzine hcl 25 mg TABLET <b>MO</b>	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
KLONOPIN 0.5 MG, 1 MG, 2 MG TABLET <b>DL</b>	3	PA
lorazepam 0.5 mg, 1 mg TABLET <b>DL</b>	1	QL(90 per 30 days)
lorazepam 2 mg TABLET <b>DL</b>	1	QL(150 per 30 days)
lorazepam 2 mg/ml CONCENTRATE <b>DL</b>	1	QL(150 per 30 days)
lorazepam 2 mg/ml SYRINGE <b>DL</b>	1	
lorazepam 2 mg/ml, 4 mg/ml SOLUTION <b>DL</b>	1	
lorazepam intensol 2 mg/ml CONCENTRATE <b>DL</b>	1	QL(150 per 30 days)
LOREEV XR 1 MG CAPSULE, ER 24 HR. <b>DL</b>	3	PA,QL(210 per 30 days)
LOREEV XR 1.5 MG, 2 MG CAPSULE, ER 24 HR. <b>DL</b>	3	PA,QL(150 per 30 days)
LOREEV XR 3 MG CAPSULE, ER 24 HR. <b>DL</b>	3	PA,QL(90 per 30 days)
meprobamate 200 mg, 400 mg TABLET <b>MO</b>	1	
oxazepam 10 mg, 15 mg, 30 mg CAPSULE <b>DL</b>	1	
VALIUM 10 MG TABLET <b>DL</b>	3	PA,QL(120 per 30 days)
VALIUM 2 MG, 5 MG TABLET <b>DL</b>	3	PA,QL(90 per 30 days)
XANAX 0.25 MG, 0.5 MG, 1 MG TABLET <b>DL</b>	3	PA,QL(120 per 30 days)
XANAX 2 MG TABLET <b>DL</b>	3	PA,QL(150 per 30 days)
XANAX XR 0.5 MG, 1 MG, 2 MG, 3 MG TABLET, ER 24 HR. <b>DL</b>	3	PA,QL(60 per 30 days)
<b>BIPOLAR AGENTS</b>		
lithium carbonate 150 mg, 300 mg, 600 mg CAPSULE <b>MO</b>	1	
lithium carbonate 300 mg TABLET <b>MO</b>	1	
lithium carbonate 300 mg, 450 mg TABLET ER <b>MO</b>	1	
lithium citrate 8 meq/5 ml SOLUTION <b>MO</b>	1	
LITHOBID 300 MG TABLET ER <b>MO</b>	3	
<b>BLOOD GLUCOSE REGULATORS</b>		
acarbose 100 mg, 25 mg, 50 mg TABLET <b>MO</b>	1	
ACTOPLUS MET 15-850 MG TABLET <b>MO</b>	3	PA,QL(90 per 30 days)
ACTOS 15 MG, 30 MG, 45 MG TABLET <b>MO</b>	3	PA,QL(30 per 30 days)
ADMELOG SOLOSTAR U-100 INSULIN 100 UNIT/ML INSULIN PEN <b>CI,MO</b>	3	ST
ADMELOG U-100 INSULIN LISPRO 100 UNIT/ML SOLUTION <b>CI,MO</b>	3	ST
AFREZZA 12 UNIT CARTRIDGE WITH INHALER <b>CI,DL</b>	4	PA,QL(90 per 30 days)
AFREZZA 4 UNIT (90)/ 8 UNIT (90), 4 UNIT/8 UNIT/ 12 UNIT (60), 8 UNIT (90)/ 12 UNIT (90) CARTRIDGE WITH INHALER <b>CI,DL</b>	4	PA,QL(180 per 30 days)
AFREZZA 4 UNIT, 8 UNIT CARTRIDGE WITH INHALER <b>CI,MO</b>	3	PA,QL(90 per 30 days)
APIDRA SOLOSTAR U-100 INSULIN 100 UNIT/ML INSULIN PEN <b>CI,MO</b>	3	ST
APIDRA U-100 INSULIN 100 UNIT/ML SOLUTION <b>CI,MO</b>	3	ST

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
BAQSIMI 3 MG/ACTUATION SPRAY, NON-AEROSOL <b>MO</b>	2	
BASAGLAR KWIKPEN U-100 INSULIN 100 UNIT/ML (3 ML) INSULIN PEN <b>CI,MO</b>	3	PA
BASAGLAR TEMPO PEN(U-100)INSLN 100 UNIT/ML (3 ML) INSULIN PEN, SENSOR <b>CI,MO</b>	3	PA
BRYNOVIN 25 MG/ML SOLUTION <b>MO</b>	3	PA,QL(120 per 30 days)
CYCLOSET 0.8 MG TABLET <b>MO</b>	3	ST,QL(180 per 30 days)
dapagliflozin propanediol 10 mg, 5 mg TABLET <b>MO</b>	2	QL(30 per 30 days)
diazoxide 50 mg/ml SUSPENSION <b>DL</b>	4	
DUETACT 30-2 MG, 30-4 MG TABLET <b>MO</b>	3	QL(30 per 30 days)
exenatide 10 mcg/dose(250 mcg/ml) 2.4 ml, 5 mcg/dose (250 mcg/ml) 1.2 ml PEN INJECTOR <b>MO</b>	1	PA,QL(2.4 per 30 days)
FARXIGA 10 MG, 5 MG TABLET <b>MO</b>	2	QL(30 per 30 days)
FIASP FLEXTOUCH U-100 INSULIN 100 UNIT/ML (3 ML) INSULIN PEN <b>CI,MO</b>	2	
FIASP PENFILL U-100 INSULIN 100 UNIT/ML (3 ML) CARTRIDGE <b>CI,MO</b>	2	
FIASP U-100 INSULIN 100 UNIT/ML SOLUTION <b>CI,MO</b>	2	
glimepiride 1 mg, 3 mg TABLET <b>MO</b>	1	
glimepiride 2 mg, 4 mg TABLET <b>MO</b>	1	
glipizide 10 mg, 2.5 mg, 5 mg TABLET, ER 24 HR. <b>MO</b>	1	
glipizide 10 mg, 5 mg TABLET <b>MO</b>	1	
glipizide 2.5 mg TABLET <b>MO</b>	1	
glipizide-metformin 2.5-250 mg, 2.5-500 mg, 5-500 mg TABLET <b>MO</b>	1	
GLUCAGEN HYPOKIT 1 MG RECON SOLUTION <b>MO</b>	3	ST
GLUCAGON (HCL) EMERGENCY KIT 1 MG RECON SOLUTION <b>MO</b>	3	ST
glucagon emergency kit (human) 1 mg RECON SOLUTION <b>MO</b>	3	ST
GLUCAGON EMERGENCY KIT (HUMAN) 1 MG RECON SOLUTION <b>MO</b>	3	ST
GLUCOTROL XL 10 MG, 5 MG TABLET, ER 24 HR. <b>MO</b>	3	
GLUMETZA 1,000 MG TABLET, GAST. RETENTION 24 HR. <b>DL</b>	4	ST,QL(60 per 30 days)
GLUMETZA 500 MG TABLET, GAST. RETENTION 24 HR. <b>DL</b>	4	ST,QL(120 per 30 days)
glyburide 1.25 mg, 2.5 mg, 5 mg TABLET <b>MO</b>	1	
glyburide micronized 1.5 mg, 3 mg, 6 mg TABLET <b>MO</b>	1	
glyburide-metformin 1.25-250 mg, 2.5-500 mg, 5-500 mg TABLET <b>MO</b>	1	
GLYXAMBI 10-5 MG, 25-5 MG TABLET <b>MO</b>	2	QL(30 per 30 days)
GVOKE 1 MG/0.2 ML SOLUTION <b>MO</b>	3	ST
GVOKE HYPOPEN 1-PACK 0.5 MG/0.1 ML, 1 MG/0.2 ML AUTO-INJECTOR <b>MO</b>	3	ST

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
GVOKE HYPOPEN 2-PACK 0.5 MG/0.1 ML, 1 MG/0.2 ML AUTO-INJECTOR <b>MO</b>	3	ST
GVOKE PFS 1-PACK SYRINGE 1 MG/0.2 ML SYRINGE <b>MO</b>	3	ST
GVOKE PFS 2-PACK SYRINGE 1 MG/0.2 ML SYRINGE <b>MO</b>	3	ST
HUMALOG JUNIOR KWIKPEN U-100 100 UNIT/ML INSULIN PEN, HALF-UNIT <b>CI,MO</b>	3	ST
HUMALOG KWIKPEN INSULIN 100 UNIT/ML, 200 UNIT/ML (3 ML) INSULIN PEN <b>CI,MO</b>	3	ST
HUMALOG MIX 50-50 KWIKPEN 100 UNIT/ML (50-50) INSULIN PEN <b>CI,MO</b>	3	ST
HUMALOG MIX 75-25 KWIKPEN 100 UNIT/ML (75-25) INSULIN PEN <b>CI,MO</b>	3	ST
HUMALOG MIX 75-25(U-100)INSULN 100 UNIT/ML (75-25) SUSPENSION <b>CI,MO</b>	3	ST
HUMALOG TEMPO PEN(U-100)INSULN 100 UNIT/ML INSULIN PEN, SENSOR <b>CI,MO</b>	3	ST
HUMALOG U-100 INSULIN 100 UNIT/ML CARTRIDGE <b>CI,MO</b>	3	ST
HUMALOG U-100 INSULIN 100 UNIT/ML SOLUTION <b>CI,MO</b>	3	ST
HUMULIN 70/30 U-100 INSULIN 100 UNIT/ML (70-30) SUSPENSION <b>CI,MO</b>	3	ST
HUMULIN 70/30 U-100 KWIKPEN 100 UNIT/ML (70-30) INSULIN PEN <b>CI,MO</b>	3	ST
HUMULIN N NPH INSULIN KWIKPEN 100 UNIT/ML (3 ML) INSULIN PEN <b>CI,MO</b>	3	ST
HUMULIN N NPH U-100 INSULIN 100 UNIT/ML SUSPENSION <b>CI,MO</b>	3	ST
HUMULIN R REGULAR U-100 INSULN 100 UNIT/ML SOLUTION <b>CI,MO</b>	3	ST
HUMULIN R U-500 (CONC) KWIKPEN 500 UNIT/ML (3 ML) INSULIN PEN <b>CI,DL</b>	4	
INSULIN ASP PRT-INSULIN ASPART 100 UNIT/ML (70-30) INSULIN PEN <b>CI,MO</b>	2	
INSULIN ASP PRT-INSULIN ASPART 100 UNIT/ML (70-30) SOLUTION <b>CI,MO</b>	2	
INSULIN ASPART U-100 100 UNIT/ML (3 ML) INSULIN PEN <b>CI,MO</b>	2	
INSULIN ASPART U-100 100 UNIT/ML CARTRIDGE <b>CI,MO</b>	2	
INSULIN ASPART U-100 100 UNIT/ML SOLUTION <b>CI,MO</b>	2	
INSULIN DEGLUDEC 100 UNIT/ML (3 ML), 200 UNIT/ML (3 ML) INSULIN PEN <b>CI,MO</b>	3	PA
INSULIN DEGLUDEC 100 UNIT/ML SOLUTION <b>CI,MO</b>	3	PA
INSULIN GLARGINE U-300 CONC 300 UNIT/ML (1.5 ML), 300 UNIT/ML (3 ML) INSULIN PEN <b>CI,MO</b>	3	PA
INSULIN GLARGINE-YFGN 100 UNIT/ML (3 ML) INSULIN PEN <b>CI,MO</b>	3	PA
INSULIN GLARGINE-YFGN 100 UNIT/ML SOLUTION <b>CI,MO</b>	3	PA
INSULIN LISPRO 100 UNIT/ML INSULIN PEN <b>CI,MO</b>	2	
INSULIN LISPRO 100 UNIT/ML INSULIN PEN, HALF-UNIT <b>CI,MO</b>	2	
INSULIN LISPRO 100 UNIT/ML SOLUTION <b>CI,MO</b>	2	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
INSULIN LISPRO PROTAMIN-LISPRO 100 UNIT/ML (75-25) INSULIN PEN <b>CI,MO</b>	2	
INVOKAMET 150-1,000 MG, 150-500 MG, 50-1,000 MG, 50-500 MG TABLET <b>MO</b>	3	PA,QL(60 per 30 days)
INVOKAMET XR 150-1,000 MG, 150-500 MG, 50-1,000 MG, 50-500 MG TABLET, IR/ER 24 HR., BIPHASIC <b>MO</b>	3	PA,QL(60 per 30 days)
INVOKANA 100 MG, 300 MG TABLET <b>MO</b>	3	PA,QL(30 per 30 days)
JANUMET 50-1,000 MG, 50-500 MG TABLET <b>MO</b>	2	QL(60 per 30 days)
JANUMET XR 100-1,000 MG TABLET, ER 24 HR., MULTIPHASE <b>MO</b>	2	QL(30 per 30 days)
JANUMET XR 50-1,000 MG, 50-500 MG TABLET, ER 24 HR., MULTIPHASE <b>MO</b>	2	QL(60 per 30 days)
JANUVIA 100 MG, 25 MG, 50 MG TABLET <b>MO</b>	2	QL(30 per 30 days)
JARDIANCE 10 MG, 25 MG TABLET <b>MO</b>	2	QL(30 per 30 days)
JENTADUETO 2.5-1,000 MG, 2.5-500 MG TABLET <b>MO</b>	2	QL(60 per 30 days)
JENTADUETO 2.5-850 MG TABLET <b>MO</b>	2	QL(60 per 30 days)
JENTADUETO XR 2.5-1,000 MG TABLET, IR/ER 24 HR., BIPHASIC <b>MO</b>	2	QL(60 per 30 days)
JENTADUETO XR 5-1,000 MG TABLET, IR/ER 24 HR., BIPHASIC <b>MO</b>	2	QL(30 per 30 days)
KAZANO 12.5-1,000 MG, 12.5-500 MG TABLET <b>MO</b>	3	PA,QL(60 per 30 days)
KIRSTY 100 UNIT/ML SOLUTION <b>CI,MO</b>	3	ST
KIRSTY PEN 100 UNIT/ML (3 ML) INSULIN PEN <b>CI,MO</b>	3	ST
LANTUS SOLOSTAR U-100 INSULIN 100 UNIT/ML (3 ML) INSULIN PEN <b>CI,MO</b>	2	
LANTUS U-100 INSULIN 100 UNIT/ML SOLUTION <b>CI,MO</b>	2	
linagliptin-metformin 2.5-1,000 mg, 2.5-500 mg, 2.5-850 mg TABLET <b>MO</b>	1	QL(60 per 30 days)
liraglutide 0.6 mg/0.1 ml (18 mg/3 ml) PEN INJECTOR <b>MO</b>	3	PA,QL(9 per 30 days)
LYUMJEV KWIKPEN U-100 INSULIN 100 UNIT/ML INSULIN PEN <b>CI,MO</b>	3	ST
LYUMJEV KWIKPEN U-200 INSULIN 200 UNIT/ML (3 ML) INSULIN PEN <b>CI,MO</b>	3	ST
LYUMJEV TEMPO PEN(U-100)INSULN 100 UNIT/ML INSULIN PEN, SENSOR <b>CI,MO</b>	3	ST
LYUMJEV U-100 INSULIN 100 UNIT/ML SOLUTION <b>CI,MO</b>	3	ST
MERILOG 100 UNIT/ML SOLUTION <b>CI,MO</b>	3	ST
MERILOG SOLOSTAR 100 UNIT/ML (3 ML) INSULIN PEN <b>CI,MO</b>	3	ST
metformin 1,000 mg TABLET, ER 24 HR. <b>MO</b>	1	ST,QL(60 per 30 days)
metformin 1,000 mg TABLET, GAST. RETENTION 24 HR. <b>MO</b>	1	ST,QL(60 per 30 days)
metformin 1,000 mg, 500 mg TABLET <b>MO</b>	1	
metformin 500 mg TABLET, ER 24 HR. <b>MO</b>	1	ST,QL(150 per 30 days)
metformin 500 mg TABLET, ER 24 HR. <b>MO</b>	1	QL(120 per 30 days)
metformin 500 mg TABLET, GAST. RETENTION 24 HR. <b>MO</b>	1	ST,QL(120 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
metformin 500 mg/5 ml SOLUTION <b>MO</b>	1	QL(750 per 30 days)
metformin 625 mg TABLET <b>DL</b>	4	ST,QL(120 per 30 days)
metformin 750 mg TABLET <b>DL</b>	4	ST
metformin 750 mg TABLET, ER 24 HR. <b>MO</b>	1	QL(60 per 30 days)
metformin 850 mg TABLET <b>MO</b>	1	
miglitol 100 mg, 25 mg, 50 mg TABLET <b>MO</b>	1	
MOUNJARO 10 MG/0.5 ML, 12.5 MG/0.5 ML, 15 MG/0.5 ML, 2.5 MG/0.5 ML, 5 MG/0.5 ML, 7.5 MG/0.5 ML PEN INJECTOR <b>MO</b>	2	PA,QL(2 per 28 days)
nateglinide 120 mg, 60 mg TABLET <b>MO</b>	1	
NESINA 12.5 MG, 25 MG, 6.25 MG TABLET <b>MO</b>	3	PA,QL(30 per 30 days)
NOVOLIN 70-30 FLEXPEN U-100 100 UNIT/ML (70-30) INSULIN PEN <b>CI,MO</b>	2	
NOVOLIN 70/30 U-100 INSULIN 100 UNIT/ML (70-30) SUSPENSION <b>CI,MO</b>	2	
NOVOLIN N FLEXPEN 100 UNIT/ML (3 ML) INSULIN PEN <b>CI,MO</b>	2	
NOVOLIN N NPH U-100 INSULIN 100 UNIT/ML SUSPENSION <b>CI,MO</b>	2	
NOVOLIN R FLEXPEN 100 UNIT/ML (3 ML) INSULIN PEN <b>CI,MO</b>	2	
NOVOLIN R REGULAR U100 INSULIN 100 UNIT/ML SOLUTION <b>CI,MO</b>	2	
NOVOLOG FLEXPEN U-100 INSULIN 100 UNIT/ML (3 ML) INSULIN PEN <b>CI,MO</b>	2	
NOVOLOG MIX 70-30 U-100 INSULIN 100 UNIT/ML (70-30) SOLUTION <b>CI,MO</b>	2	
NOVOLOG MIX 70-30FLEXPEN U-100 100 UNIT/ML (70-30) INSULIN PEN <b>CI,MO</b>	2	
NOVOLOG PENFILL U-100 INSULIN 100 UNIT/ML CARTRIDGE <b>CI,MO</b>	2	
NOVOLOG U-100 INSULIN ASPART 100 UNIT/ML SOLUTION <b>CI,MO</b>	2	
OSENI 12.5-30 MG, 25-15 MG, 25-30 MG, 25-45 MG TABLET <b>MO</b>	3	PA,QL(30 per 30 days)
OZEMPIC 0.25 MG OR 0.5 MG (2 MG/3 ML), 1 MG/DOSE (4 MG/3 ML), 2 MG/DOSE (8 MG/3 ML) PEN INJECTOR <b>MO</b>	2	PA,QL(3 per 28 days)
pioglitazone 15 mg, 45 mg TABLET <b>MO</b>	1	QL(30 per 30 days)
pioglitazone 30 mg TABLET <b>MO</b>	1	QL(30 per 30 days)
pioglitazone-glimepiride 30-2 mg, 30-4 mg TABLET <b>MO</b>	1	QL(30 per 30 days)
pioglitazone-metformin 15-500 mg, 15-850 mg TABLET <b>MO</b>	1	QL(90 per 30 days)
PRECOSE 100 MG, 25 MG, 50 MG TABLET <b>MO</b>	3	
PROGLYCEM 50 MG/ML SUSPENSION <b>DL</b>	4	PA
QTERN 10-5 MG, 5-5 MG TABLET <b>MO</b>	3	PA,QL(30 per 30 days)
repaglinide 0.5 mg, 1 mg, 2 mg TABLET <b>MO</b>	1	
REZVOGLAR KWIKPEN 100 UNIT/ML (3 ML) INSULIN PEN <b>CI,MO</b>	3	PA
RIOMET 500 MG/5 ML SOLUTION <b>MO</b>	3	QL(750 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
RYBELSUS 14 MG, 3 MG, 7 MG TABLET <b>MO</b>	2	PA,QL(30 per 30 days)
saxagliptin 2.5 mg, 5 mg TABLET <b>MO</b>	1	PA,QL(30 per 30 days)
saxagliptin-metformin 2.5-1,000 mg TABLET, ER 24 HR., MULTIPHASE <b>MO</b>	1	QL(60 per 30 days)
saxagliptin-metformin 5-1,000 mg, 5-500 mg TABLET, ER 24 HR., MULTIPHASE <b>MO</b>	1	QL(30 per 30 days)
SEGLUROMET 2.5-1,000 MG, 2.5-500 MG, 7.5-1,000 MG, 7.5-500 MG TABLET <b>MO</b>	3	PA,QL(60 per 30 days)
SEMGLEE(INSULIN GLARG-YFGN)PEN 100 UNIT/ML (3 ML) INSULIN PEN <b>CI,MO</b>	3	PA
SEMGLEE(INSULIN GLARGINE-YFGN) 100 UNIT/ML SOLUTION <b>CI,MO</b>	3	PA
sitagliptin 100 mg, 25 mg, 50 mg TABLET <b>MO</b>	3	PA,QL(30 per 30 days)
sitagliptin-metformin 100-1,000 mg TABLET, ER 24 HR., MULTIPHASE <b>MO</b>	1	PA,QL(30 per 30 days)
sitagliptin-metformin 50-1,000 mg, 50-500 mg TABLET <b>MO</b>	3	PA,QL(60 per 30 days)
sitagliptin-metformin 50-1,000 mg, 50-500 mg TABLET, ER 24 HR., MULTIPHASE <b>MO</b>	1	PA,QL(60 per 30 days)
SOLIQUA 100/33 100 UNIT-33 MCG/ML INSULIN PEN <b>CI,MO</b>	2	QL(15 per 24 days)
STEGLATRO 15 MG, 5 MG TABLET <b>MO</b>	3	PA,QL(30 per 30 days)
STEGLUJAN 15-100 MG, 5-100 MG TABLET <b>MO</b>	3	PA,QL(30 per 30 days)
SYMLINPEN 120 2,700 MCG/2.7 ML PEN INJECTOR <b>DL</b>	4	QL(10.8 per 30 days)
SYMLINPEN 60 1,500 MCG/1.5 ML PEN INJECTOR <b>DL</b>	4	QL(10.5 per 28 days)
SYNJARDY 12.5-1,000 MG, 12.5-500 MG, 5-1,000 MG, 5-500 MG TABLET <b>MO</b>	2	QL(60 per 30 days)
SYNJARDY XR 10-1,000 MG, 25-1,000 MG TABLET, IR/ER 24 HR., BIPHASIC <b>MO</b>	2	QL(30 per 30 days)
SYNJARDY XR 12.5-1,000 MG, 5-1,000 MG TABLET, IR/ER 24 HR., BIPHASIC <b>MO</b>	2	QL(60 per 30 days)
TOUJEO MAX U-300 SOLOSTAR 300 UNIT/ML (3 ML) INSULIN PEN <b>CI,MO</b>	2	
TOUJEO SOLOSTAR U-300 INSULIN 300 UNIT/ML (1.5 ML) INSULIN PEN <b>CI,MO</b>	2	
TRADJENTA 5 MG TABLET <b>MO</b>	2	QL(30 per 30 days)
TRESIBA FLEXTOUCH U-100 100 UNIT/ML (3 ML) INSULIN PEN <b>CI,MO</b>	2	
TRESIBA FLEXTOUCH U-200 200 UNIT/ML (3 ML) INSULIN PEN <b>CI,MO</b>	2	
TRESIBA U-100 INSULIN 100 UNIT/ML SOLUTION <b>CI,MO</b>	2	
TRIJARDY XR 10-5-1,000 MG, 25-5-1,000 MG TABLET, IR/ER 24 HR., BIPHASIC <b>MO</b>	2	QL(30 per 30 days)
TRIJARDY XR 12.5-2.5-1,000 MG, 5-2.5-1,000 MG TABLET, IR/ER 24 HR., BIPHASIC <b>MO</b>	2	QL(60 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
TRULICITY 0.75 MG/0.5 ML, 1.5 MG/0.5 ML, 3 MG/0.5 ML, 4.5 MG/0.5 ML PEN INJECTOR <b>MO</b>	2	PA,QL(2 per 28 days)
VICTOZA 2-PAK 0.6 MG/0.1 ML (18 MG/3 ML) PEN INJECTOR <b>MO</b>	3	PA,QL(9 per 30 days)
VICTOZA 3-PAK 0.6 MG/0.1 ML (18 MG/3 ML) PEN INJECTOR <b>MO</b>	3	PA,QL(9 per 30 days)
XIGDUO XR 10-1,000 MG, 10-500 MG, 5-500 MG TABLET, IR/ER 24 HR., BIPHASIC <b>MO</b>	2	QL(30 per 30 days)
XIGDUO XR 2.5-1,000 MG, 5-1,000 MG TABLET, IR/ER 24 HR., BIPHASIC <b>MO</b>	2	QL(60 per 30 days)
XULTOPHY 100/3.6 100 UNIT-3.6 MG /ML (3 ML) INSULIN PEN <b>CI,MO</b>	3	PA,QL(15 per 30 days)
ZEGALOGUE AUTOINJECTOR 0.6 MG/0.6 ML AUTO-INJECTOR <b>MO</b>	2	
ZEGALOGUE SYRINGE 0.6 MG/0.6 ML SYRINGE <b>MO</b>	2	
ZITUVIMET 50-1,000 MG, 50-500 MG TABLET <b>MO</b>	3	PA,QL(60 per 30 days)
ZITUVIMET XR 100-1,000 MG TABLET, ER 24 HR., MULTIPHASE <b>MO</b>	3	PA,QL(30 per 30 days)
ZITUVIMET XR 50-1,000 MG, 50-500 MG TABLET, ER 24 HR., MULTIPHASE <b>MO</b>	3	PA,QL(60 per 30 days)
ZITUVIO 100 MG, 25 MG, 50 MG TABLET <b>MO</b>	3	PA,QL(30 per 30 days)
<b>BLOOD PRODUCTS AND MODIFIERS</b>		
ADZYNMA 1,500 (+/-) UNIT, 500 (+/-) UNIT KIT <b>DL</b>	4	PA
AGGRASTAT CONCENTRATE 250 MCG/ML CONCENTRATE <b>MO</b>	3	
AGGRASTAT IN SODIUM CHLORIDE 12.5 MG/250 ML (50 MCG/ML), 5 MG/100 ML (50 MCG/ML) SOLUTION <b>MO</b>	3	
AGRYLIN 0.5 MG CAPSULE <b>MO</b>	3	PA
ALVAIZ 18 MG, 9 MG TABLET <b>DL</b>	4	PA,QL(30 per 30 days)
ALVAIZ 36 MG, 54 MG TABLET <b>DL</b>	4	PA,QL(60 per 30 days)
aminocaproic acid 1,000 mg TABLET <b>DL</b>	4	
aminocaproic acid 250 mg/ml, 250 mg/ml (25 %) SOLUTION <b>MO</b>	1	
aminocaproic acid 500 mg TABLET <b>MO</b>	1	
anagrelide 0.5 mg, 1 mg CAPSULE <b>MO</b>	1	
ARANESP (IN POLYSORBATE) 10 MCG/0.4 ML, 40 MCG/0.4 ML SYRINGE <b>MO</b>	3	PA,QL(1.6 per 30 days)
ARANESP (IN POLYSORBATE) 100 MCG/0.5 ML SYRINGE <b>DL</b>	4	PA,QL(2 per 30 days)
ARANESP (IN POLYSORBATE) 100 MCG/ML, 200 MCG/ML, 60 MCG/ML SOLUTION <b>DL</b>	4	PA,QL(4 per 30 days)
ARANESP (IN POLYSORBATE) 150 MCG/0.3 ML SYRINGE <b>DL</b>	4	PA,QL(1.2 per 30 days)
ARANESP (IN POLYSORBATE) 200 MCG/0.4 ML SYRINGE <b>DL</b>	4	PA,QL(1.6 per 30 days)
ARANESP (IN POLYSORBATE) 25 MCG/0.42 ML SYRINGE <b>MO</b>	3	PA,QL(1.68 per 30 days)
ARANESP (IN POLYSORBATE) 25 MCG/ML, 40 MCG/ML SOLUTION <b>MO</b>	3	PA,QL(4 per 30 days)
ARANESP (IN POLYSORBATE) 300 MCG/0.6 ML SYRINGE <b>DL</b>	4	PA,QL(2.4 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
ARANESP (IN POLYSORBATE) 500 MCG/ML SYRINGE <b>DL</b>	4	PA,QL(4 per 30 days)
ARANESP (IN POLYSORBATE) 60 MCG/0.3 ML SYRINGE <b>MO</b>	3	PA,QL(1.2 per 30 days)
ARIXTRA 10 MG/0.8 ML SYRINGE <b>DL</b>	4	PA,QL(24 per 30 days)
ARIXTRA 2.5 MG/0.5 ML SYRINGE <b>DL</b>	4	PA,QL(15 per 30 days)
ARIXTRA 5 MG/0.4 ML SYRINGE <b>DL</b>	4	PA,QL(12 per 30 days)
ARIXTRA 7.5 MG/0.6 ML SYRINGE <b>DL</b>	4	PA,QL(18 per 30 days)
<i>aspirin-dipyridamole 25-200 mg CAPSULE ER MULTIPHASE 12 HR. <b>MO</b></i>	1	QL(60 per 30 days)
BRILINTA 60 MG, 90 MG TABLET <b>MO</b>	3	PA,QL(60 per 30 days)
CABLIVI 11 MG KIT <b>DL</b>	4	PA,QL(30 per 30 days)
<i>cilostazol 100 mg, 50 mg TABLET <b>MO</b></i>	1	
<i>clopidogrel 300 mg TABLET <b>MO</b></i>	1	
<i>clopidogrel 75 mg TABLET <b>MO</b></i>	1	QL(30 per 30 days)
CYKLOKAPRON 1,000 MG/10 ML (100 MG/ML) SOLUTION <b>DL</b>	4	PA
<i>dabigatran etexilate 110 mg, 150 mg, 75 mg CAPSULE <b>MO</b></i>	1	QL(60 per 30 days)
<i>dipyridamole 25 mg, 50 mg, 75 mg TABLET <b>MO</b></i>	1	
DOPTELET (10 TAB PACK) 20 MG TABLET <b>DL</b>	4	PA,QL(60 per 30 days)
DOPTELET (15 TAB PACK) 20 MG TABLET <b>DL</b>	4	PA,QL(60 per 30 days)
DOPTELET (30 TAB PACK) 20 MG TABLET <b>DL</b>	4	PA,QL(60 per 30 days)
DOPTELET SPRINKLE 10 MG CAPSULE, SPRINKLE <b>DL</b>	4	PA,QL(60 per 30 days)
EFFIENT 10 MG, 5 MG TABLET <b>MO</b>	3	PA,QL(30 per 30 days)
ELIQUIS 0.5 MG, 1.5 MG (0.5 MG X 3), 2 MG (0.5 MG X 4) TABLET FOR SUSPENSION <b>MO</b>	2	ST,QL(592 per 30 days)
ELIQUIS 2.5 MG TABLET <b>MO</b>	2	QL(60 per 30 days)
ELIQUIS 5 MG TABLET <b>MO</b>	2	QL(74 per 30 days)
ELIQUIS DVT-PE TREAT 30D START 5 MG (74 TABS) TABLET, DOSE PACK <b>MO</b>	2	QL(74 per 30 days)
ELIQUIS SPRINKLE 0.15 MG CAPSULE, SPRINKLE <b>MO</b>	2	ST,QL(74 per 30 days)
<i>enoxaparin 100 mg/ml, 120 mg/0.8 ml, 150 mg/ml, 30 mg/0.3 ml, 40 mg/0.4 ml, 60 mg/0.6 ml, 80 mg/0.8 ml SYRINGE <b>MO</b></i>	1	
<i>enoxaparin 300 mg/3 ml SOLUTION <b>MO</b></i>	1	
EPOGEN 10,000 UNIT/ML, 2,000 UNIT/ML, 20,000 UNIT/ML, 3,000 UNIT/ML, 4,000 UNIT/ML SOLUTION <b>MO</b>	3	PA,QL(14 per 30 days)
EPOGEN 20,000 UNIT/2 ML SOLUTION <b>MO</b>	3	PA,QL(28 per 30 days)
<i>eptifibatide 0.75 mg/ml, 2 mg/ml SOLUTION <b>MO</b></i>	1	
<i>fondaparinux 10 mg/0.8 ml SYRINGE <b>DL</b></i>	4	QL(24 per 30 days)
<i>fondaparinux 2.5 mg/0.5 ml SYRINGE <b>MO</b></i>	3	QL(15 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<i>fondaparinux 5 mg/0.4 ml SYRINGE</i> <b>DL</b>	4	QL(12 per 30 days)
<i>fondaparinux 7.5 mg/0.6 ml SYRINGE</i> <b>DL</b>	4	QL(18 per 30 days)
FRAGMIN 10,000 ANTI-XA UNIT/ML SYRINGE <b>DL</b>	4	QL(30 per 30 days)
FRAGMIN 12,500 ANTI-XA UNIT/0.5 ML SYRINGE <b>DL</b>	4	QL(15 per 30 days)
FRAGMIN 15,000 ANTI-XA UNIT/0.6 ML SYRINGE <b>DL</b>	4	QL(18 per 30 days)
FRAGMIN 18,000 ANTI-XA UNIT/0.72 ML SYRINGE <b>DL</b>	4	QL(21.6 per 30 days)
FRAGMIN 2,500 ANTI-XA UNIT/0.2 ML, 5,000 ANTI-XA UNIT/0.2 ML SYRINGE <b>DL</b>	4	QL(6 per 30 days)
FRAGMIN 2,500 ANTI-XA UNIT/ML SOLUTION <b>DL</b>	4	QL(120 per 30 days)
FRAGMIN 25,000 ANTI-XA UNIT/ML SOLUTION <b>DL</b>	4	QL(22.8 per 30 days)
FRAGMIN 7,500 ANTI-XA UNIT/0.3 ML SYRINGE <b>DL</b>	4	QL(9 per 30 days)
FULPHILA 6 MG/0.6 ML SYRINGE <b>DL</b>	4	PA,QL(1.2 per 28 days)
FYLNETRA 6 MG/0.6 ML SYRINGE <b>DL</b>	4	PA,QL(1.2 per 28 days)
GRANIX 300 MCG/0.5 ML, 480 MCG/0.8 ML SYRINGE <b>DL</b>	4	PA
GRANIX 300 MCG/ML, 480 MCG/1.6 ML SOLUTION <b>DL</b>	4	PA
<i>heparin (porcine) 1,000 unit/ml, 10,000 unit/ml, 20,000 unit/ml, 5,000 unit/ml SOLUTION</i> <b>MO</b>	1	
<i>heparin (porcine) 5,000 unit/ml (1 ml) CARTRIDGE</i> <b>MO</b>	1	
<i>heparin (porcine) 5,000 unit/ml SYRINGE</i> <b>MO</b>	1	
<i>heparin, porcine (pf) 1,000 unit/ml, 5,000 unit/0.5 ml SOLUTION</i> <b>MO</b>	1	
<i>heparin, porcine (pf) 5,000 unit/0.5 ml, 5,000 unit/ml SYRINGE</i> <b>MO</b>	1	
<i>igantoven 1 mg, 10 mg, 2 mg, 2.5 mg, 3 mg, 4 mg, 5 mg, 6 mg, 7.5 mg TABLET</i> <b>MO</b>	1	
KENGREAL 50 MG RECON SOLUTION <b>DL</b>	4	
LEUKINE 250 MCG RECON SOLUTION <b>DL</b>	4	PA
LOVENOX 100 MG/ML, 120 MG/0.8 ML, 30 MG/0.3 ML, 40 MG/0.4 ML, 60 MG/0.6 ML, 80 MG/0.8 ML SYRINGE <b>MO</b>	3	PA
LOVENOX 150 MG/ML SYRINGE <b>DL</b>	4	PA
LOVENOX 300 MG/3 ML SOLUTION <b>DL</b>	4	PA
MIRCERA 100 MCG/0.3 ML SYRINGE	4	PA,QL(1.2 per 28 days)
MIRCERA 120 MCG/0.3 ML SYRINGE <b>DL</b>	4	PA,QL(0.9 per 28 days)
MIRCERA 150 MCG/0.3 ML, 200 MCG/0.3 ML, 30 MCG/0.3 ML SYRINGE	4	PA,QL(0.6 per 28 days)
MIRCERA 50 MCG/0.3 ML, 75 MCG/0.3 ML SYRINGE	4	PA,QL(0.9 per 28 days)
MOZOBIL 24 MG/1.2 ML (20 MG/ML) SOLUTION <b>DL</b>	4	PA,QL(9.6 per 30 days)
MULPLETA 3 MG TABLET <b>DL</b>	4	PA
NEULASTA 6 MG/0.6 ML SYRINGE <b>DL</b>	4	PA,QL(1.2 per 28 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
NEULASTA ONPRO 6 MG/0.6 ML SYRINGE W/WEARABLE INJECTOR <b>DL</b>	4	PA,QL(1.2 per 28 days)
NEUPOGEN 300 MCG/0.5 ML, 480 MCG/0.8 ML SYRINGE <b>DL</b>	4	PA
NEUPOGEN 300 MCG/ML, 480 MCG/1.6 ML SOLUTION <b>DL</b>	4	PA
NIVESTYM 300 MCG/0.5 ML, 480 MCG/0.8 ML SYRINGE <b>DL</b>	4	PA
NIVESTYM 300 MCG/ML, 480 MCG/1.6 ML SOLUTION <b>DL</b>	4	PA
NYPOZI 300 MCG/0.5 ML, 480 MCG/0.8 ML SYRINGE <b>DL</b>	4	PA
NYVEPRIA 6 MG/0.6 ML SYRINGE <b>DL</b>	4	PA,QL(1.2 per 28 days)
PLAVIX 75 MG TABLET <b>MO</b>	3	PA,QL(30 per 30 days)
<i>plerixafor 24 mg/1.2 ml (20 mg/ml) SOLUTION</i> <b>DL</b>	4	PA,QL(9.6 per 30 days)
PRADAXA 110 MG, 150 MG, 75 MG CAPSULE <b>MO</b>	3	QL(60 per 30 days)
PRADAXA 110 MG, 30 MG, 40 MG, 50 MG PELLETS IN PACKET <b>DL</b>	4	PA,QL(120 per 30 days)
PRADAXA 150 MG, 20 MG PELLETS IN PACKET <b>DL</b>	4	PA,QL(60 per 30 days)
<i>prasugrel hcl 10 mg, 5 mg TABLET</i> <b>MO</b>	1	QL(30 per 30 days)
PROCRIT 10,000 UNIT/ML, 2,000 UNIT/ML, 3,000 UNIT/ML, 4,000 UNIT/ML SOLUTION <b>MO</b>	3	PA,QL(14 per 30 days)
PROCRIT 20,000 UNIT/2 ML SOLUTION <b>MO</b>	3	PA,QL(28 per 30 days)
PROCRIT 20,000 UNIT/ML, 40,000 UNIT/ML SOLUTION <b>DL</b>	4	PA,QL(14 per 30 days)
PROMACTA 12.5 MG POWDER IN PACKET <b>DL</b>	4	PA,QL(360 per 30 days)
PROMACTA 12.5 MG, 25 MG TABLET <b>DL</b>	4	PA,QL(30 per 30 days)
PROMACTA 25 MG POWDER IN PACKET <b>DL</b>	4	PA,QL(180 per 30 days)
PROMACTA 50 MG TABLET <b>DL</b>	4	PA,QL(90 per 30 days)
PROMACTA 75 MG TABLET <b>DL</b>	4	PA,QL(60 per 30 days)
REBLOZYL 25 MG, 75 MG RECON SOLUTION <b>DL</b>	4	PA
RELEUKO 300 MCG/0.5 ML, 480 MCG/0.8 ML SYRINGE <b>DL</b>	4	PA
RETACRIT 10,000 UNIT/ML, 2,000 UNIT/ML, 20,000 UNIT/2 ML, 20,000 UNIT/ML, 3,000 UNIT/ML, 4,000 UNIT/ML SOLUTION <b>MO</b>	3	PA,QL(14 per 30 days)
RETACRIT 40,000 UNIT/ML SOLUTION <b>DL</b>	4	PA,QL(14 per 30 days)
RHAPSIDO 25 MG TABLET <b>DL</b>	4	PA,QL(60 per 30 days)
RIASTAP 1 GRAM (900MG-1,300MG) RECON SOLUTION <b>MO</b>	3	
<i>rivaroxaban 1 mg/ml SUSPENSION FOR RECONSTITUTION</i> <b>MO</b>	1	ST,QL(600 per 30 days)
<i>rivaroxaban 2.5 mg TABLET</i> <b>MO</b>	1	QL(60 per 30 days)
ROLVEDON 13.2 MG/0.6 ML SYRINGE <b>DL</b>	4	PA,QL(1.2 per 28 days)
RYZNEUTA 20 MG/ML SYRINGE <b>DL</b>	4	PA,QL(2 per 28 days)
SAVAYSA 15 MG, 30 MG, 60 MG TABLET <b>MO</b>	3	PA,QL(30 per 30 days)
STIMUFEND 6 MG/0.6 ML SYRINGE <b>DL</b>	4	PA,QL(1.2 per 28 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
TAVALISSE 100 MG, 150 MG TABLET <b>DL</b>	4	PA,QL(60 per 30 days)
ticagrelor 60 mg, 90 mg TABLET <b>MO</b>	1	QL(60 per 30 days)
tirofiban-0.9% sodium chloride 12.5 mg/250 ml (50 mcg/ml), 5 mg/100 ml (50 mcg/ml) SOLUTION <b>MO</b>	1	
tranexamic acid 1,000 mg/10 ml (100 mg/ml) SOLUTION <b>MO</b>	1	PA
tranexamic acid 650 mg TABLET <b>MO</b>	1	QL(30 per 5 days)
UDENYCA 6 MG/0.6 ML SYRINGE <b>DL</b>	4	PA,QL(1.2 per 28 days)
UDENYCA AUTOINJECTOR 6 MG/0.6 ML AUTO-INJECTOR <b>DL</b>	4	PA,QL(1.2 per 28 days)
UDENYCA ONBODY 6 MG/0.6 ML SYRINGE W/WEARABLE INJECTOR <b>DL</b>	4	PA,QL(1.2 per 28 days)
warfarin 1 mg, 10 mg, 2 mg, 2.5 mg, 3 mg, 4 mg, 6 mg, 7.5 mg TABLET <b>MO</b>	1	
warfarin 5 mg TABLET <b>MO</b>	1	
WAYRILZ 400 MG TABLET <b>DL</b>	4	PA,QL(60 per 30 days)
XARELTO 1 MG/ML SUSPENSION FOR RECONSTITUTION <b>MO</b>	2	ST,QL(600 per 30 days)
XARELTO 10 MG, 20 MG TABLET <b>MO</b>	2	QL(30 per 30 days)
XARELTO 15 MG, 2.5 MG TABLET <b>MO</b>	2	QL(60 per 30 days)
XARELTO DVT-PE TREAT 30D START 15 MG (42)- 20 MG (9) TABLET, DOSE PACK <b>MO</b>	2	QL(51 per 30 days)
XOLREMDI 100 MG CAPSULE <b>DL</b>	4	PA,QL(120 per 30 days)
ZARXIO 300 MCG/0.5 ML, 480 MCG/0.8 ML SYRINGE <b>DL</b>	4	PA
ZIEXTENZO 6 MG/0.6 ML SYRINGE <b>DL</b>	4	PA,QL(1.2 per 28 days)
<b>CARDIOVASCULAR AGENTS</b>		
ACCUPRIL 10 MG, 20 MG, 40 MG, 5 MG TABLET <b>MO</b>	3	
ACCURETIC 10-12.5 MG, 20-12.5 MG, 20-25 MG TABLET <b>MO</b>	3	
acebutolol 200 mg, 400 mg CAPSULE <b>MO</b>	1	
acetazolamide 125 mg, 250 mg TABLET <b>MO</b>	1	
acetazolamide 500 mg CAPSULE, ER <b>MO</b>	1	
acetazolamide sodium 500 mg RECON SOLUTION <b>MO</b>	1	
adenosine 3 mg/ml SOLUTION <b>MO</b>	1	
adenosine 3 mg/ml SYRINGE <b>MO</b>	1	
ADRENALIN IN 0.9 % SOD CHLOR 10 MG/250 ML (40 MCG/ML), 2 MG/250 ML (8 MCG/ML), 4 MG/250 ML (16 MCG/ML), 5 MG/250 ML (20 MCG/ML), 8 MG/250 ML (32 MCG/ML) SOLUTION <b>MO</b>	3	
ALDACTONE 100 MG, 25 MG, 50 MG TABLET <b>MO</b>	3	
aliskiren 150 mg, 300 mg TABLET <b>MO</b>	1	QL(30 per 30 days)
ALTACE 1.25 MG, 10 MG, 2.5 MG, 5 MG CAPSULE <b>MO</b>	3	PA

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
ALTOPREV 20 MG, 40 MG, 60 MG TABLET, ER 24 HR. <b>DL</b>	4	ST,QL(30 per 30 days)
amiloride 5 mg TABLET <b>MO</b>	1	
amiloride-hydrochlorothiazide 5-50 mg TABLET <b>MO</b>	1	
amiodarone 100 mg, 400 mg TABLET <b>MO</b>	1	
amiodarone 150 mg/3 ml SYRINGE <b>MO</b>	1	
amiodarone 200 mg TABLET <b>MO</b>	1	
amiodarone 50 mg/ml SOLUTION <b>MO</b>	1	
amlodipine 10 mg, 2.5 mg, 5 mg TABLET <b>MO</b>	1	
amlodipine-atorvastatin 10-10 mg, 10-20 mg, 10-40 mg, 10-80 mg, 2.5-10 mg, 2.5-20 mg, 2.5-40 mg, 5-10 mg, 5-20 mg, 5-40 mg, 5-80 mg TABLET <b>MO</b>	1	QL(30 per 30 days)
amlodipine-benazepril 10-20 mg, 2.5-10 mg, 5-10 mg, 5-20 mg CAPSULE <b>MO</b>	1	QL(60 per 30 days)
amlodipine-benazepril 10-40 mg, 5-40 mg CAPSULE <b>MO</b>	1	QL(30 per 30 days)
amlodipine-olmesartan 10-20 mg, 10-40 mg, 5-20 mg, 5-40 mg TABLET <b>MO</b>	1	QL(30 per 30 days)
amlodipine-valsartan 10-160 mg, 10-320 mg, 5-160 mg, 5-320 mg TABLET <b>MO</b>	1	QL(30 per 30 days)
amlodipine-valsartan-hcthiazyd 10-160-12.5 mg, 10-160-25 mg, 10-320-25 mg, 5-160-12.5 mg, 5-160-25 mg TABLET <b>MO</b>	1	QL(30 per 30 days)
ARBLI 10 MG/ML SUSPENSION <b>DL</b>	4	ST,QL(300 per 30 days)
ASPRUZYO SPRINKLE 1,000 MG, 500 MG ER GRANULES, PACKET <b>MO</b>	3	QL(60 per 30 days)
ATACAND 16 MG, 4 MG, 8 MG TABLET <b>MO</b>	3	PA,QL(60 per 30 days)
ATACAND 32 MG TABLET <b>MO</b>	3	PA,QL(30 per 30 days)
ATACAND HCT 16-12.5 MG, 32-12.5 MG, 32-25 MG TABLET <b>MO</b>	3	PA,QL(30 per 30 days)
atenolol 100 mg TABLET <b>MO</b>	1	
atenolol 25 mg, 50 mg TABLET <b>MO</b>	1	
atenolol-chlorthalidone 100-25 mg, 50-25 mg TABLET <b>MO</b>	1	
ATORVALIQ 20 MG/5 ML (4 MG/ML) SUSPENSION <b>MO</b>	3	ST,QL(600 per 30 days)
atorvastatin 10 mg, 20 mg, 40 mg, 80 mg TABLET <b>MO</b>	1	
AVALIDE 150-12.5 MG TABLET <b>MO</b>	3	PA,QL(60 per 30 days)
AVALIDE 300-12.5 MG TABLET <b>MO</b>	3	PA,QL(30 per 30 days)
AVAPRO 150 MG, 300 MG, 75 MG TABLET <b>MO</b>	3	PA,QL(30 per 30 days)
AZOR 10-20 MG, 10-40 MG, 5-20 MG, 5-40 MG TABLET <b>MO</b>	3	PA,QL(30 per 30 days)
benazepril 10 mg, 20 mg, 40 mg, 5 mg TABLET <b>MO</b>	1	
benazepril-hydrochlorothiazide 10-12.5 mg, 20-12.5 mg, 20-25 mg, 5-6.25 mg TABLET <b>MO</b>	1	
BENICAR 20 MG, 40 MG TABLET <b>MO</b>	3	PA,QL(30 per 30 days)
BENICAR 5 MG TABLET <b>MO</b>	3	PA,QL(60 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
BENICAR HCT 20-12.5 MG, 40-12.5 MG, 40-25 MG TABLET <b>MO</b>	3	PA,QL(30 per 30 days)
BETAPACE 120 MG, 160 MG, 240 MG, 80 MG TABLET <b>DL</b>	4	PA
BETAPACE AF 120 MG, 160 MG TABLET <b>DL</b>	4	PA
BETAPACE AF 80 MG TABLET <b>MO</b>	3	PA
<i>betaxolol 10 mg, 20 mg TABLET <b>MO</b></i>	1	
BIDIL 20-37.5 MG TABLET <b>MO</b>	3	PA,QL(180 per 30 days)
BIORPHEN 0.1 MG/ML SOLUTION <b>MO</b>	3	
<i>bisoprolol fumarate 10 mg, 2.5 mg, 5 mg TABLET <b>MO</b></i>	1	
<i>bisoprolol-hydrochlorothiazide 10-6.25 mg, 2.5-6.25 mg, 5-6.25 mg TABLET <b>MO</b></i>	1	
BREVIBLOC 100 MG/10 ML (10 MG/ML) SOLUTION <b>MO</b>	3	
BREVIBLOC IN NA CL (ISO-OSM) 2,000 MG/100 ML, 2,500 MG/250 ML (10 MG/ML) PARENTERAL SOLUTION <b>MO</b>	3	
<i>bumetanide 0.25 mg/ml SOLUTION <b>MO</b></i>	1	
<i>bumetanide 0.5 mg, 2 mg TABLET <b>MO</b></i>	1	
<i>bumetanide 1 mg TABLET <b>MO</b></i>	1	
BYSTOLIC 10 MG TABLET <b>MO</b>	3	PA,QL(120 per 30 days)
BYSTOLIC 2.5 MG, 5 MG TABLET <b>MO</b>	3	PA,QL(30 per 30 days)
BYSTOLIC 20 MG TABLET <b>MO</b>	3	PA,QL(60 per 30 days)
CADUET 10-10 MG, 10-20 MG, 10-40 MG, 10-80 MG, 5-10 MG, 5-20 MG, 5-40 MG, 5-80 MG TABLET <b>MO</b>	3	PA,QL(30 per 30 days)
CAMZYOS 10 MG, 15 MG, 2.5 MG, 5 MG CAPSULE <b>DL</b>	4	PA,QL(30 per 30 days)
<i>candesartan 16 mg, 4 mg, 8 mg TABLET <b>MO</b></i>	1	QL(60 per 30 days)
<i>candesartan 32 mg TABLET <b>MO</b></i>	1	QL(30 per 30 days)
<i>candesartan-hydrochlorothiazid 16-12.5 mg, 32-12.5 mg, 32-25 mg TABLET <b>MO</b></i>	1	QL(30 per 30 days)
<i>captopril 100 mg, 12.5 mg, 25 mg, 50 mg TABLET <b>MO</b></i>	1	
<i>captopril-hydrochlorothiazide 25-15 mg, 25-25 mg, 50-15 mg, 50-25 mg TABLET <b>MO</b></i>	1	
CARDAMYST 70 MG/2 SPRAY SPRAY, NON-AEROSOL <b>DL</b>	4	PA
CARDIZEM 120 MG, 30 MG, 60 MG TABLET <b>MO</b>	3	
CARDIZEM CD 120 MG, 180 MG, 240 MG, 300 MG CAPSULE, ER 24 HR. <b>DL</b>	4	PA
CARDIZEM CD 360 MG CAPSULE, ER 24 HR. <b>DL</b>	4	PA,QL(30 per 30 days)
CARDIZEM LA 120 MG, 300 MG, 360 MG, 420 MG TABLET, ER 24 HR. <b>MO</b>	3	QL(30 per 30 days)
CARDIZEM LA 180 MG, 240 MG TABLET, ER 24 HR. <b>MO</b>	3	QL(60 per 30 days)
CARDURA 1 MG, 2 MG, 4 MG, 8 MG TABLET <b>MO</b>	3	
CARDURA XL 4 MG, 8 MG TABLET, ER 24 HR. <b>MO</b>	3	QL(30 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
CAROSPIR 25 MG/5 ML SUSPENSION <b>MO</b>	3	QL(450 per 30 days)
cartia xt 120 mg, 180 mg, 240 mg, 300 mg CAPSULE, ER 24 HR. <b>MO</b>	1	
carvedilol 12.5 mg, 25 mg, 3.125 mg, 6.25 mg TABLET <b>MO</b>	1	
carvedilol phosphate 10 mg, 20 mg, 40 mg, 80 mg CAPSULE ER MULTIPHASE 24 HR. <b>MO</b>	1	QL(30 per 30 days)
chlorothiazide sodium 500 mg RECON SOLUTION <b>MO</b>	1	
chlorthalidone 25 mg TABLET <b>MO</b>	1	
chlorthalidone 50 mg TABLET <b>MO</b>	1	
cholestyramine (with sugar) 4 gram POWDER <b>MO</b>	1	
cholestyramine (with sugar) 4 gram POWDER IN PACKET <b>MO</b>	1	
cholestyramine light 4 gram POWDER <b>MO</b>	1	
cholestyramine light 4 gram POWDER IN PACKET <b>MO</b>	1	
CLEVIPREX 25 MG/50 ML, 50 MG/100 ML EMULSION <b>MO</b>	3	
clonidine 0.1 mg/24 hr, 0.2 mg/24 hr, 0.3 mg/24 hr PATCH, WEEKLY <b>MO</b>	1	QL(4 per 28 days)
clonidine hcl 0.1 mg TABLET <b>MO</b>	1	
clonidine hcl 0.17 mg TABLET, ER 24 HR. <b>DL</b>	4	PA,QL(90 per 30 days)
clonidine hcl 0.2 mg, 0.3 mg TABLET <b>MO</b>	1	
colesevelam 3.75 gram POWDER IN PACKET <b>MO</b>	1	QL(30 per 30 days)
colesevelam 625 mg TABLET <b>MO</b>	1	QL(180 per 30 days)
COLESTID 1 GRAM TABLET <b>MO</b>	3	
COLESTID 5 GRAM GRANULES <b>MO</b>	3	QL(1000 per 30 days)
colestipol 1 gram TABLET <b>MO</b>	1	
colestipol 5 gram GRANULES <b>MO</b>	1	QL(1000 per 30 days)
colestipol 5 gram PACKET <b>MO</b>	1	
COREG 12.5 MG, 25 MG, 3.125 MG, 6.25 MG TABLET <b>MO</b>	3	PA
COREG CR 10 MG, 20 MG, 40 MG, 80 MG CAPSULE ER MULTIPHASE 24 HR. <b>MO</b>	3	PA,QL(30 per 30 days)
CORLANOR 5 MG, 7.5 MG TABLET <b>MO</b>	3	PA,QL(60 per 30 days)
CORLANOR 5 MG/5 ML SOLUTION <b>MO</b>	3	PA,QL(560 per 28 days)
CORLOPAM 10 MG/ML SOLUTION <b>MO</b>	3	
CORVERT 0.1 MG/ML SOLUTION <b>MO</b>	3	
COZAAR 100 MG, 25 MG, 50 MG TABLET <b>MO</b>	3	PA,QL(60 per 30 days)
CRESTOR 10 MG, 20 MG, 40 MG, 5 MG TABLET <b>MO</b>	3	PA
DEMSE 250 MG CAPSULE <b>DL</b>	4	
DIBENZYLINE 10 MG CAPSULE <b>DL</b>	4	
digitek 125 mcg (0.125 mg), 250 mcg (0.25 mg) TABLET <b>MO</b>	1	QL(30 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<i>digoxin</i> 125 mcg (0.125 mg), 250 mcg (0.25 mg), 62.5 mcg (0.0625 mg) TABLET <b>MO</b>	1	QL(30 per 30 days)
<i>digoxin</i> 250 mcg/ml (0.25 mg/ml), 50 mcg/ml (0.05 mg/ml) SOLUTION <b>MO</b>	1	
<i>dilt-xr</i> 120 mg, 180 mg, 240 mg CAPSULE, ER 24 HR. <b>MO</b>	1	
<i>diltiazem hcl</i> 100 mg RECON SOLUTION <b>MO</b>	1	
<i>diltiazem hcl</i> 120 mg CAPSULE, ER 24 HR. <b>MO</b>	1	
<i>diltiazem hcl</i> 120 mg, 180 mg, 240 mg, 300 mg, 360 mg, 420 mg CAPSULE, ER 24 HR. <b>MO</b>	1	
<i>diltiazem hcl</i> 120 mg, 30 mg, 60 mg, 90 mg TABLET <b>MO</b>	1	
<i>diltiazem hcl</i> 120 mg, 300 mg, 360 mg, 420 mg TABLET, ER 24 HR. <b>MO</b>	1	QL(30 per 30 days)
<i>diltiazem hcl</i> 120 mg, 60 mg, 90 mg CAPSULE, ER 12 HR. <b>MO</b>	1	
<i>diltiazem hcl</i> 180 mg, 240 mg TABLET, ER 24 HR. <b>MO</b>	1	QL(60 per 30 days)
<i>diltiazem hcl</i> 360 mg CAPSULE, ER 24 HR. <b>MO</b>	1	QL(30 per 30 days)
<i>diltiazem hcl</i> 5 mg/ml SOLUTION <b>MO</b>	1	
DIOVAN 160 MG, 320 MG, 40 MG, 80 MG TABLET <b>MO</b>	3	PA,QL(60 per 30 days)
DIOVAN HCT 160-12.5 MG, 160-25 MG, 320-12.5 MG, 320-25 MG, 80-12.5 MG TABLET <b>MO</b>	3	PA,QL(30 per 30 days)
<i>disopyramide phosphate</i> 100 mg, 150 mg CAPSULE <b>MO</b>	1	
DIURIL 250 MG/5 ML SUSPENSION <b>MO</b>	3	
<i>dobutamine</i> 250 mg/20 ml (12.5 mg/ml) SOLUTION <b>MO</b>	1	BvsD
<i>dobutamine in d5w</i> 1,000 mg/250 ml (4,000 mcg/ml), 250 mg/250 ml (1 mg/ml), 500 mg/250 ml (2,000 mcg/ml) PARENTERAL SOLUTION <b>MO</b>	1	BvsD
<i>dofetilide</i> 125 mcg, 250 mcg, 500 mcg CAPSULE <b>MO</b>	1	
<i>dopamine</i> 200 mg/5 ml (40 mg/ml), 400 mg/10 ml (40 mg/ml), 400 mg/5 ml (80 mg/ml), 800 mg/5 ml (160 mg/ml) SOLUTION <b>MO</b>	1	BvsD
<i>dopamine in 5 % dextrose</i> 200 mg/250 ml (800 mcg/ml), 400 mg/250 ml (1,600 mcg/ml), 400 mg/500 ml (800 mcg/ml), 800 mg/250 ml (3,200 mcg/ml), 800 mg/500 ml (1,600 mcg/ml) SOLUTION <b>MO</b>	1	BvsD
<i>doxazosin</i> 1 mg, 2 mg, 4 mg, 8 mg TABLET <b>MO</b>	1	
<i>droxidopa</i> 100 mg, 200 mg CAPSULE <b>MO</b>	1	PA,QL(90 per 30 days)
<i>droxidopa</i> 300 mg CAPSULE <b>MO</b>	1	PA,QL(180 per 30 days)
DYRENIUM 100 MG, 50 MG CAPSULE <b>MO</b>	3	
EDARBI 40 MG, 80 MG TABLET <b>MO</b>	3	ST,QL(30 per 30 days)
EDARBYCLOR 40-12.5 MG, 40-25 MG TABLET <b>MO</b>	3	ST,QL(30 per 30 days)
EDECRIIN 25 MG TABLET <b>DL</b>	4	QL(480 per 30 days)
<i>enalapril maleate</i> 1 mg/ml SOLUTION <b>MO</b>	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
enalapril maleate 10 mg, 2.5 mg, 20 mg, 5 mg TABLET <b>MO</b>	1	
enalapril-hydrochlorothiazide 10-25 mg, 5-12.5 mg TABLET <b>MO</b>	1	
enalaprilat 1.25 mg/ml SOLUTION <b>MO</b>	1	
ENBUMYST 0.5 MG/SPRAY (0.1 ML) SPRAY, NON-AEROSOL <b>DL</b>	4	PA
ENTRESTO 24-26 MG, 49-51 MG, 97-103 MG TABLET <b>MO</b>	3	PA,QL(60 per 30 days)
ENTRESTO SPRINKLE 15-16 MG, 6-6 MG PELLETT <b>MO</b>	2	QL(240 per 30 days)
EPANED 1 MG/ML SOLUTION <b>DL</b>	4	
epineph bitart in 0.9% sod chl 16 mg/250 ml (64 mcg/ml) SOLUTION <b>MO</b>	3	
eplerenone 25 mg, 50 mg TABLET <b>MO</b>	1	
eprosartan 600 mg TABLET <b>MO</b>	1	QL(60 per 30 days)
esmolol 100 mg/10 ml (10 mg/ml) SOLUTION <b>MO</b>	1	
esmolol in nacl (iso-osm) 2,000 mg/100 ml, 2,500 mg/250 ml (10 mg/ml) PARENTERAL SOLUTION <b>MO</b>	1	
ethacrynate sodium 50 mg RECON SOLUTION <b>MO</b>	1	
ethacrynic acid 25 mg TABLET <b>MO</b>	1	QL(480 per 30 days)
EVKEEZA 150 MG/ML SOLUTION <b>DL</b>	4	PA
EXFORGE 10-160 MG, 10-320 MG, 5-160 MG, 5-320 MG TABLET <b>MO</b>	3	PA,QL(30 per 30 days)
EXFORGE HCT 10-160-12.5 MG, 10-160-25 MG, 10-320-25 MG, 5-160-12.5 MG, 5-160-25 MG TABLET <b>MO</b>	3	PA,QL(30 per 30 days)
EZALLOR SPRINKLE 10 MG, 20 MG, 40 MG, 5 MG CAPSULE, SPRINKLE <b>MO</b>	3	ST,QL(30 per 30 days)
ezetimibe 10 mg TABLET <b>MO</b>	1	QL(30 per 30 days)
ezetimibe-simvastatin 10-10 mg, 10-20 mg, 10-40 mg, 10-80 mg TABLET <b>MO</b>	1	QL(30 per 30 days)
felodipine 10 mg, 2.5 mg, 5 mg TABLET, ER 24 HR. <b>MO</b>	1	
fenofibrate 120 mg TABLET <b>MO</b>	1	QL(30 per 30 days)
fenofibrate 150 mg CAPSULE <b>MO</b>	1	QL(30 per 30 days)
fenofibrate 160 mg TABLET <b>MO</b>	1	QL(30 per 30 days)
fenofibrate 40 mg, 54 mg TABLET <b>MO</b>	1	QL(60 per 30 days)
fenofibrate 50 mg CAPSULE <b>MO</b>	1	QL(60 per 30 days)
fenofibrate micronized 130 mg, 43 mg CAPSULE <b>MO</b>	1	ST,QL(30 per 30 days)
fenofibrate micronized 134 mg, 200 mg CAPSULE <b>MO</b>	1	QL(30 per 30 days)
fenofibrate micronized 67 mg CAPSULE <b>MO</b>	1	QL(60 per 30 days)
fenofibrate nanocrystallized 145 mg TABLET <b>MO</b>	1	QL(30 per 30 days)
fenofibrate nanocrystallized 48 mg TABLET <b>MO</b>	1	QL(60 per 30 days)
fenofibric acid 105 mg, 35 mg TABLET <b>MO</b>	2	QL(30 per 30 days)
fenofibric acid (choline) 135 mg, 45 mg CAPSULE, DR/EC <b>MO</b>	1	QL(30 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
FENOGLIDE 120 MG TABLET <b>MO</b>	3	QL(30 per 30 days)
FENOGLIDE 40 MG TABLET <b>MO</b>	3	QL(60 per 30 days)
FIBRICOR 105 MG, 35 MG TABLET <b>MO</b>	3	QL(30 per 30 days)
<i>flecainide</i> 100 mg, 150 mg, 50 mg TABLET <b>MO</b>	1	
FLOLIPID 20 MG/5 ML (4 MG/ML), 40 MG/5 ML (8 MG/ML) SUSPENSION <b>MO</b>	3	ST,QL(150 per 30 days)
<i>fluvastatin</i> 20 mg, 40 mg CAPSULE <b>MO</b>	1	ST,QL(60 per 30 days)
<i>fluvastatin</i> 80 mg TABLET, ER 24 HR. <b>MO</b>	1	ST,QL(30 per 30 days)
<i>fosinopril</i> 10 mg, 20 mg, 40 mg TABLET <b>MO</b>	1	
<i>fosinopril-hydrochlorothiazide</i> 10-12.5 mg, 20-12.5 mg TABLET <b>MO</b>	1	
FUROSCIX 80 MG/10 ML KIT	4	PA
<i>furosemide</i> 10 mg/ml, 40 mg/5 ml (8 mg/ml) SOLUTION <b>MO</b>	1	
<i>furosemide</i> 20 mg, 40 mg TABLET <b>MO</b>	1	
<i>furosemide</i> 80 mg TABLET <b>MO</b>	1	
<i>gemfibrozil</i> 600 mg TABLET <b>MO</b>	1	QL(60 per 30 days)
GONITRO 400 MCG POWDER IN PACKET <b>MO</b>	3	
<i>guanfacine</i> 1 mg, 2 mg TABLET <b>MO</b>	1	
HEMANGEOL 4.28 MG/ML SOLUTION <b>MO</b>	3	
HEMICLOR 12.5 MG TABLET <b>MO</b>	3	
<i>hydralazine</i> 10 mg, 100 mg TABLET <b>MO</b>	1	
<i>hydralazine</i> 20 mg/ml SOLUTION <b>MO</b>	1	
<i>hydralazine</i> 25 mg, 50 mg TABLET <b>MO</b>	1	
<i>hydrochlorothiazide</i> 12.5 mg CAPSULE <b>MO</b>	1	
<i>hydrochlorothiazide</i> 12.5 mg, 25 mg TABLET <b>MO</b>	1	
<i>hydrochlorothiazide</i> 50 mg TABLET <b>MO</b>	1	
HYZAAR 100-12.5 MG, 100-25 MG, 50-12.5 MG TABLET <b>MO</b>	3	PA,QL(60 per 30 days)
<i>ibutilide fumarate</i> 0.1 mg/ml SOLUTION <b>MO</b>	1	
IMMPHENTIV 0.1 MG/ML SOLUTION <b>MO</b>	3	
<i>indapamide</i> 1.25 mg, 2.5 mg TABLET <b>MO</b>	1	
INDERAL LA 120 MG, 160 MG, 60 MG, 80 MG CAPSULE, ER 24 HR. <b>DL</b>	4	PA
INNOPRAN XL 120 MG, 80 MG CAPSULE, ER 24 HR. <b>DL</b>	4	
INPEFA 200 MG, 400 MG TABLET <b>MO</b>	3	PA,QL(30 per 30 days)
INSPRA 25 MG, 50 MG TABLET <b>MO</b>	3	
INZIRQO 10 MG/ML SUSPENSION FOR RECONSTITUTION <b>MO</b>	3	
<i>irbesartan</i> 150 mg, 300 mg, 75 mg TABLET <b>MO</b>	1	QL(30 per 30 days)
<i>irbesartan-hydrochlorothiazide</i> 150-12.5 mg TABLET <b>MO</b>	1	QL(60 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<i>irbesartan-hydrochlorothiazide 300-12.5 mg TABLET</i> <b>MO</b>	1	QL(30 per 30 days)
ISORDIL 40 MG TABLET <b>DL</b>	4	
ISORDIL TITRADOSE 5 MG TABLET <b>DL</b>	4	PA
<i>isosorbide dinitrate 10 mg, 20 mg, 30 mg, 40 mg, 5 mg TABLET</i> <b>MO</b>	1	
<i>isosorbide mononitrate 10 mg, 20 mg TABLET</i> <b>MO</b>	1	
<i>isosorbide mononitrate 120 mg TABLET, ER 24 HR.</i> <b>MO</b>	1	
<i>isosorbide mononitrate 30 mg, 60 mg TABLET, ER 24 HR.</i> <b>MO</b>	1	
<i>isosorbide-hydralazine 20-37.5 mg TABLET</i> <b>MO</b>	1	QL(180 per 30 days)
<i>isradipine 2.5 mg, 5 mg CAPSULE</i> <b>MO</b>	1	
ISUPREL 0.2 MG/ML SOLUTION <b>MO</b>	3	
<i>ivabradine 5 mg, 7.5 mg TABLET</i> <b>MO</b>	1	QL(60 per 30 days)
JAVADIN 0.02 MG/ML (20 MCG/ML) SOLUTION <b>DL</b>	4	
JUXTAPID 10 MG, 30 MG, 5 MG CAPSULE <b>DL</b>	4	PA,QL(28 per 28 days)
JUXTAPID 20 MG CAPSULE <b>DL</b>	4	PA,QL(84 per 28 days)
KAPSPARGO SPRINKLE 100 MG, 25 MG, 50 MG CAPSULE ER SPRINKLE 24 HR. <b>MO</b>	3	ST,QL(30 per 30 days)
KAPSPARGO SPRINKLE 200 MG CAPSULE ER SPRINKLE 24 HR. <b>MO</b>	3	ST,QL(60 per 30 days)
KATERZIA 1 MG/ML SUSPENSION <b>MO</b>	3	ST,QL(300 per 30 days)
KERENDIA 10 MG, 20 MG TABLET <b>MO</b>	2	PA,QL(30 per 30 days)
KERENDIA 40 MG TABLET <b>MO</b>	2	PA,QL(30 per 30 days)
<i>labetalol 100 mg, 200 mg, 300 mg, 400 mg TABLET</i> <b>MO</b>	1	
<i>labetalol 5 mg/ml SOLUTION</i> <b>MO</b>	1	
LABETALOL IN DEXTROSE,ISO-OSM 1 MG/ML SOLUTION <b>MO</b>	1	
LABETALOL IN NACL (ISO-OSMOT) 1 MG/ ML SOLUTION <b>MO</b>	1	
LANOXIN 125 MCG (0.125 MG), 250 MCG (0.25 MG), 62.5 MCG (0.0625 MG) TABLET <b>MO</b>	3	QL(30 per 30 days)
LANOXIN 250 MCG/ML (0.25 MG/ML), 500 MCG/2 ML (0.5 MG/2 ML) SOLUTION <b>MO</b>	3	
LANOXIN PEDIATRIC 100 MCG/ML (0.1 MG/ML) SOLUTION <b>MO</b>	3	
LASIX 20 MG, 40 MG, 80 MG TABLET <b>MO</b>	3	
LASIX ONYU 80 MG/2.67 ML KIT <b>DL</b>	4	PA
LEQVIO 284 MG/1.5 ML SYRINGE	4	PA,QL(4.5 per 365 days)
LESCOL XL 80 MG TABLET, ER 24 HR. <b>MO</b>	3	ST,QL(30 per 30 days)
LEVOPHED (BITARTRATE) 1 MG/ML SOLUTION <b>MO</b>	3	
<i>lidocaine (pf) 20 mg/ml (2 %) SOLUTION</i> <b>MO</b>	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
lidocaine in 5 % dextrose (pf) 4 mg/ml (0.4 %), 8 mg/ml (0.8 %) PARENTERAL SOLUTION <b>MO</b>	1	
LIPITOR 10 MG, 20 MG, 40 MG, 80 MG TABLET <b>MO</b>	3	PA
LIPOFEN 150 MG CAPSULE <b>MO</b>	3	QL(30 per 30 days)
LIPOFEN 50 MG CAPSULE <b>MO</b>	3	QL(60 per 30 days)
lisinopril 10 mg, 2.5 mg, 20 mg, 40 mg, 5 mg TABLET <b>MO</b>	1	
lisinopril 30 mg TABLET <b>MO</b>	1	
lisinopril-hydrochlorothiazide 10-12.5 mg TABLET <b>MO</b>	1	
lisinopril-hydrochlorothiazide 20-12.5 mg, 20-25 mg TABLET <b>MO</b>	1	
LIVALO 1 MG, 2 MG, 4 MG TABLET <b>MO</b>	3	ST,QL(30 per 30 days)
LODOCO 0.5 MG TABLET <b>MO</b>	3	PA,QL(30 per 30 days)
LOPID 600 MG TABLET <b>MO</b>	3	PA,QL(60 per 30 days)
LOPRESSOR 10 MG/ML SOLUTION <b>MO</b>	3	
LOPRESSOR 100 MG, 50 MG TABLET <b>MO</b>	3	
losartan 100 mg, 25 mg, 50 mg TABLET <b>MO</b>	1	QL(60 per 30 days)
losartan-hydrochlorothiazide 100-12.5 mg, 100-25 mg, 50-12.5 mg TABLET <b>MO</b>	1	QL(60 per 30 days)
LOTENSIN 10 MG, 20 MG, 40 MG TABLET <b>MO</b>	3	
LOTENSIN HCT 10-12.5 MG, 20-12.5 MG, 20-25 MG TABLET <b>MO</b>	3	
LOTREL 10-20 MG, 5-10 MG, 5-20 MG CAPSULE <b>MO</b>	3	PA,QL(60 per 30 days)
LOTREL 10-40 MG CAPSULE <b>MO</b>	3	PA,QL(30 per 30 days)
lovastatin 10 mg, 20 mg, 40 mg TABLET <b>MO</b>	1	
LOVAZA 1 GRAM CAPSULE <b>MO</b>	3	PA,QL(120 per 30 days)
mannitol 20 % 20 % PARENTERAL SOLUTION <b>MO</b>	1	
mannitol 25 % 25 % SOLUTION <b>MO</b>	1	
matzim la 180 mg, 240 mg TABLET, ER 24 HR. <b>MO</b>	1	QL(60 per 30 days)
matzim la 300 mg, 360 mg, 420 mg TABLET, ER 24 HR. <b>MO</b>	1	QL(30 per 30 days)
MAXZIDE 75-50 MG TABLET <b>MO</b>	3	PA
MAXZIDE-25MG 37.5-25 MG TABLET <b>MO</b>	3	PA
methyldopa 250 mg, 500 mg TABLET <b>MO</b>	1	
methyldopa-hydrochlorothiazide 250-15 mg, 250-25 mg TABLET <b>MO</b>	1	
methyldopate 250 mg/5 ml SOLUTION <b>MO</b>	1	
metolazone 10 mg, 2.5 mg, 5 mg TABLET <b>MO</b>	1	
metoprolol succinate 100 mg, 25 mg, 50 mg TABLET, ER 24 HR. <b>MO</b>	1	
metoprolol succinate 200 mg TABLET, ER 24 HR. <b>MO</b>	1	
metoprolol ta-hydrochlorothiaz 100-25 mg, 100-50 mg, 50-25 mg TABLET <b>MO</b>	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
metoprolol tartrate 100 mg, 25 mg, 50 mg TABLET <b>MO</b>	1	
metoprolol tartrate 37.5 mg, 75 mg TABLET <b>MO</b>	1	
metoprolol tartrate 5 mg/5 ml SOLUTION <b>MO</b>	1	
metyrosine 250 mg CAPSULE <b>DL</b>	4	
mexiletine 150 mg, 200 mg, 250 mg CAPSULE <b>MO</b>	1	
MICARDIS 20 MG, 40 MG TABLET <b>MO</b>	3	PA,QL(30 per 30 days)
MICARDIS 80 MG TABLET <b>MO</b>	3	PA,QL(60 per 30 days)
MICARDIS HCT 40-12.5 MG, 80-25 MG TABLET <b>MO</b>	3	PA,QL(30 per 30 days)
MICARDIS HCT 80-12.5 MG TABLET <b>MO</b>	3	PA,QL(60 per 30 days)
midodrine 10 mg, 2.5 mg, 5 mg TABLET <b>MO</b>	1	
milrinone 1 mg/ml SOLUTION <b>MO</b>	1	BvsD
milrinone in 5 % dextrose 20 mg/100 ml (200 mcg/ml), 40 mg/200 ml (200 mcg/ml) PIGGYBACK <b>MO</b>	1	BvsD
minoxidil 10 mg, 2.5 mg TABLET <b>MO</b>	1	
moexipril 15 mg, 7.5 mg TABLET <b>MO</b>	1	
MULTAQ 400 MG TABLET <b>MO</b>	2	QL(60 per 30 days)
nadolol 20 mg, 40 mg, 80 mg TABLET <b>MO</b>	1	
nebivolol 10 mg TABLET <b>MO</b>	1	QL(120 per 30 days)
nebivolol 2.5 mg, 5 mg TABLET <b>MO</b>	1	QL(30 per 30 days)
nebivolol 20 mg TABLET <b>MO</b>	1	QL(60 per 30 days)
NEXICLON XR 0.17 MG TABLET, ER 24 HR. <b>DL</b>	4	PA,QL(90 per 30 days)
NEXLETOL 180 MG TABLET <b>MO</b>	2	PA,QL(30 per 30 days)
NEXLIZET 180-10 MG TABLET <b>MO</b>	2	PA,QL(30 per 30 days)
NEXTERONE 150 MG/100 ML (1.5 MG/ML), 360 MG/200 ML (1.8 MG/ML) SOLUTION <b>MO</b>	3	
niacin 1,000 mg, 500 mg, 750 mg TABLET, ER 24 HR. <b>MO</b>	1	
niacin 500 mg TABLET <b>MO</b>	1	
niacor 500 mg TABLET <b>MO</b>	1	
nicardipine 20 mg, 30 mg CAPSULE <b>MO</b>	1	
nicardipine 25 mg/10 ml SOLUTION <b>MO</b>	1	
nifedipine 10 mg, 20 mg CAPSULE <b>MO</b>	1	
nifedipine 30 mg, 60 mg, 90 mg TABLET ER <b>MO</b>	1	
nifedipine 30 mg, 60 mg, 90 mg TABLET, ER 24 HR. <b>MO</b>	1	
nimodipine 30 mg CAPSULE <b>MO</b>	1	
nimodipine 60 mg/20 ml SOLUTION <b>DL</b>	4	QL(2838 per 28 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<i>nisoldipine 17 mg, 20 mg, 34 mg, 40 mg, 8.5 mg TABLET, ER 24 HR. MO</i>	1	QL(30 per 30 days)
<i>nisoldipine 25.5 mg, 30 mg TABLET, ER 24 HR. MO</i>	1	QL(60 per 30 days)
NITRO-BID 2 % OINTMENT MO	1	
NITRO-DUR 0.1 MG/HR, 0.4 MG/HR, 0.6 MG/HR PATCH, 24 HR. MO	3	
NITRO-DUR 0.2 MG/HR, 0.3 MG/HR, 0.8 MG/HR PATCH, 24 HR. DL	4	
<i>nitroglycerin 0.1 mg/hr, 0.2 mg/hr, 0.4 mg/hr, 0.6 mg/hr PATCH, 24 HR. MO</i>	1	
<i>nitroglycerin 0.3 mg, 0.6 mg SUBLINGUAL TABLET MO</i>	1	
<i>nitroglycerin 0.4 mg SUBLINGUAL TABLET MO</i>	1	
<i>nitroglycerin 2 % OINTMENT MO</i>	1	
<i>nitroglycerin 400 mcg/spray SPRAY, NON-AEROSOL MO</i>	1	
<i>nitroglycerin 50 mg/10 ml (5 mg/ml) SOLUTION MO</i>	1	
<i>nitroglycerin in 5 % dextrose 100 mg/250 ml (400 mcg/ml), 25 mg/250 ml (100 mcg/ml), 50 mg/250 ml (200 mcg/ml) SOLUTION MO</i>	1	
NITROLINGUAL 400 MCG/SPRAY SPRAY, NON-AEROSOL MO	3	
NITROSTAT 0.3 MG, 0.4 MG, 0.6 MG SUBLINGUAL TABLET MO	2	
<i>norepinephrine bitartrate 1 mg/ml SOLUTION MO</i>	1	
NORLIQVA 1 MG/ML SOLUTION MO	3	ST,QL(300 per 30 days)
NORPACE 100 MG, 150 MG CAPSULE MO	3	
NORPACE CR 100 MG, 150 MG CAPSULE, ER MO	3	
NORTHERA 100 MG, 200 MG CAPSULE DL	4	PA,QL(90 per 30 days)
NORTHERA 300 MG CAPSULE DL	4	PA,QL(180 per 30 days)
NORVASC 10 MG, 2.5 MG, 5 MG TABLET MO	3	PA
NYMALIZE 30 MG/5 ML SYRINGE DL	4	QL(630 per 28 days)
NYMALIZE 60 MG/10 ML SOLUTION DL	4	QL(1260 per 28 days)
NYMALIZE 60 MG/10 ML SYRINGE DL	4	QL(1260 per 28 days)
<i>olmesartan 20 mg, 40 mg TABLET MO</i>	1	QL(30 per 30 days)
<i>olmesartan 5 mg TABLET MO</i>	1	QL(60 per 30 days)
<i>olmesartan-amlodipin-hcthiazid 20-5-12.5 mg, 40-10-12.5 mg, 40-10-25 mg, 40-5-12.5 mg, 40-5-25 mg TABLET MO</i>	1	QL(30 per 30 days)
<i>olmesartan-hydrochlorothiazide 20-12.5 mg, 40-12.5 mg, 40-25 mg TABLET MO</i>	1	QL(30 per 30 days)
<i>omega-3 acid ethyl esters 1 gram CAPSULE MO</i>	1	QL(120 per 30 days)
OSMITROL 10 % 10 % PARENTERAL SOLUTION MO	3	
OSMITROL 20 % 20 % PARENTERAL SOLUTION MO	3	
OSMITROL 5 % 5 % PARENTERAL SOLUTION MO	3	
PACERONE 100 MG, 400 MG TABLET MO	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<i>pacerone</i> 200 mg TABLET <b>MO</b>	1	
<i>pentoxifylline</i> 400 mg TABLET ER <b>MO</b>	1	
<i>perindopril erbumine</i> 2 mg, 4 mg, 8 mg TABLET <b>MO</b>	1	
<i>phenoxybenzamine</i> 10 mg CAPSULE <b>DL</b>	4	
<i>phenylephrine hcl</i> 0.1 mg/ml, 10 mg/ml SOLUTION <b>MO</b>	1	
<i>pindolol</i> 10 mg, 5 mg TABLET <b>MO</b>	1	
<i>pitavastatin calcium</i> 1 mg, 2 mg, 4 mg TABLET <b>MO</b>	1	ST,QL(30 per 30 days)
PRALUENT PEN 150 MG/ML, 75 MG/ML PEN INJECTOR <b>MO</b>	3	PA,QL(2 per 28 days)
<i>pravastatin</i> 10 mg, 80 mg TABLET <b>MO</b>	1	
<i>pravastatin</i> 20 mg, 40 mg TABLET <b>MO</b>	1	
<i>prazosin</i> 1 mg, 2 mg, 5 mg CAPSULE <b>MO</b>	1	
<i>prevalite</i> 4 gram POWDER <b>MO</b>	1	
<i>prevalite</i> 4 gram POWDER IN PACKET <b>MO</b>	1	
<i>procainamide</i> 100 mg/ml, 500 mg/ml SOLUTION <b>MO</b>	1	
PROCARDIA XL 30 MG, 60 MG, 90 MG TABLET, ER 24 HR. <b>MO</b>	3	PA
<i>propafenone</i> 150 mg, 225 mg, 300 mg TABLET <b>MO</b>	1	
<i>propafenone</i> 225 mg, 325 mg, 425 mg CAPSULE, ER 12 HR. <b>MO</b>	1	
<i>propranolol</i> 1 mg/ml, 20 mg/5 ml (4 mg/ml), 40 mg/5 ml (8 mg/ml) SOLUTION <b>MO</b>	1	
<i>propranolol</i> 10 mg, 20 mg, 40 mg, 60 mg, 80 mg TABLET <b>MO</b>	1	
<i>propranolol</i> 120 mg, 160 mg, 60 mg, 80 mg CAPSULE, ER 24 HR. <b>MO</b>	1	
<i>propranolol-hydrochlorothiazid</i> 40-25 mg, 80-25 mg TABLET <b>MO</b>	1	
QBRELIS 1 MG/ML SOLUTION <b>DL</b>	4	QL(1200 per 30 days)
QUESTRAN 4 GRAM POWDER <b>MO</b>	1	
QUESTRAN 4 GRAM POWDER IN PACKET <b>MO</b>	1	
QUESTRAN LIGHT 4 GRAM POWDER <b>MO</b>	1	
<i>quinapril</i> 10 mg, 20 mg, 40 mg, 5 mg TABLET <b>MO</b>	1	
<i>quinapril-hydrochlorothiazide</i> 10-12.5 mg, 20-12.5 mg, 20-25 mg TABLET <b>MO</b>	1	
<i>quinidine gluconate</i> 324 mg TABLET ER <b>MO</b>	1	
<i>quinidine sulfate</i> 200 mg, 300 mg TABLET <b>MO</b>	1	
<i>ramipril</i> 1.25 mg, 10 mg, 2.5 mg, 5 mg CAPSULE <b>MO</b>	1	
<i>ranolazine</i> 1,000 mg, 500 mg TABLET, ER 12 HR. <b>MO</b>	1	QL(120 per 30 days)
REDEMPLO 25 MG/0.5 ML SYRINGE <b>DL</b>	4	PA
REPATHA PUSHTRONEX 420 MG/3.5 ML WEARABLE INJECTOR <b>MO</b>	2	PA,QL(3.5 per 28 days)
REPATHA SURECLICK 140 MG/ML PEN INJECTOR <b>MO</b>	2	PA,QL(3 per 28 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
REPATHA SYRINGE 140 MG/ML SYRINGE <b>MO</b>	2	PA,QL(3 per 28 days)
rosuvastatin 10 mg, 20 mg, 40 mg, 5 mg TABLET <b>MO</b>	1	
sacubitril-valsartan 24-26 mg, 49-51 mg, 97-103 mg TABLET <b>MO</b>	1	QL(60 per 30 days)
SDAMLO 10 MG, 2.5 MG, 5 MG POWDER IN POD <b>DL</b>	4	ST,QL(30 per 30 days)
simvastatin 10 mg, 20 mg, 40 mg TABLET <b>MO</b>	1	
simvastatin 5 mg, 80 mg TABLET <b>MO</b>	1	
SOAAZ 20 MG, 40 MG, 60 MG TABLET <b>MO</b>	3	ST
SODIUM EDECRIN 50 MG RECON SOLUTION <b>MO</b>	3	
sotalol 120 mg, 160 mg, 240 mg, 80 mg TABLET <b>MO</b>	1	
sotalol of 120 mg, 160 mg, 80 mg TABLET <b>MO</b>	1	
SOTYLIZE 5 MG/ML SOLUTION <b>MO</b>	3	
spironolacton-hydrochlorothiaz 25-25 mg TABLET <b>MO</b>	1	
spironolactone 100 mg TABLET <b>MO</b>	1	
spironolactone 25 mg, 50 mg TABLET <b>MO</b>	1	
spironolactone 25 mg/5 ml SUSPENSION <b>MO</b>	3	QL(450 per 30 days)
SULAR 17 MG, 34 MG, 8.5 MG TABLET, ER 24 HR. <b>MO</b>	3	PA,QL(30 per 30 days)
taztia xt 120 mg, 180 mg, 240 mg, 300 mg, 360 mg CAPSULE, ER 24 HR. <b>MO</b>	1	
TEKTURNA 150 MG, 300 MG TABLET <b>MO</b>	3	PA,QL(30 per 30 days)
telmisartan 20 mg, 40 mg TABLET <b>MO</b>	1	QL(30 per 30 days)
telmisartan 80 mg TABLET <b>MO</b>	1	QL(60 per 30 days)
telmisartan-amlodipine 40-10 mg, 40-5 mg, 80-10 mg, 80-5 mg TABLET <b>MO</b>	1	QL(30 per 30 days)
telmisartan-hydrochlorothiazid 40-12.5 mg, 80-25 mg TABLET <b>MO</b>	1	QL(30 per 30 days)
telmisartan-hydrochlorothiazid 80-12.5 mg TABLET <b>MO</b>	1	QL(60 per 30 days)
TENORETIC 100 100-25 MG TABLET <b>MO</b>	3	
TENORETIC 50 50-25 MG TABLET <b>MO</b>	3	PA
TENORMIN 100 MG, 25 MG, 50 MG TABLET <b>MO</b>	3	PA
terazosin 1 mg, 10 mg, 2 mg, 5 mg CAPSULE <b>MO</b>	1	
TEZRULY 1 MG/ML SOLUTION <b>DL</b>	4	PA,QL(600 per 30 days)
THALITONE 15 MG TABLET <b>MO</b>	3	
tiadylt er 120 mg, 180 mg, 240 mg, 300 mg, 360 mg, 420 mg CAPSULE, ER 24 HR. <b>MO</b>	1	
TIAZAC 120 MG, 180 MG, 240 MG, 300 MG, 360 MG, 420 MG CAPSULE, ER 24 HR. <b>MO</b>	3	
TIKOSYN 125 MCG, 250 MCG, 500 MCG CAPSULE <b>MO</b>	3	PA
timolol maleate 10 mg, 20 mg, 5 mg TABLET <b>MO</b>	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
TOPROL XL 100 MG, 200 MG, 25 MG, 50 MG TABLET, ER 24 HR. <b>MO</b>	3	
torse mide 10 mg, 100 mg, 5 mg TABLET <b>MO</b>	1	
torse mide 20 mg TABLET <b>MO</b>	1	
trandolapril 1 mg, 2 mg, 4 mg TABLET <b>MO</b>	1	
trandolapril-verapamil 1-240 mg, 2-180 mg, 2-240 mg, 4-240 mg TABLET, IR/ER 24 HR., BIPHASIC <b>MO</b>	1	
triamterene 100 mg, 50 mg CAPSULE <b>MO</b>	1	
triamterene-hydrochlorothiazid 37.5-25 mg CAPSULE <b>MO</b>	1	
triamterene-hydrochlorothiazid 37.5-25 mg TABLET <b>MO</b>	1	
triamterene-hydrochlorothiazid 75-50 mg TABLET <b>MO</b>	1	
TRIBENZOR 20-5-12.5 MG, 40-10-12.5 MG, 40-10-25 MG, 40-5-12.5 MG, 40-5-25 MG TABLET <b>MO</b>	3	PA,QL(30 per 30 days)
TRICOR 145 MG TABLET <b>MO</b>	3	PA,QL(30 per 30 days)
TRICOR 48 MG TABLET <b>MO</b>	3	PA,QL(60 per 30 days)
TRILIPIX 135 MG, 45 MG CAPSULE, DR/EC <b>MO</b>	3	PA,QL(30 per 30 days)
TRYNGOLZA 80 MG/0.8 ML AUTO-INJECTOR <b>DL</b>	4	PA,QL(0.8 per 28 days)
TRYVIO 12.5 MG TABLET <b>MO</b>	3	PA,QL(30 per 30 days)
valsartan 160 mg, 320 mg TABLET <b>MO</b>	1	QL(60 per 30 days)
VALSARTAN 4 MG/ML SOLUTION <b>DL</b>	4	ST,QL(2400 per 30 days)
valsartan 4 mg/ml SOLUTION <b>DL</b>	4	ST,QL(2400 per 30 days)
valsartan 40 mg, 80 mg TABLET <b>MO</b>	1	QL(60 per 30 days)
valsartan-hydrochlorothiazide 160-12.5 mg, 160-25 mg, 320-12.5 mg, 320-25 mg, 80-12.5 mg TABLET <b>MO</b>	1	QL(30 per 30 days)
VASCEPA 0.5 GRAM CAPSULE <b>MO</b>	2	QL(240 per 30 days)
VASCEPA 1 GRAM CAPSULE <b>MO</b>	2	QL(120 per 30 days)
VASERETIC 10-25 MG TABLET <b>MO</b>	3	
VASOTEC 10 MG, 2.5 MG, 20 MG, 5 MG TABLET <b>DL</b>	4	PA
vecamyl 2.5 mg TABLET <b>DL</b>	4	QL(300 per 30 days)
verapamil 100 mg, 120 mg, 180 mg, 200 mg, 240 mg, 300 mg, 360 mg CAPSULE ER PELLETS 24 HR. <b>MO</b>	1	
verapamil 120 mg, 180 mg, 240 mg TABLET ER <b>MO</b>	1	
verapamil 120 mg, 40 mg, 80 mg TABLET <b>MO</b>	1	
verapamil 2.5 mg/ml SOLUTION <b>MO</b>	1	
verapamil 2.5 mg/ml SYRINGE <b>MO</b>	1	
VERELAN PM 100 MG, 200 MG, 300 MG CAPSULE ER PELLETS 24 HR. <b>MO</b>	3	PA
VERQUVO 10 MG, 2.5 MG, 5 MG TABLET <b>MO</b>	2	PA,QL(30 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
VYTORIN 10-10 10-10 MG TABLET <b>MO</b>	3	PA,QL(30 per 30 days)
VYTORIN 10-20 10-20 MG TABLET <b>MO</b>	3	PA,QL(30 per 30 days)
VYTORIN 10-40 10-40 MG TABLET <b>MO</b>	3	PA,QL(30 per 30 days)
VYTORIN 10-80 10-80 MG TABLET <b>MO</b>	3	PA,QL(30 per 30 days)
WELCHOL 3.75 GRAM POWDER IN PACKET <b>MO</b>	3	QL(30 per 30 days)
WELCHOL 625 MG TABLET <b>MO</b>	3	QL(180 per 30 days)
ZESTORETIC 10-12.5 MG, 20-12.5 MG, 20-25 MG TABLET <b>MO</b>	3	
ZESTRIL 10 MG, 2.5 MG, 20 MG, 30 MG, 40 MG, 5 MG TABLET <b>MO</b>	3	PA
ZETIA 10 MG TABLET <b>MO</b>	3	PA,QL(30 per 30 days)
ZOCOR 10 MG, 20 MG, 40 MG TABLET <b>MO</b>	3	PA
ZYPITAMAG 2 MG, 4 MG TABLET <b>MO</b>	2	ST,QL(30 per 30 days)
<b>CENTRAL NERVOUS SYSTEM AGENTS</b>		
ADDERALL 10 MG, 12.5 MG, 15 MG, 20 MG, 5 MG, 7.5 MG TABLET <b>MO</b>	1	PA,QL(90 per 30 days)
ADDERALL 30 MG TABLET <b>MO</b>	1	PA,QL(60 per 30 days)
ADDERALL XR 10 MG, 15 MG, 5 MG CAPSULE, ER 24 HR. <b>MO</b>	3	PA,QL(30 per 30 days)
ADDERALL XR 20 MG, 25 MG, 30 MG CAPSULE, ER 24 HR. <b>MO</b>	3	PA,QL(60 per 30 days)
ADZENYS XR-ODT 12.5 MG, 15.7 MG, 18.8 MG, 3.1 MG, 6.3 MG, 9.4 MG TABLET, DISINTEGRATING ER BIPH <b>MO</b>	3	QL(30 per 30 days)
<i>amphetamine 12.5 mg, 15.7 mg, 18.8 mg, 3.1 mg, 6.3 mg, 9.4 mg TABLET, DISINTEGRATING ER BIPH</i> <b>MO</b>	3	QL(30 per 30 days)
<i>amphetamine sulfate 10 mg, 5 mg TABLET</i> <b>MO</b>	1	QL(90 per 30 days)
AMPYRA 10 MG TABLET, ER 12 HR. <b>DL</b>	4	PA,QL(60 per 30 days)
APTENSIO XR 10 MG, 15 MG, 20 MG, 30 MG, 40 MG, 50 MG, 60 MG CAPSULE, ER SPRINKLE, BIPHASIC <b>MO</b>	3	QL(30 per 30 days)
<i>atomoxetine 10 mg, 18 mg, 25 mg, 40 mg CAPSULE</i> <b>MO</b>	1	QL(60 per 30 days)
<i>atomoxetine 100 mg, 60 mg, 80 mg CAPSULE</i> <b>MO</b>	1	QL(30 per 30 days)
AUBAGIO 14 MG, 7 MG TABLET <b>DL</b>	4	PA,QL(30 per 30 days)
AUSTEDO 12 MG, 9 MG TABLET <b>DL</b>	4	PA,QL(120 per 30 days)
AUSTEDO 6 MG TABLET <b>DL</b>	4	PA,QL(60 per 30 days)
AUSTEDO XR 12 MG, 6 MG TABLET, ER 24 HR. <b>DL</b>	4	PA,QL(90 per 30 days)
AUSTEDO XR 18 MG, 30 MG, 36 MG, 42 MG, 48 MG TABLET, ER 24 HR. <b>DL</b>	4	PA,QL(30 per 30 days)
AUSTEDO XR 24 MG TABLET, ER 24 HR. <b>DL</b>	4	PA,QL(60 per 30 days)
AUSTEDO XR TITRATION KT(WK1-4) 12-18-24-30 MG TABLET, ER 24 HR., DOSE PACK <b>DL</b>	4	PA,QL(28 per 28 days)
AUSTEDO XR TITRATION KT(WK1-4) 6 MG (14)-12 MG (14)-24 MG (14) TABLET, ER 24 HR., DOSE PACK <b>DL</b>	4	PA,QL(42 per 28 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
AVONEX 30 MCG/0.5 ML PEN INJECTOR KIT <b>DL</b>	4	PA,QL(1 per 28 days)
AVONEX 30 MCG/0.5 ML SYRINGE KIT <b>DL</b>	4	PA,QL(1 per 28 days)
AZSTARYS 26.1 MG- 5.2 MG, 39.2 MG- 7.8 MG, 52.3 MG- 10.4 MG CAPSULE <b>MO</b>	3	QL(30 per 30 days)
BAFIERTAM 95 MG CAPSULE, DR/EC <b>DL</b>	4	PA,QL(120 per 30 days)
BETASERON 0.3 MG KIT <b>DL</b>	4	PA,QL(15 per 30 days)
BRIUMVI 25 MG/ML SOLUTION	4	PA
<i>cladribine(multiple sclerosis) 10 mg TABLET <b>DL</b></i>	4	PA
<i>clonidine hcl 0.1 mg TABLET, ER 12 HR. <b>MO</b></i>	1	QL(120 per 30 days)
CONCERTA 18 MG, 27 MG, 54 MG TABLET, ER 24 HR. <b>MO</b>	3	PA,QL(30 per 30 days)
CONCERTA 36 MG TABLET, ER 24 HR. <b>MO</b>	3	PA,QL(60 per 30 days)
COPAXONE 20 MG/ML SYRINGE <b>DL</b>	4	PA,QL(30 per 30 days)
COPAXONE 40 MG/ML SYRINGE <b>DL</b>	4	PA,QL(12 per 28 days)
COTEMPLA XR-ODT 17.3 MG, 8.6 MG TABLET, DISINTEGRATING ER BIPH <b>MO</b>	3	QL(30 per 30 days)
COTEMPLA XR-ODT 25.9 MG TABLET, DISINTEGRATING ER BIPH <b>MO</b>	3	QL(60 per 30 days)
CYMBALTA 20 MG CAPSULE, DR/EC <b>MO</b>	3	PA,QL(120 per 30 days)
CYMBALTA 30 MG CAPSULE, DR/EC <b>MO</b>	3	PA,QL(90 per 30 days)
CYMBALTA 60 MG CAPSULE, DR/EC <b>MO</b>	3	PA,QL(60 per 30 days)
<i>dalfampridine 10 mg TABLET, ER 12 HR. <b>MO</b></i>	1	PA,QL(60 per 30 days)
DAYTRANA 10 MG/9 HR, 15 MG/9 HR, 20 MG/9 HR, 30 MG/9 HR PATCH, 24 HR. <b>MO</b>	3	QL(30 per 30 days)
DESOXYN 5 MG TABLET <b>DL</b>	4	PA,QL(150 per 30 days)
DEXEDRINE SPANSULE 10 MG CAPSULE, ER <b>DL</b>	4	PA,QL(180 per 30 days)
DEXEDRINE SPANSULE 15 MG CAPSULE, ER <b>DL</b>	4	PA,QL(120 per 30 days)
<i>dexmethylphenidate 10 mg, 15 mg, 20 mg, 25 mg, 30 mg, 35 mg, 40 mg, 5 mg CAPSULE, ER, BIPHASIC <b>MO</b></i>	1	QL(30 per 30 days)
<i>dexmethylphenidate 10 mg, 2.5 mg, 5 mg TABLET <b>MO</b></i>	1	QL(60 per 30 days)
<i>dextroamphetamine sulfate 10 mg CAPSULE, ER <b>MO</b></i>	1	QL(180 per 30 days)
<i>dextroamphetamine sulfate 10 mg TABLET <b>MO</b></i>	1	QL(180 per 30 days)
<i>dextroamphetamine sulfate 15 mg CAPSULE, ER <b>MO</b></i>	1	QL(120 per 30 days)
<i>dextroamphetamine sulfate 15 mg TABLET <b>MO</b></i>	1	QL(120 per 30 days)
<i>dextroamphetamine sulfate 2.5 mg, 20 mg, 7.5 mg TABLET <b>MO</b></i>	1	QL(90 per 30 days)
<i>dextroamphetamine sulfate 30 mg TABLET <b>MO</b></i>	1	QL(60 per 30 days)
<i>dextroamphetamine sulfate 5 mg CAPSULE, ER <b>MO</b></i>	1	QL(60 per 30 days)
<i>dextroamphetamine sulfate 5 mg TABLET <b>MO</b></i>	1	QL(150 per 30 days)
<i>dextroamphetamine sulfate 5 mg/5 ml SOLUTION <b>MO</b></i>	1	QL(1800 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
dextroamphetamine-amphetamine 10 mg, 12.5 mg, 15 mg, 20 mg, 5 mg, 7.5 mg TABLET <b>MO</b>	1	QL(90 per 30 days)
dextroamphetamine-amphetamine 10 mg, 15 mg, 5 mg CAPSULE, ER 24 HR. <b>MO</b>	1	QL(30 per 30 days)
dextroamphetamine-amphetamine 12.5 mg, 25 mg, 37.5 mg, 50 mg CAPSULE ER TRIPHASIC 24 HR. <b>MO</b>	1	QL(30 per 30 days)
dextroamphetamine-amphetamine 20 mg, 25 mg, 30 mg CAPSULE, ER 24 HR. <b>MO</b>	1	QL(60 per 30 days)
dextroamphetamine-amphetamine 30 mg TABLET <b>MO</b>	1	QL(60 per 30 days)
dimethyl fumarate 120 mg (14)- 240 mg (46), 240 mg CAPSULE, DR/EC <b>MO</b>	1	PA,QL(60 per 30 days)
dimethyl fumarate 120 mg CAPSULE, DR/EC <b>MO</b>	1	PA,QL(14 per 30 days)
DRIZALMA SPRINKLE 20 MG, 30 MG, 40 MG, 60 MG CAPSULE, DR SPRINKLE <b>MO</b>	3	PA,QL(60 per 30 days)
duloxetine 20 mg CAPSULE, DR/EC <b>MO</b>	1	QL(120 per 30 days)
duloxetine 30 mg CAPSULE, DR/EC <b>MO</b>	1	QL(90 per 30 days)
duloxetine 40 mg CAPSULE, DR/EC <b>MO</b>	1	QL(60 per 30 days)
duloxetine 60 mg CAPSULE, DR/EC <b>MO</b>	1	QL(60 per 30 days)
DYANAVEL XR 10 MG, 15 MG, 20 MG, 5 MG TABLET, IR/ER 24 HR., BIPHASIC <b>MO</b>	3	QL(30 per 30 days)
DYANAVEL XR 2.5 MG/ML SUSPENSION, IR/ER BIPHASIC <b>MO</b>	3	QL(240 per 30 days)
edaravone 30 mg/100 ml, 60 mg/100 ml SOLUTION <b>DL</b>	4	PA
EVEKEO 10 MG, 5 MG TABLET <b>MO</b>	1	QL(90 per 30 days)
EVEKEO ODT 10 MG, 5 MG TABLET, DISINTEGRATING <b>MO</b>	3	QL(90 per 30 days)
EVEKEO ODT 15 MG, 20 MG TABLET, DISINTEGRATING <b>MO</b>	3	QL(60 per 30 days)
EXSERVAN 50 MG FILM <b>DL</b>	4	PA,QL(60 per 30 days)
EXTAVIA 0.3 MG KIT <b>DL</b>	4	PA,QL(15 per 30 days)
EXTAVIA 0.3 MG RECON SOLUTION <b>DL</b>	4	PA,QL(15 per 30 days)
fingolimod 0.5 mg CAPSULE <b>MO</b>	1	PA,QL(30 per 30 days)
FIRDAPSE 10 MG TABLET <b>DL</b>	4	PA,QL(240 per 30 days)
FOCALIN 10 MG, 2.5 MG, 5 MG TABLET <b>MO</b>	3	PA,QL(60 per 30 days)
FOCALIN XR 10 MG, 15 MG, 20 MG, 25 MG, 30 MG, 35 MG, 40 MG, 5 MG CAPSULE, ER, BIPHASIC <b>MO</b>	3	QL(30 per 30 days)
gabapentin 300 mg TABLET, ER 24 HR. <b>MO</b>	1	ST,QL(30 per 30 days)
gabapentin 450 mg, 600 mg TABLET, ER 24 HR. <b>MO</b>	1	ST,QL(90 per 30 days)
gabapentin 750 mg, 900 mg TABLET, ER 24 HR. <b>MO</b>	1	ST,QL(60 per 30 days)
GILENYA 0.25 MG, 0.5 MG CAPSULE <b>DL</b>	4	PA,QL(30 per 30 days)
glatiramer 20 mg/ml SYRINGE <b>DL</b>	4	PA,QL(30 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
glatiramer 40 mg/ml SYRINGE <b>DL</b>	4	PA,QL(12 per 28 days)
glatopa 20 mg/ml SYRINGE <b>DL</b>	4	PA,QL(30 per 30 days)
glatopa 40 mg/ml SYRINGE <b>DL</b>	4	PA,QL(12 per 28 days)
GRALISE 300 MG TABLET, ER 24 HR. <b>MO</b>	3	ST,QL(30 per 30 days)
GRALISE 450 MG, 600 MG TABLET, ER 24 HR. <b>MO</b>	3	ST,QL(90 per 30 days)
GRALISE 750 MG, 900 MG TABLET, ER 24 HR. <b>MO</b>	3	ST,QL(60 per 30 days)
guanfacine 1 mg, 2 mg, 3 mg, 4 mg TABLET, ER 24 HR. <b>MO</b>	1	QL(30 per 30 days)
HORIZANT 300 MG, 600 MG TABLET ER <b>MO</b>	3	PA,QL(60 per 30 days)
INGREZZA 40 MG, 60 MG, 80 MG CAPSULE <b>DL</b>	4	PA,QL(30 per 30 days)
INGREZZA INITIATION PK(TARDIV) 40 MG (7)- 80 MG (21) CAPSULE, DOSE PACK <b>DL</b>	4	PA,QL(28 per 28 days)
INGREZZA SPRINKLE 40 MG, 60 MG, 80 MG CAPSULE, SPRINKLE <b>DL</b>	4	PA,QL(30 per 30 days)
INTUNIV ER 1 MG, 2 MG, 3 MG, 4 MG TABLET, ER 24 HR. <b>MO</b>	3	QL(30 per 30 days)
JORNAY PM 100 MG, 20 MG, 40 MG, 60 MG, 80 MG CAPSULE, DR, ER SPRINKLE <b>MO</b>	3	QL(30 per 30 days)
KESIMPTA PEN 20 MG/0.4 ML PEN INJECTOR <b>DL</b>	4	PA,QL(1.2 per 28 days)
LEMTRADA 12 MG/1.2 ML SOLUTION <b>DL</b>	4	PA,QL(6 per 365 days)
lisdexamfetamine 10 mg, 20 mg, 30 mg, 40 mg, 50 mg, 60 mg CHEWABLE TABLET <b>MO</b>	1	PA,QL(30 per 30 days)
lisdexamfetamine 10 mg, 20 mg, 30 mg, 40 mg, 50 mg, 60 mg, 70 mg CAPSULE <b>MO</b>	1	PA,QL(30 per 30 days)
LYNKUET 60 MG CAPSULE <b>MO</b>	3	PA,QL(60 per 30 days)
LYRICA 100 MG, 150 MG, 200 MG, 25 MG, 50 MG, 75 MG CAPSULE <b>MO</b>	3	PA,QL(90 per 30 days)
LYRICA 20 MG/ML SOLUTION <b>MO</b>	3	PA,QL(900 per 30 days)
LYRICA 225 MG, 300 MG CAPSULE <b>MO</b>	3	PA,QL(60 per 30 days)
LYRICA CR 165 MG, 82.5 MG TABLET, ER 24 HR. <b>MO</b>	3	PA,QL(30 per 30 days)
LYRICA CR 330 MG TABLET, ER 24 HR. <b>MO</b>	3	PA,QL(60 per 30 days)
MAVENCLAD (10 TABLET PACK) 10 MG TABLET <b>DL</b>	4	PA
MAVENCLAD (4 TABLET PACK) 10 MG TABLET <b>DL</b>	4	PA
MAVENCLAD (5 TABLET PACK) 10 MG TABLET <b>DL</b>	4	PA
MAVENCLAD (6 TABLET PACK) 10 MG TABLET <b>DL</b>	4	PA
MAVENCLAD (7 TABLET PACK) 10 MG TABLET <b>DL</b>	4	PA
MAVENCLAD (8 TABLET PACK) 10 MG TABLET <b>DL</b>	4	PA
MAVENCLAD (9 TABLET PACK) 10 MG TABLET <b>DL</b>	4	PA
MAYZENT 0.25 MG TABLET <b>DL</b>	4	PA,QL(120 per 30 days)
MAYZENT 1 MG, 2 MG TABLET <b>DL</b>	4	PA,QL(30 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
MAYZENT STARTER(FOR 1MG MAINT) 0.25 MG (7 TABS) TABLET, DOSE PACK <b>DL</b>	4	PA,QL(7 per 30 days)
MAYZENT STARTER(FOR 2MG MAINT) 0.25 MG (12 TABS) TABLET, DOSE PACK <b>DL</b>	4	PA,QL(12 per 30 days)
METADATE CD 10 MG, 40 MG, 50 MG, 60 MG CAPSULE, ER, BIPHASIC <b>MO</b>	3	QL(30 per 30 days)
METADATE CD 20 MG, 30 MG CAPSULE, ER, BIPHASIC <b>MO</b>	3	QL(60 per 30 days)
<i>methamphetamine</i> 5 mg TABLET <b>DL</b>	4	QL(150 per 30 days)
METHYLIN 10 MG/5 ML SOLUTION <b>MO</b>	3	PA,QL(900 per 30 days)
METHYLIN 5 MG/5 ML SOLUTION <b>MO</b>	3	PA,QL(1800 per 30 days)
<i>methylphenidate</i> 10 mg/9 hr, 15 mg/9 hr, 20 mg/9 hr, 30 mg/9 hr PATCH, 24 HR. <b>MO</b>	1	QL(30 per 30 days)
<i>methylphenidate hcl</i> 10 mg CHEWABLE TABLET <b>MO</b>	1	QL(180 per 30 days)
<i>methylphenidate hcl</i> 10 mg TABLET ER <b>MO</b>	1	QL(180 per 30 days)
<i>methylphenidate hcl</i> 10 mg, 15 mg, 20 mg, 30 mg, 40 mg, 50 mg, 60 mg CAPSULE, ER SPRINKLE, BIPHASIC <b>MO</b>	3	QL(30 per 30 days)
<i>methylphenidate hcl</i> 10 mg, 20 mg, 40 mg, 50 mg, 60 mg CAPSULE, ER, BIPHASIC <b>MO</b>	1	QL(30 per 30 days)
<i>methylphenidate hcl</i> 10 mg, 20 mg, 5 mg TABLET <b>MO</b>	1	QL(90 per 30 days)
<i>methylphenidate hcl</i> 10 mg/5 ml SOLUTION <b>MO</b>	1	QL(900 per 30 days)
<i>methylphenidate hcl</i> 18 mg, 27 mg, 54 mg, 72 mg TABLET, ER 24 HR. <b>MO</b>	1	QL(30 per 30 days)
<i>methylphenidate hcl</i> 2.5 mg, 5 mg CHEWABLE TABLET <b>MO</b>	1	QL(150 per 30 days)
<i>methylphenidate hcl</i> 20 mg TABLET ER <b>MO</b>	1	QL(90 per 30 days)
<i>methylphenidate hcl</i> 20 mg, 30 mg CAPSULE, ER, BIPHASIC <b>MO</b>	1	QL(60 per 30 days)
<i>methylphenidate hcl</i> 36 mg TABLET, ER 24 HR. <b>MO</b>	1	QL(60 per 30 days)
<i>methylphenidate hcl</i> 45 mg, 63 mg TABLET, ER 24 HR. <b>MO</b>	3	QL(30 per 30 days)
<i>methylphenidate hcl</i> 5 mg/5 ml SOLUTION <b>MO</b>	1	QL(1800 per 30 days)
MYDAYIS 12.5 MG, 25 MG, 37.5 MG, 50 MG CAPSULE ER TRIPHASIC 24 HR. <b>MO</b>	3	QL(30 per 30 days)
NUDEXTA 20-10 MG CAPSULE <b>DL</b>	4	PA,QL(60 per 30 days)
OCREVUS 30 MG/ML SOLUTION	4	PA,QL(40 per 365 days)
OCREVUS ZUNOVO 920 MG-23,000 UNIT/23 ML SOLUTION	4	PA,QL(46 per 365 days)
ONYDA XR 0.1 MG/ML SUSPENSION, ER 24 HR. <b>DL</b>	4	QL(120 per 30 days)
PLEGRIDY 125 MCG/0.5 ML, 63 MCG/0.5 ML - 94 MCG/0.5 ML PEN INJECTOR <b>DL</b>	4	PA,QL(1 per 28 days)
PLEGRIDY 125 MCG/0.5 ML, 63 MCG/0.5 ML - 94 MCG/0.5 ML SYRINGE <b>DL</b>	4	PA,QL(1 per 28 days)
PONVORY 20 MG TABLET <b>DL</b>	4	PA,QL(30 per 30 days)
PONVORY 14-DAY STARTER PACK 2 MG (2) - 10 MG (3) TABLET, DOSE PACK <b>DL</b>	4	PA,QL(14 per 30 days)
<i>pregabalin</i> 100 mg, 150 mg, 50 mg, 75 mg CAPSULE <b>MO</b>	1	QL(90 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
pregabalin 165 mg, 82.5 mg TABLET, ER 24 HR. <b>MO</b>	1	PA,QL(30 per 30 days)
pregabalin 20 mg/ml SOLUTION <b>MO</b>	1	QL(900 per 30 days)
pregabalin 200 mg, 25 mg CAPSULE <b>MO</b>	1	QL(90 per 30 days)
pregabalin 225 mg, 300 mg CAPSULE <b>MO</b>	1	QL(60 per 30 days)
pregabalin 330 mg TABLET, ER 24 HR. <b>MO</b>	1	PA,QL(60 per 30 days)
procentra 5 mg/5 ml SOLUTION <b>DL</b>	4	QL(1800 per 30 days)
QALSODY 100 MG/15 ML (6.7 MG/ML) SOLUTION <b>DL</b>	4	PA
QELBREE 100 MG, 200 MG CAPSULE, ER 24 HR. <b>MO</b>	3	PA,QL(90 per 30 days)
QELBREE 150 MG CAPSULE, ER 24 HR. <b>MO</b>	3	PA,QL(60 per 30 days)
QUILLICHEW ER 20 MG, 40 MG CHEWABLE TABLET, IR/ER BIPHASE <b>MO</b>	3	QL(30 per 30 days)
QUILLICHEW ER 30 MG CHEWABLE TABLET, IR/ER BIPHASE <b>MO</b>	3	QL(60 per 30 days)
QUILLIVANT XR 5 MG/ML (25 MG/5 ML) SUSPENSION, ER, RECON <b>MO</b>	3	QL(360 per 30 days)
RADICAVA 30 MG/100 ML SOLUTION <b>DL</b>	4	PA
RADICAVA ORS 105 MG/5 ML SUSPENSION <b>DL</b>	4	PA,QL(70 per 28 days)
RADICAVA ORS STARTER KIT SUSP 105 MG/5 ML SUSPENSION <b>DL</b>	4	PA,QL(70 per 28 days)
REBIF (WITH ALBUMIN) 22 MCG/0.5 ML, 44 MCG/0.5 ML SYRINGE <b>DL</b>	4	PA,QL(6 per 28 days)
REBIF REBIDOSE 22 MCG/0.5 ML, 44 MCG/0.5 ML PEN INJECTOR <b>DL</b>	4	PA,QL(6 per 28 days)
REBIF REBIDOSE 8.8MCG/0.2ML-22 MCG/0.5ML (6) PEN INJECTOR <b>DL</b>	4	PA,QL(4.2 per 28 days)
REBIF TITRATION PACK 8.8MCG/0.2ML-22 MCG/0.5ML (6) SYRINGE <b>DL</b>	4	PA,QL(4.2 per 28 days)
RELEXXII 18 MG, 27 MG, 45 MG, 54 MG, 63 MG, 72 MG TABLET, ER 24 HR. <b>MO</b>	3	QL(30 per 30 days)
RELEXXII 36 MG TABLET, ER 24 HR. <b>MO</b>	3	QL(60 per 30 days)
RILUTEK 50 MG TABLET <b>DL</b>	4	
riluzole 50 mg TABLET <b>MO</b>	1	
RITALIN 10 MG, 20 MG, 5 MG TABLET <b>MO</b>	3	PA,QL(90 per 30 days)
RITALIN LA 10 MG, 20 MG, 40 MG CAPSULE, ER, BIPHASIC <b>MO</b>	3	PA,QL(30 per 30 days)
RITALIN LA 30 MG CAPSULE, ER, BIPHASIC <b>MO</b>	3	PA,QL(60 per 30 days)
SAVELLA 100 MG, 12.5 MG, 25 MG, 50 MG TABLET <b>MO</b>	3	PA,QL(60 per 30 days)
SAVELLA 12.5 MG (5)-25 MG(8)-50 MG(42) TABLET, DOSE PACK <b>MO</b>	3	PA,QL(55 per 28 days)
SKYCLARYS 50 MG CAPSULE <b>DL</b>	4	PA,QL(90 per 30 days)
STRATTERA 10 MG, 18 MG, 25 MG, 40 MG CAPSULE <b>MO</b>	3	PA,QL(60 per 30 days)
STRATTERA 100 MG, 60 MG, 80 MG CAPSULE <b>MO</b>	3	PA,QL(30 per 30 days)
TASCENSO ODT 0.25 MG, 0.5 MG TABLET, DISINTEGRATING <b>DL</b>	4	PA,QL(30 per 30 days)
TECFIDERA 120 MG (14)- 240 MG (46), 240 MG CAPSULE, DR/EC <b>DL</b>	4	PA,QL(60 per 30 days)
TECFIDERA 120 MG CAPSULE, DR/EC <b>DL</b>	4	PA,QL(14 per 30 days)
TEGLUTIK 50 MG/10 ML SUSPENSION <b>DL</b>	4	PA,QL(600 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
teriflunomide 14 mg, 7 mg TABLET <b>MO</b>	1	PA,QL(30 per 30 days)
tetrabenazine 12.5 mg TABLET <b>MO</b>	1	PA,QL(240 per 30 days)
tetrabenazine 25 mg TABLET <b>MO</b>	1	PA,QL(120 per 30 days)
TIGLUTIK 50 MG/10 ML SUSPENSION <b>DL</b>	4	PA,QL(600 per 30 days)
TYRUKO 300 MG/15 ML SOLUTION <b>DL</b>	4	PA,QL(15 per 28 days)
TYSABRI 300 MG/15 ML SOLUTION <b>DL</b>	4	PA,QL(15 per 28 days)
VEOZAH 45 MG TABLET <b>MO</b>	3	PA,QL(30 per 30 days)
VUMERITY 231 MG CAPSULE, DR/EC <b>DL</b>	4	PA,QL(120 per 30 days)
VYVANSE 10 MG, 20 MG, 30 MG, 40 MG, 50 MG, 60 MG CHEWABLE TABLET <b>MO</b>	3	PA,QL(30 per 30 days)
VYVANSE 10 MG, 20 MG, 30 MG, 40 MG, 50 MG, 60 MG, 70 MG CAPSULE <b>MO</b>	3	PA,QL(30 per 30 days)
XELSTRYM 13.5 MG/9 HOUR, 18 MG/9 HOUR, 4.5 MG/9 HOUR, 9 MG/9 HOUR PATCH, 24 HR. <b>MO</b>	3	QL(30 per 30 days)
XENAZINE 12.5 MG TABLET <b>DL</b>	4	PA,QL(240 per 30 days)
XENAZINE 25 MG TABLET <b>DL</b>	4	PA,QL(120 per 30 days)
zenzedi 10 mg TABLET <b>MO</b>	1	QL(180 per 30 days)
ZENZEDI 15 MG TABLET <b>MO</b>	1	QL(120 per 30 days)
ZENZEDI 2.5 MG, 20 MG, 7.5 MG TABLET <b>MO</b>	1	QL(90 per 30 days)
ZENZEDI 30 MG TABLET <b>MO</b>	1	QL(60 per 30 days)
zenzedi 5 mg TABLET <b>MO</b>	1	QL(150 per 30 days)
ZEPOSIA 0.92 MG CAPSULE <b>DL</b>	4	PA,QL(30 per 30 days)
ZEPOSIA STARTER KIT (28-DAY) 0.23 MG-0.46 MG -0.92 MG (21) CAPSULE, DOSE PACK <b>DL</b>	4	PA,QL(28 per 28 days)
ZEPOSIA STARTER PACK (7-DAY) 0.23 MG (4)- 0.46 MG (3) CAPSULE, DOSE PACK <b>DL</b>	4	PA,QL(7 per 7 days)
<b>DENTAL &amp; ORAL AGENTS</b>		
cevimeline 30 mg CAPSULE <b>MO</b>	1	
chlorhexidine gluconate 0.12 % MOUTHWASH <b>MO</b>	1	
EVOXAC 30 MG CAPSULE <b>MO</b>	3	PA
KEPIVANCE 5.16 MG RECON SOLUTION <b>DL</b>	4	
kourzeq 0.1 % PASTE <b>MO</b>	1	
oralone 0.1 % PASTE <b>MO</b>	1	
periogard 0.12 % MOUTHWASH <b>MO</b>	1	
pilocarpine hcl 5 mg, 7.5 mg TABLET <b>MO</b>	1	
SALAGEN (PILOCARPINE) 5 MG, 7.5 MG TABLET <b>MO</b>	3	
triamcinolone acetonide 0.1 % PASTE <b>MO</b>	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<b>DERMATOLOGICAL AGENTS</b>		
ABSORICA 10 MG, 20 MG, 25 MG, 30 MG, 35 MG, 40 MG CAPSULE <b>DL</b>	4	ST
ABSORICA LD 16 MG, 24 MG, 32 MG, 8 MG CAPSULE <b>DL</b>	4	ST
ACANYA 1.2-2.5 % GEL WITH PUMP <b>MO</b>	3	QL(50 per 30 days)
<i>accutane 10 mg, 20 mg, 30 mg, 40 mg CAPSULE <b>MO</b></i>	1	
<i>acitretin 10 mg, 17.5 mg, 25 mg CAPSULE <b>MO</b></i>	1	PA
ACZONE 5 % GEL <b>MO</b>	3	QL(90 per 30 days)
ACZONE 7.5 % GEL WITH PUMP <b>MO</b>	3	QL(90 per 30 days)
<i>adapalene 0.1 % CREAM <b>MO</b></i>	1	QL(45 per 30 days)
<i>adapalene 0.1 % SOLUTION <b>DL</b></i>	4	QL(60 per 30 days)
<i>adapalene 0.1 % SWAB</i>	4	QL(30 per 30 days)
<i>adapalene 0.3 % GEL <b>MO</b></i>	1	QL(45 per 30 days)
<i>adapalene 0.3 % GEL WITH PUMP <b>MO</b></i>	1	QL(45 per 30 days)
<i>adapalene-benzoyl peroxide 0.1-2.5 % GEL WITH PUMP <b>MO</b></i>	1	QL(45 per 30 days)
<i>adapalene-benzoyl peroxide 0.3-2.5 % GEL WITH PUMP <b>MO</b></i>	1	QL(60 per 30 days)
ADBRY 150 MG/ML SYRINGE <b>DL</b>	4	PA,QL(6 per 28 days)
ADBRY 300 MG/2 ML AUTO-INJECTOR <b>DL</b>	4	PA,QL(6 per 28 days)
AKLIEF 0.005 % CREAM <b>MO</b>	3	QL(90 per 30 days)
ALA-CORT 1 % CREAM <b>MO</b>	1	QL(240 per 30 days)
ALA-SCALP 2 % LOTION <b>MO</b>	1	QL(236.8 per 30 days)
<i>alclometasone 0.05 % CREAM <b>MO</b></i>	1	QL(240 per 30 days)
<i>alclometasone 0.05 % OINTMENT <b>MO</b></i>	1	QL(240 per 30 days)
ALTABAX 1 % OINTMENT <b>MO</b>	3	
ALTRENO 0.05 % LOTION <b>MO</b>	3	PA,QL(90 per 30 days)
<i>amcinonide 0.1 % CREAM</i>	4	QL(120 per 30 days)
<i>amcinonide 0.1 % OINTMENT <b>DL</b></i>	4	ST,QL(120 per 30 days)
<i>ammonium lactate 12 % CREAM <b>MO</b></i>	1	
<i>ammonium lactate 12 % LOTION <b>MO</b></i>	1	
<i>amnesteem 10 mg, 20 mg, 30 mg, 40 mg CAPSULE <b>MO</b></i>	1	
AMZEEQ 4 % FOAM <b>MO</b>	3	PA,QL(30 per 30 days)
<i>anusol-hc 2.5 % CREAM W/PERINEAL APPLICATOR <b>MO</b></i>	1	QL(60 per 30 days)
ANZUPGO 2 % CREAM <b>DL</b>	4	PA,QL(60 per 28 days)
<i>apexicon e 0.05 % CREAM <b>MO</b></i>	1	QL(60 per 30 days)
ARAZLO 0.045 % LOTION <b>MO</b>	3	PA
ATRALIN 0.05 % GEL <b>MO</b>	3	PA,QL(45 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
AVITA 0.025 % CREAM <b>MO</b>	3	PA,QL(45 per 30 days)
AVITA 0.025 % GEL <b>MO</b>	3	PA,QL(45 per 30 days)
azelaic acid 15 % GEL <b>MO</b>	1	ST,QL(50 per 30 days)
AZELEX 20 % CREAM <b>MO</b>	3	QL(50 per 30 days)
BENZAMYCIN 3-5 % GEL <b>MO</b>	3	QL(46.6 per 30 days)
beseer 0.05 % LOTION <b>MO</b>	1	QL(240 per 30 days)
betamethasone dipropionate 0.05 % CREAM <b>MO</b>	1	QL(90 per 30 days)
betamethasone dipropionate 0.05 % LOTION <b>MO</b>	1	QL(120 per 30 days)
betamethasone dipropionate 0.05 % OINTMENT <b>MO</b>	1	QL(90 per 30 days)
betamethasone valerate 0.1 % CREAM <b>MO</b>	1	QL(180 per 30 days)
betamethasone valerate 0.1 % LOTION <b>MO</b>	1	QL(120 per 30 days)
betamethasone valerate 0.1 % OINTMENT <b>MO</b>	1	QL(180 per 30 days)
betamethasone valerate 0.12 % FOAM <b>MO</b>	1	QL(200 per 30 days)
betamethasone, augmented 0.05 % CREAM <b>MO</b>	1	QL(100 per 30 days)
betamethasone, augmented 0.05 % GEL <b>MO</b>	1	QL(100 per 30 days)
betamethasone, augmented 0.05 % LOTION <b>MO</b>	1	QL(120 per 30 days)
betamethasone, augmented 0.05 % OINTMENT <b>MO</b>	1	QL(100 per 30 days)
brimonidine 0.33 % GEL WITH PUMP <b>MO</b>	1	ST,QL(30 per 30 days)
BRYHALI 0.01 % LOTION <b>MO</b>	3	ST,QL(200 per 30 days)
CABTREO 0.15-3.1-1.2 % GEL <b>MO</b>	3	QL(50 per 30 days)
calcipotriene 0.005 % CREAM <b>MO</b>	1	PA,QL(120 per 30 days)
calcipotriene 0.005 % FOAM <b>MO</b>	1	ST,QL(120 per 28 days)
calcipotriene 0.005 % OINTMENT <b>MO</b>	1	QL(240 per 30 days)
calcipotriene 0.005 % SOLUTION <b>MO</b>	1	QL(60 per 30 days)
calcipotriene-betamethasone 0.005-0.064 % OINTMENT <b>MO</b>	1	PA,QL(60 per 30 days)
calcipotriene-betamethasone 0.005-0.064 % SUSPENSION <b>MO</b>	1	PA,QL(420 per 30 days)
calcitriol 3 mcg/gram OINTMENT <b>MO</b>	1	ST,QL(800 per 28 days)
CAPEX 0.01 % SHAMPOO <b>MO</b>	3	QL(840 per 30 days)
CARAC 0.5 % CREAM <b>DL</b>	4	PA,QL(60 per 30 days)
CENTANY 2 % OINTMENT <b>MO</b>	3	
claravis 10 mg, 20 mg, 30 mg, 40 mg CAPSULE <b>MO</b>	1	
CLEOCIN T 1 % LOTION <b>MO</b>	3	QL(60 per 30 days)
clindacin 1 % FOAM <b>MO</b>	1	QL(100 per 30 days)
clindacin etz 1 % SWAB <b>MO</b>	1	
clindacin p 1 % SWAB <b>MO</b>	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
CLINDAGEL 1 % GEL, ONCE DAILY <b>DL</b>	4	PA,QL(75 per 30 days)
clindamycin phosphate 1 % FOAM <b>MO</b>	1	QL(100 per 30 days)
clindamycin phosphate 1 % GEL <b>MO</b>	1	QL(60 per 30 days)
clindamycin phosphate 1 % GEL, ONCE DAILY <b>MO</b>	1	PA,QL(75 per 30 days)
clindamycin phosphate 1 % LOTION <b>MO</b>	1	QL(60 per 30 days)
clindamycin phosphate 1 % SOLUTION <b>MO</b>	1	QL(60 per 30 days)
clindamycin phosphate 1 % SWAB <b>MO</b>	1	
clindamycin-benzoyl peroxide 1-5 % GEL <b>MO</b>	1	QL(50 per 30 days)
clindamycin-benzoyl peroxide 1-5 %, 1.2 %(1 % base) -3.75 %, 1.2-2.5 % GEL WITH PUMP <b>MO</b>	1	QL(50 per 30 days)
clindamycin-benzoyl peroxide 1.2 %(1 % base) -5 % GEL <b>MO</b>	1	QL(45 per 30 days)
clindamycin-tretinoin 1.2-0.025 % GEL <b>MO</b>	1	QL(60 per 30 days)
clobetasol 0.05 % CREAM <b>MO</b>	1	QL(120 per 30 days)
clobetasol 0.05 % FOAM <b>MO</b>	1	QL(100 per 28 days)
clobetasol 0.05 % GEL <b>MO</b>	1	QL(120 per 28 days)
clobetasol 0.05 % LOTION <b>MO</b>	1	QL(240 per 28 days)
clobetasol 0.05 % OINTMENT <b>MO</b>	1	QL(120 per 28 days)
clobetasol 0.05 % SHAMPOO <b>MO</b>	1	QL(240 per 30 days)
clobetasol 0.05 % SOLUTION <b>MO</b>	1	QL(100 per 30 days)
clobetasol 0.05 % SPRAY, NON-AEROSOL <b>MO</b>	1	QL(240 per 30 days)
clobetasol-emollient 0.05 % CREAM <b>MO</b>	1	QL(120 per 30 days)
clobetasol-emollient 0.05 % FOAM <b>MO</b>	1	QL(100 per 30 days)
CLOBEX 0.05 % LOTION <b>MO</b>	3	ST,QL(240 per 28 days)
CLOBEX 0.05 % SHAMPOO <b>MO</b>	3	ST,QL(240 per 30 days)
CLOBEX 0.05 % SPRAY, NON-AEROSOL <b>MO</b>	3	ST,QL(240 per 30 days)
clocortolone pivalate 0.1 % CREAM <b>MO</b>	1	QL(180 per 30 days)
clodan 0.05 % SHAMPOO <b>MO</b>	1	QL(240 per 30 days)
CONDYLOX 0.5 % GEL <b>MO</b>	3	
CORDRAN 0.025 % CREAM <b>MO</b>	3	ST,QL(240 per 30 days)
CORDRAN 0.05 % CREAM <b>DL</b>	4	ST,QL(240 per 30 days)
CORDRAN 0.05 % LOTION <b>DL</b>	4	ST,QL(240 per 30 days)
CORDRAN 0.05 % OINTMENT <b>MO</b>	3	ST,QL(240 per 30 days)
CORDRAN TAPE LARGE ROLL 4 MCG/CM2 TAPE <b>MO</b>	3	QL(2 per 30 days)
CORTEF 10 MG, 20 MG, 5 MG TABLET <b>MO</b>	3	
crotan 10 % LOTION <b>DL</b>	4	PA,QL(454 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
dapsone 5 %, 7.5 % GEL <b>MO</b>	1	QL(90 per 30 days)
dapsone 7.5 % GEL WITH PUMP <b>MO</b>	1	QL(90 per 30 days)
DERMA-SMOOTHIE/FS BODY OIL 0.01 % OIL <b>MO</b>	3	QL(118.28 per 30 days)
DERMA-SMOOTHIE/FS SCALP OIL 0.01 % OIL <b>MO</b>	3	QL(118.28 per 30 days)
desonide 0.05 % CREAM <b>MO</b>	1	QL(240 per 30 days)
desonide 0.05 % GEL <b>MO</b>	1	QL(240 per 30 days)
desonide 0.05 % LOTION <b>MO</b>	1	QL(240 per 30 days)
desonide 0.05 % OINTMENT <b>MO</b>	1	QL(240 per 30 days)
desoximetasone 0.05 % CREAM <b>MO</b>	1	QL(240 per 30 days)
desoximetasone 0.05 % GEL <b>MO</b>	1	QL(240 per 30 days)
desoximetasone 0.05 % OINTMENT <b>MO</b>	1	QL(240 per 30 days)
desoximetasone 0.25 % CREAM <b>MO</b>	1	QL(120 per 30 days)
desoximetasone 0.25 % OINTMENT <b>MO</b>	1	QL(120 per 30 days)
desoximetasone 0.25 % SPRAY, NON-AEROSOL <b>MO</b>	1	QL(100 per 30 days)
diclofenac sodium 3 % GEL <b>MO</b>	1	PA
DIFFERIN 0.1 % CREAM <b>MO</b>	3	PA,QL(45 per 30 days)
DIFFERIN 0.1 % LOTION <b>MO</b>	3	QL(59 per 30 days)
DIFFERIN 0.3 % GEL WITH PUMP <b>MO</b>	3	QL(45 per 30 days)
diflorasone 0.05 % CREAM <b>DL</b>	4	QL(120 per 30 days)
diflorasone 0.05 % OINTMENT <b>MO</b>	3	QL(120 per 30 days)
DIPROLENE (AUGMENTED) 0.05 % OINTMENT <b>MO</b>	3	QL(100 per 30 days)
doxepin 5 % CREAM <b>DL</b>	4	PA,QL(45 per 30 days)
DUOBRII 0.01-0.045 % LOTION <b>MO</b>	3	PA,QL(200 per 28 days)
EBGLYSS PEN 250 MG/2 ML PEN INJECTOR <b>DL</b>	4	PA,QL(8 per 28 days)
EBGLYSS SYRINGE 250 MG/2 ML SYRINGE <b>DL</b>	4	PA,QL(8 per 28 days)
EFUDEX 5 % CREAM <b>MO</b>	3	PA
ELIDEL 1 % CREAM <b>MO</b>	3	PA,QL(100 per 30 days)
ELIMITE 5 % CREAM <b>MO</b>	3	
ENSTILAR 0.005-0.064 % FOAM <b>MO</b>	3	QL(120 per 30 days)
EPIDUO 0.1-2.5 % GEL WITH PUMP <b>MO</b>	3	QL(45 per 30 days)
EPIDUO FORTE 0.3-2.5 % GEL WITH PUMP <b>MO</b>	3	QL(60 per 30 days)
EPIFOAM 1-1 % FOAM <b>MO</b>	1	
EPSOLAY 5 % CREAM <b>MO</b>	3	ST,QL(30 per 30 days)
ery pads 2 % SWAB <b>MO</b>	1	QL(60 per 30 days)
ERYGEL 2 % GEL <b>MO</b>	1	QL(60 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<i>erythromycin with ethanol 2 % GEL</i> <b>MO</b>	1	QL(60 per 30 days)
<i>erythromycin with ethanol 2 % SOLUTION</i> <b>MO</b>	1	QL(120 per 30 days)
<i>erythromycin-benzoyl peroxide 3-5 % GEL</i> <b>MO</b>	1	QL(46.6 per 30 days)
EUCRISA 2 % OINTMENT <b>MO</b>	3	PA,QL(100 per 30 days)
EURAX 10 % CREAM <b>MO</b>	3	PA
EURAX 10 % LOTION <b>MO</b>	3	PA,QL(454 per 30 days)
EVOCLIN 1 % FOAM <b>MO</b>	3	PA,QL(100 per 30 days)
FABIOR 0.1 % FOAM <b>MO</b>	3	PA,QL(100 per 30 days)
FINACEA 15 % FOAM <b>MO</b>	3	ST,QL(50 per 30 days)
<i>fluocinolone 0.01 % OIL</i> <b>MO</b>	1	QL(118.28 per 30 days)
<i>fluocinolone 0.01 % SOLUTION</i> <b>MO</b>	1	QL(180 per 30 days)
<i>fluocinolone 0.01 %, 0.025 % CREAM</i> <b>MO</b>	1	QL(120 per 30 days)
<i>fluocinolone 0.025 % OINTMENT</i> <b>MO</b>	1	QL(120 per 30 days)
<i>fluocinolone and shower cap 0.01 % OIL</i> <b>MO</b>	1	QL(118.28 per 30 days)
<i>fluocinonide 0.05 % CREAM</i> <b>MO</b>	1	QL(120 per 30 days)
<i>fluocinonide 0.05 % GEL</i> <b>MO</b>	1	QL(120 per 30 days)
<i>fluocinonide 0.05 % OINTMENT</i> <b>MO</b>	1	QL(120 per 30 days)
<i>fluocinonide 0.05 % SOLUTION</i> <b>MO</b>	1	QL(120 per 30 days)
<i>fluocinonide 0.1 % CREAM</i> <b>MO</b>	1	QL(120 per 28 days)
<i>fluocinonide-e 0.05 % CREAM</i> <b>MO</b>	1	QL(120 per 30 days)
<i>fluocinonide-emollient 0.05 % CREAM</i> <b>MO</b>	1	QL(120 per 30 days)
FLUROPLEX 1 % CREAM <b>DL</b>	4	
<i>fluorouracil 0.5 % CREAM</i> <b>DL</b>	4	QL(60 per 30 days)
<i>fluorouracil 2 % SOLUTION</i> <b>MO</b>	1	QL(30 per 30 days)
<i>fluorouracil 5 % CREAM</i> <b>MO</b>	1	
<i>fluorouracil 5 % SOLUTION</i> <b>MO</b>	1	QL(60 per 30 days)
<i>flurandrenolide 0.05 % CREAM</i> <b>MO</b>	1	QL(240 per 30 days)
<i>flurandrenolide 0.05 % LOTION</i> <b>MO</b>	3	QL(240 per 30 days)
<i>flurandrenolide 0.05 % OINTMENT</i> <b>MO</b>	1	QL(240 per 30 days)
<i>fluticasone propionate 0.005 % OINTMENT</i> <b>MO</b>	1	QL(240 per 30 days)
<i>fluticasone propionate 0.05 % CREAM</i> <b>MO</b>	1	QL(240 per 30 days)
<i>fluticasone propionate 0.05 % LOTION</i> <b>MO</b>	1	QL(240 per 30 days)
<i>halcinonide 0.1 % CREAM</i> <b>MO</b>	1	QL(120 per 30 days)
<i>halcinonide 0.1 % SOLUTION</i> <b>MO</b>	1	QL(120 per 30 days)
<i>halobetasol propionate 0.05 % CREAM</i> <b>MO</b>	1	QL(100 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<i>halobetasol propionate</i> 0.05 % FOAM <b>MO</b>	3	QL(100 per 30 days)
<i>halobetasol propionate</i> 0.05 % OINTMENT <b>MO</b>	1	QL(100 per 30 days)
HALOG 0.1 % CREAM <b>DL</b>	4	QL(120 per 30 days)
HALOG 0.1 % SOLUTION <b>MO</b>	3	QL(120 per 30 days)
<i>hydrocortisone</i> 1 % CREAM W/PERINEAL APPLICATOR <b>MO</b>	1	QL(28.4 per 30 days)
<i>hydrocortisone</i> 1 %, 2.5 % CREAM <b>MO</b>	1	QL(240 per 30 days)
<i>hydrocortisone</i> 1 %, 2.5 % OINTMENT <b>MO</b>	1	QL(240 per 30 days)
<i>hydrocortisone</i> 10 mg, 20 mg, 5 mg TABLET <b>MO</b>	1	
<i>hydrocortisone</i> 2 % LOTION <b>DL</b>	4	QL(236.8 per 30 days)
<i>hydrocortisone</i> 2.5 % CREAM W/PERINEAL APPLICATOR <b>MO</b>	1	QL(60 per 30 days)
<i>hydrocortisone</i> 2.5 % LOTION <b>MO</b>	1	QL(236 per 30 days)
<i>hydrocortisone</i> 2.5 % SOLUTION <b>DL</b>	4	QL(240 per 30 days)
<i>hydrocortisone butyrate</i> 0.1 % CREAM <b>MO</b>	1	QL(240 per 30 days)
<i>hydrocortisone butyrate</i> 0.1 % LOTION <b>MO</b>	1	QL(236 per 30 days)
<i>hydrocortisone butyrate</i> 0.1 % OINTMENT <b>MO</b>	1	QL(180 per 30 days)
<i>hydrocortisone butyrate</i> 0.1 % SOLUTION <b>MO</b>	1	QL(240 per 30 days)
<i>hydrocortisone valerate</i> 0.2 % CREAM <b>MO</b>	1	QL(240 per 30 days)
<i>hydrocortisone valerate</i> 0.2 % OINTMENT <b>MO</b>	1	QL(240 per 30 days)
HYFTOR 0.2 % GEL <b>DL</b>	4	PA
<i>imiquimod</i> 3.75 % CREAM IN PACKET <b>MO</b>	3	ST,QL(28 per 28 days)
<i>imiquimod</i> 3.75 % CREAM, METERED DOSE PUMP <b>DL</b>	4	ST,QL(15 per 30 days)
<i>imiquimod</i> 5 % CREAM IN PACKET <b>MO</b>	1	QL(12 per 30 days)
<i>isotretinoin</i> 10 mg, 20 mg, 30 mg, 40 mg CAPSULE <b>MO</b>	1	
<i>isotretinoin</i> 25 mg, 35 mg CAPSULE <b>DL</b>	4	
<i>ivermectin</i> 1 % CREAM <b>MO</b>	1	ST,QL(45 per 30 days)
KLISYRI (250 MG) 1 % OINTMENT IN PACKET <b>DL</b>	4	PA,QL(5 per 30 days)
KLISYRI (350 MG) 1 % OINTMENT IN PACKET <b>DL</b>	4	PA,QL(5 per 30 days)
LEXETTE 0.05 % FOAM <b>MO</b>	3	QL(100 per 30 days)
<i>lexette</i> 0.05 % FOAM <b>MO</b>	3	QL(100 per 30 days)
LOCOID 0.1 % LOTION <b>MO</b>	3	QL(236 per 30 days)
LOCOID LIPOCREAM 0.1 % CREAM <b>MO</b>	3	QL(240 per 30 days)
LUXIQ 0.12 % FOAM <b>MO</b>	3	ST,QL(200 per 30 days)
<i>mafenide acetate</i> 50 gram PACKET <b>MO</b>	1	
<i>malathion</i> 0.5 % LOTION <b>MO</b>	1	
<i>methoxsalen</i> 10 mg CAPSULE, LIQ FILLED, RAPID REL	4	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
MIRVASO 0.33 % GEL WITH PUMP <b>MO</b>	3	ST,QL(30 per 30 days)
mometasone 0.1 % CREAM <b>MO</b>	1	QL(180 per 30 days)
mometasone 0.1 % OINTMENT <b>MO</b>	1	QL(180 per 30 days)
mometasone 0.1 % SOLUTION <b>MO</b>	1	QL(180 per 30 days)
mupirocin 2 % OINTMENT <b>MO</b>	1	
mupirocin calcium 2 % CREAM <b>MO</b>	1	ST
NATROBA 0.9 % SUSPENSION <b>MO</b>	3	QL(240 per 30 days)
NEO-SYNALAR 0.5 % (0.35 % BASE)-0.025 % CREAM <b>MO</b>	3	
neuac 1.2 %(1 % base) -5 % GEL <b>MO</b>	1	QL(45 per 30 days)
OLUX 0.05 % FOAM <b>MO</b>	3	PA,QL(100 per 28 days)
OLUX-E 0.05 % FOAM <b>MO</b>	3	PA,QL(100 per 30 days)
ONEXTON 1.2 %(1 % BASE) -3.75 % GEL <b>MO</b>	3	
ONEXTON 1.2 %(1 % BASE) -3.75 % GEL WITH PUMP <b>MO</b>	3	QL(50 per 30 days)
OPZELURA 1.5 % CREAM <b>DL</b>	4	PA,QL(240 per 28 days)
OTEZLA 20 MG, 30 MG TABLET <b>DL</b>	4	PA,QL(60 per 30 days)
OTEZLA STARTER 10 MG (4)- 20 MG (51), 10 MG (4)-20 MG (4)-30 MG (47) TABLET, DOSE PACK <b>DL</b>	4	PA,QL(55 per 28 days)
OTEZLA STARTER 10 MG (4)-20 MG (4)-30 MG(19) TABLET, DOSE PACK <b>DL</b>	4	PA,QL(27 per 30 days)
OTEZLA XR 75 MG TABLET, ER 24 HR. <b>DL</b>	4	PA,QL(30 per 30 days)
OTEZLA XR INITIATION 10-20-30-75 MG TABLET AND TABLET ER DOSE PACK <b>DL</b>	4	PA,QL(41 per 28 days)
OVIDE 0.5 % LOTION <b>MO</b>	3	PA
PANDEL 0.1 % CREAM <b>DL</b>	4	QL(160 per 30 days)
permethrin 5 % CREAM <b>MO</b>	1	
pimecrolimus 1 % CREAM <b>MO</b>	1	PA,QL(100 per 30 days)
podofilox 0.5 % GEL <b>MO</b>	1	
podofilox 0.5 % SOLUTION <b>MO</b>	1	QL(7 per 30 days)
prednicarbate 0.1 % CREAM <b>MO</b>	1	QL(240 per 30 days)
prednicarbate 0.1 % OINTMENT <b>MO</b>	1	QL(240 per 30 days)
procto-med hc 2.5 % CREAM W/PERINEAL APPLICATOR <b>MO</b>	1	QL(60 per 30 days)
proctosol hc 2.5 % CREAM W/PERINEAL APPLICATOR <b>MO</b>	1	QL(60 per 30 days)
proctozone-hc 2.5 % CREAM W/PERINEAL APPLICATOR <b>MO</b>	1	QL(60 per 30 days)
PRUDOXIN 5 % CREAM <b>DL</b>	4	PA,QL(45 per 30 days)
pruradik 10 % LOTION <b>DL</b>	4	PA,QL(454 per 30 days)
QBREXZA 2.4 % TOWELETTE <b>MO</b>	3	PA,QL(30 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
REGRANEX 0.01 % GEL <b>DL</b>	4	PA
RETIN-A 0.01 %, 0.025 % GEL <b>MO</b>	3	PA,QL(45 per 30 days)
RETIN-A 0.025 %, 0.05 %, 0.1 % CREAM <b>MO</b>	3	PA,QL(45 per 30 days)
RETIN-A MICRO 0.04 % GEL <b>DL</b>	4	PA,QL(45 per 30 days)
RETIN-A MICRO 0.1 % GEL <b>MO</b>	3	PA,QL(45 per 30 days)
RETIN-A MICRO PUMP 0.04 %, 0.1 % GEL WITH PUMP <b>DL</b>	4	PA,QL(50 per 30 days)
RETIN-A MICRO PUMP 0.06 %, 0.08 % GEL WITH PUMP <b>MO</b>	3	PA,QL(50 per 30 days)
RHOFADE 1 % CREAM <b>MO</b>	3	ST,QL(30 per 30 days)
SANTYL 250 UNIT/GRAM OINTMENT <b>MO</b>	3	PA,QL(180 per 30 days)
selenium sulfide 2.5 % LOTION <b>MO</b>	1	QL(120 per 30 days)
SILVADENE 1 % CREAM <b>MO</b>	2	
silver sulfadiazine 1 % CREAM <b>MO</b>	1	
SOFDRA 12.45 % (72 MG /ACTUATION) GEL WITH PUMP <b>DL</b>	4	PA,QL(40.2 per 30 days)
SOOLANTRA 1 % CREAM <b>MO</b>	3	ST,QL(45 per 30 days)
SORILUX 0.005 % FOAM <b>DL</b>	4	ST,QL(120 per 28 days)
spinosad 0.9 % SUSPENSION <b>MO</b>	3	QL(240 per 30 days)
SSD 1 % CREAM <b>MO</b>	1	
SULFAMYLON 50 GRAM PACKET <b>MO</b>	3	
SULFAMYLON 85 MG/G CREAM <b>MO</b>	3	
SYNALAR 0.01 % SOLUTION <b>MO</b>	3	QL(180 per 30 days)
TACLONEX 0.005-0.064 % SUSPENSION <b>DL</b>	4	PA,QL(420 per 30 days)
tacrolimus 0.03 %, 0.1 % OINTMENT <b>MO</b>	1	QL(200 per 30 days)
tazarotene 0.05 % CREAM <b>MO</b>	1	PA,QL(120 per 30 days)
tazarotene 0.05 %, 0.1 % GEL <b>MO</b>	1	PA,QL(200 per 30 days)
tazarotene 0.1 % CREAM <b>MO</b>	1	QL(120 per 30 days)
tazarotene 0.1 % FOAM <b>DL</b>	4	PA,QL(100 per 30 days)
TAZORAC 0.05 %, 0.1 % CREAM <b>MO</b>	3	PA,QL(120 per 30 days)
TAZORAC 0.05 %, 0.1 % GEL <b>MO</b>	3	PA,QL(200 per 30 days)
TEXACORT 2.5 % SOLUTION <b>MO</b>	1	QL(240 per 30 days)
TOPICORT 0.05 % CREAM <b>MO</b>	1	QL(240 per 30 days)
TOPICORT 0.05 % GEL <b>MO</b>	1	QL(240 per 30 days)
TOPICORT 0.05 % OINTMENT <b>MO</b>	3	QL(240 per 30 days)
TOPICORT 0.25 % CREAM <b>MO</b>	1	QL(120 per 30 days)
TOPICORT 0.25 % OINTMENT <b>MO</b>	1	QL(120 per 30 days)
TOPICORT 0.25 % SPRAY, NON-AEROSOL <b>MO</b>	3	QL(100 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
tovet emollient 0.05 % FOAM <b>MO</b>	1	QL(100 per 30 days)
tretinoin 0.01 %, 0.025 %, 0.05 % GEL <b>MO</b>	1	PA,QL(45 per 30 days)
tretinoin 0.025 %, 0.05 %, 0.1 % CREAM <b>MO</b>	1	PA,QL(45 per 30 days)
tretinoin microspheres 0.04 %, 0.08 %, 0.1 % GEL WITH PUMP <b>MO</b>	1	PA,QL(50 per 30 days)
tretinoin microspheres 0.04 %, 0.1 % GEL <b>MO</b>	1	PA,QL(45 per 30 days)
TWYNEO 0.1-3 % CREAM <b>MO</b>	3	QL(30 per 30 days)
ULTRAVATE 0.05 % LOTION <b>MO</b>	3	QL(120 per 30 days)
VANOS 0.1 % CREAM <b>MO</b>	3	QL(120 per 28 days)
VECTICAL 3 MCG/GRAM OINTMENT <b>DL</b>	4	ST,QL(800 per 28 days)
VELTIN 1.2-0.025 % GEL <b>MO</b>	3	PA,QL(60 per 30 days)
VERDESO 0.05 % FOAM <b>DL</b>	4	QL(200 per 30 days)
VEREGEN 15 % OINTMENT <b>DL</b>	4	QL(30 per 30 days)
VTAMA 1 % CREAM <b>DL</b>	4	PA,QL(60 per 30 days)
WINLEVI 1 % CREAM <b>MO</b>	3	PA
ZELSUVMI 10.3 % GEL <b>DL</b>	4	PA
zenatane 10 mg, 20 mg, 30 mg, 40 mg CAPSULE <b>MO</b>	1	
ZIANA 1.2-0.025 % GEL <b>MO</b>	3	PA,QL(60 per 30 days)
ZILXI 1.5 % FOAM <b>MO</b>	3	PA,QL(30 per 30 days)
ZONALON 5 % CREAM <b>MO</b>	3	PA,QL(45 per 30 days)
ZORYVE 0.05 %, 0.15 %, 0.3 % CREAM <b>MO</b>	3	PA,QL(120 per 30 days)
ZORYVE 0.3 % FOAM <b>MO</b>	3	PA,QL(120 per 30 days)
ZYCLARA 2.5 %, 3.75 % CREAM, METERED DOSE PUMP <b>DL</b>	4	ST,QL(15 per 30 days)
ZYCLARA 3.75 % CREAM IN PACKET <b>MO</b>	3	ST,QL(28 per 28 days)
<b>ELECTROLYTES/MINERALS/METALS/VITAMINS</b>		
AMINOSYN II 10 % 10 % PARENTERAL SOLUTION <b>MO</b>	3	BvsD
AMINOSYN II 15 % 15 % PARENTERAL SOLUTION <b>MO</b>	3	BvsD
AMINOSYN-PF 10 % 10 % PARENTERAL SOLUTION <b>MO</b>	3	BvsD
AMINOSYN-PF 7 % (SULFITE-FREE) 7 % PARENTERAL SOLUTION <b>MO</b>	3	BvsD
bal-care dha 27-1-430 mg COMBO PACK, DR TAB/DR CAP <b>MO</b>	1	
c-nate dha 28 mg iron-1 mg -200 mg CAPSULE <b>MO</b>	1	
calcium chloride 100 mg/ml (10 %) SOLUTION <b>MO</b>	1	
calcium chloride 100 mg/ml (10 %) SYRINGE <b>MO</b>	1	
calcium gluconate 100 mg/ml (10%) SOLUTION <b>MO</b>	1	
CARBAGLU 200 MG TABLET, DISPERSIBLE <b>DL</b>	4	PA
carglumic acid 200 mg TABLET, DISPERSIBLE <b>DL</b>	4	PA

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
CARNITOR 100 MG/ML, 200 MG/ML SOLUTION <b>MO</b>	3	
CARNITOR 330 MG TABLET <b>MO</b>	3	
CARNITOR (SUGAR-FREE) 100 MG/ML SOLUTION <b>MO</b>	3	
CHEMET 100 MG CAPSULE <b>DL</b>	4	
CITRANATAL B-CALM (FE GLUC) 20 MG IRON-1 MG -25 MG/25 MG TABLET, SEQUENTIAL <b>MO</b>	3	
CLINIMIX 5%/D15W SULFITE FREE 5 % PARENTERAL SOLUTION <b>MO</b>	3	BvsD
CLINIMIX 4.25%/D10W SULF FREE 4.25 % PARENTERAL SOLUTION <b>MO</b>	3	BvsD
CLINIMIX 4.25%/D5W SULFIT FREE 4.25 % PARENTERAL SOLUTION <b>MO</b>	3	BvsD
CLINIMIX 5%-D20W(SULFITE-FREE) 5 % PARENTERAL SOLUTION <b>MO</b>	3	BvsD
CLINIMIX 6%-D5W (SULFITE-FREE) 6-5 % PARENTERAL SOLUTION <b>MO</b>	3	BvsD
CLINIMIX 8%-D10W(SULFITE-FREE) 8-10 % PARENTERAL SOLUTION <b>MO</b>	3	BvsD
CLINIMIX 8%-D14W(SULFITE-FREE) 8-14 % PARENTERAL SOLUTION <b>MO</b>	3	BvsD
CLINIMIX E 2.75%/D5W SULF FREE 2.75 % PARENTERAL SOLUTION <b>MO</b>	3	BvsD
CLINIMIX E 4.25%/D10W SUL FREE 4.25 % PARENTERAL SOLUTION <b>MO</b>	3	BvsD
CLINIMIX E 4.25%/D5W SULF FREE 4.25 % PARENTERAL SOLUTION <b>MO</b>	3	BvsD
CLINIMIX E 5%/D15W SULFIT FREE 5 % PARENTERAL SOLUTION <b>MO</b>	3	BvsD
CLINIMIX E 5%/D20W SULFIT FREE 5 % PARENTERAL SOLUTION <b>MO</b>	3	BvsD
CLINIMIX E 8%-D10W SULFITEFREE 8-10 % PARENTERAL SOLUTION <b>MO</b>	3	BvsD
CLINIMIX E 8%-D14W SULFITEFREE 8-14 % PARENTERAL SOLUTION <b>MO</b>	3	BvsD
CLINISOL SF 15 % 15 % PARENTERAL SOLUTION <b>MO</b>	1	BvsD
CLINOLIPID 20 % EMULSION <b>MO</b>	3	BvsD
complete natal dha 29 mg iron- 1 mg-200 mg COMBO PACK <b>MO</b>	1	
CUPRIMINE 250 MG CAPSULE <b>DL</b>	4	PA,QL(600 per 30 days)
CUVRIOR 300 MG TABLET <b>DL</b>	4	PA,QL(300 per 30 days)
d10 %-0.45 % sodium chloride PARENTERAL SOLUTION <b>MO</b>	1	
d2.5 %-0.45 % sodium chloride PARENTERAL SOLUTION <b>MO</b>	1	
d5 % and 0.9 % sodium chloride PARENTERAL SOLUTION <b>MO</b>	1	
d5 %-0.45 % sodium chloride PARENTERAL SOLUTION <b>MO</b>	1	
deferasirox 125 mg, 250 mg TABLET, DISPERSIBLE <b>MO</b>	1	PA
deferasirox 180 mg, 360 mg GRANULES IN PACKET <b>DL</b>	4	PA
deferasirox 180 mg, 360 mg, 90 mg TABLET <b>MO</b>	1	PA
deferasirox 500 mg TABLET, DISPERSIBLE <b>DL</b>	4	PA
deferasirox 90 mg GRANULES IN PACKET <b>MO</b>	1	PA
deferiprone 1,000 mg TABLET <b>DL</b>	4	PA,QL(300 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
deferiprone 500 mg TABLET <b>DL</b>	4	PA,QL(720 per 30 days)
deferoxamine 2 gram, 500 mg RECON SOLUTION <b>MO</b>	1	BvsD
DEPEN TITRATABS 250 MG TABLET <b>DL</b>	4	PA
DESFERAL 500 MG RECON SOLUTION <b>MO</b>	3	BvsD
dextrose 10 % and 0.2 % nacl PARENTERAL SOLUTION <b>MO</b>	1	
dextrose 10 % in water (d10w) 10 % PARENTERAL SOLUTION <b>MO</b>	1	
dextrose 20 % in water (d20w) 20 % PARENTERAL SOLUTION <b>MO</b>	1	
dextrose 25 % in water (d25w) SYRINGE <b>MO</b>	1	
dextrose 30 % in water (d30w) PARENTERAL SOLUTION <b>MO</b>	1	
dextrose 40 % in water (d40w) 40 % PARENTERAL SOLUTION <b>MO</b>	1	
dextrose 5 % in water (d5w) PARENTERAL SOLUTION <b>MO</b>	1	
dextrose 5 % in water (d5w) 5 % PIGGYBACK <b>MO</b>	1	
dextrose 5 %-lactated ringers PARENTERAL SOLUTION <b>MO</b>	1	
dextrose 5%-0.2 % sod chloride PARENTERAL SOLUTION <b>MO</b>	1	
dextrose 5%-0.3 % sod.chloride PARENTERAL SOLUTION <b>MO</b>	1	
dextrose 50 % in water (d50w) PARENTERAL SOLUTION <b>MO</b>	1	
dextrose 50 % in water (d50w) SYRINGE <b>MO</b>	1	
dextrose 70 % in water (d70w) PARENTERAL SOLUTION <b>MO</b>	1	
DUET DHA WITH OMEGA-3 25 MG IRON-1 MG -400 MG COMBO PACK <b>MO</b>	3	
electrolyte-148 PARENTERAL SOLUTION <b>MO</b>	1	
electrolyte-48 in d5w PARENTERAL SOLUTION <b>MO</b>	1	
electrolyte-a PARENTERAL SOLUTION <b>MO</b>	1	
EXJADE 125 MG, 250 MG, 500 MG TABLET, DISPERSIBLE <b>DL</b>	4	PA
FERRIPROX 1,000 MG TABLET <b>DL</b>	4	PA,QL(300 per 30 days)
FERRIPROX 100 MG/ML SOLUTION <b>DL</b>	4	PA,QL(3600 per 30 days)
FERRIPROX 500 MG TABLET <b>DL</b>	4	PA,QL(720 per 30 days)
FERRIPROX (2 TIMES A DAY) 1,000 MG TABLET, MODIFIED RELEASE <b>DL</b>	4	PA,QL(300 per 30 days)
GLYCOPOS 1 MMOL/ML SOLUTION <b>MO</b>	1	
INTRALIPID 20 %, 30 % EMULSION <b>MO</b>	3	BvsD
IONOSOL-MB IN D5W 5 % PARENTERAL SOLUTION <b>MO</b>	3	
ISOLYTE S PH 7.4 PARENTERAL SOLUTION <b>MO</b>	3	
ISOLYTE-P IN 5 % DEXTROSE 5 % PARENTERAL SOLUTION <b>MO</b>	3	
ISOLYTE-S PARENTERAL SOLUTION <b>MO</b>	3	
JADENU 180 MG, 360 MG, 90 MG TABLET <b>DL</b>	4	PA
JADENU SPRINKLE 180 MG, 360 MG, 90 MG GRANULES IN PACKET <b>DL</b>	4	PA

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
JYNARQUE 15 MG (AM)/ 15 MG (PM), 30 MG (AM)/ 15 MG (PM), 45 MG (AM)/ 15 MG (PM), 60 MG (AM)/ 30 MG (PM), 90 MG (AM)/ 30 MG (PM) TABLET, SEQUENTIAL <b>DL</b>	4	PA,QL(56 per 28 days)
JYNARQUE 15 MG, 30 MG TABLET <b>DL</b>	4	PA,QL(120 per 30 days)
KABIVEN 3.31-10.8-3.9 % EMULSION <b>MO</b>	3	BvsD
<i>kionex (with sorbitol) 15-20 gram/60 ml SUSPENSION</i> <b>MO</b>	1	
<i>klor-con 20 meq PACKET</i> <b>MO</b>	1	QL(240 per 30 days)
KLOR-CON 10 10 MEQ TABLET ER <b>MO</b>	1	
<i>klor-con 10 10 meq TABLET ER</i> <b>MO</b>	1	
KLOR-CON 8 8 MEQ TABLET ER <b>MO</b>	1	
<i>klor-con m10 10 meq TABLET, ER PARTICLES/CRYSTALS</i> <b>MO</b>	1	
KLOR-CON M15 15 MEQ TABLET, ER PARTICLES/CRYSTALS <b>MO</b>	1	
<i>klor-con m20 20 meq TABLET, ER PARTICLES/CRYSTALS</i> <b>MO</b>	1	
KOSHER PRENATAL PLUS IRON 30 MG IRON- 1 MG TABLET <b>MO</b>	3	
<i>lactated ringers PARENTERAL SOLUTION</i> <b>MO</b>	1	
<i>levocarnitine 100 mg/ml, 200 mg/ml SOLUTION</i> <b>MO</b>	1	
<i>levocarnitine 330 mg TABLET</i> <b>MO</b>	1	
<i>levocarnitine (with sugar) 100 mg/ml SOLUTION</i> <b>MO</b>	1	
LOKELMA 10 GRAM, 5 GRAM POWDER IN PACKET <b>MO</b>	2	QL(30 per 30 days)
<i>m-natal plus 27 mg iron- 1 mg TABLET</i> <b>MO</b>	1	
<i>magnesium sulfate 500 mg/ml (50 %) SOLUTION</i> <b>MO</b>	1	
<i>magnesium sulfate 500 mg/ml (50 %) SYRINGE</i> <b>MO</b>	1	
<i>magnesium sulfate in d5w 1 gram/100 ml PIGGYBACK</i> <b>MO</b>	1	
<i>magnesium sulfate in water 2 gram/50 ml (4 %), 4 gram/100 ml (4 %), 4 gram/50 ml (8 %) PIGGYBACK</i> <b>MO</b>	1	
<i>magnesium sulfate in water 20 gram/500 ml (4 %), 40 gram/1,000 ml (4 %) PARENTERAL SOLUTION</i> <b>MO</b>	1	
NATACHEW (FE BIS-GLYCINATE) 28 MG IRON -1 MG CHEWABLE TABLET <b>MO</b>	3	
<i>neo-vital rx 27 mg iron- 1 mg TABLET</i> <b>MO</b>	1	
NEONATAL COMPLETE 29-1 MG TABLET <b>MO</b>	1	
NEONATAL PLUS VITAMIN 27 MG IRON- 1 MG TABLET <b>MO</b>	1	
NEONATAL-DHA 29-1-200-500 MG COMBO PACK <b>MO</b>	1	
NORMOSOL-M IN 5 % DEXTROSE PARENTERAL SOLUTION <b>MO</b>	3	
NORMOSOL-R PARENTERAL SOLUTION <b>MO</b>	3	
NORMOSOL-R IN 5 % DEXTROSE 5 % PARENTERAL SOLUTION <b>MO</b>	3	
NORMOSOL-R PH 7.4 PARENTERAL SOLUTION <b>MO</b>	3	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
NUTRILIPID 20 % EMULSION <b>MO</b>	3	BvsD
OB COMPLETE ONE 40-10-1-300 MG CAPSULE <b>MO</b>	3	
OB COMPLETE PETITE 35 MG IRON-5 MG IRON-1 MG CAPSULE <b>MO</b>	3	
OB COMPLETE PREMIER 30-20-1 MG TABLET <b>MO</b>	3	
OMEGAIVEN 10 % EMULSION <b>DL</b>	4	BvsD
one natal rx 27 mg iron- 1 mg TABLET <b>MO</b>	1	
penicillamine 250 mg CAPSULE <b>DL</b>	4	PA,QL(600 per 30 days)
penicillamine 250 mg TABLET <b>DL</b>	4	
PERIKABIVEN 2.36-7.5-3.5 % EMULSION <b>MO</b>	3	BvsD
PLASMA-LYTE 148 PH 7.4 PARENTERAL SOLUTION <b>MO</b>	3	
PLASMA-LYTE A PARENTERAL SOLUTION <b>MO</b>	3	
PLENAMINE 15 % PARENTERAL SOLUTION <b>MO</b>	1	BvsD
pvn-dha 27 mg iron-1 mg -300 mg CAPSULE <b>MO</b>	1	
pvn-omega 28-1-300 mg CAPSULE <b>MO</b>	1	
POKONZA 10 MEQ, 15 MEQ PACKET <b>DL</b>	4	
potassium acetate 2 meq/ml SOLUTION <b>MO</b>	1	
potassium chlorid-d5-0.45%nacl 10 meq/l, 20 meq/l, 30 meq/l, 40 meq/l PARENTERAL SOLUTION <b>MO</b>	1	
potassium chloride 10 meq CAPSULE, ER <b>MO</b>	1	
potassium chloride 10 meq, 20 meq TABLET ER <b>MO</b>	1	
potassium chloride 10 meq, 20 meq TABLET, ER PARTICLES/CRYSTALS <b>MO</b>	1	
potassium chloride 15 meq TABLET, ER PARTICLES/CRYSTALS <b>MO</b>	1	
potassium chloride 15 meq, 8 meq TABLET ER <b>MO</b>	1	
potassium chloride 2 meq/ml SOLUTION <b>MO</b>	1	
potassium chloride 20 meq PACKET <b>MO</b>	1	QL(240 per 30 days)
potassium chloride 20 meq/15 ml, 40 meq/15 ml LIQUID <b>MO</b>	1	
potassium chloride 8 meq CAPSULE, ER <b>MO</b>	1	
potassium chloride in 0.9%nacl 20 meq/l, 40 meq/l PARENTERAL SOLUTION <b>MO</b>	1	
potassium chloride in 5 % dex 10 meq/l, 20 meq/l PARENTERAL SOLUTION <b>MO</b>	1	
potassium chloride in lr-d5 20 meq/l PARENTERAL SOLUTION <b>MO</b>	1	
potassium chloride in water 10 meq/100 ml, 10 meq/50 ml, 20 meq/100 ml, 20 meq/50 ml, 40 meq/100 ml PIGGYBACK <b>MO</b>	1	
potassium chloride-0.45 % nacl 20 meq/l PARENTERAL SOLUTION <b>MO</b>	1	
potassium chloride-d5-0.2%nacl 20 meq/l PARENTERAL SOLUTION <b>MO</b>	1	
potassium chloride-d5-0.9%nacl 20 meq/l, 40 meq/l PARENTERAL SOLUTION <b>MO</b>	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<i>potassium citrate 10 meq (1,080 mg), 15 meq, 5 meq (540 mg) TABLET ER</i> <b>MO</b>	1	
<i>pr natal 400 29-1-400 mg COMBO PACK</i> <b>MO</b>	1	
<i>pr natal 400 ec 29-1-400 mg COMBO PACK, DR TAB/DR CAP</i> <b>MO</b>	1	
<i>pr natal 430 29 mg iron-1 mg -430 mg COMBO PACK</i> <b>MO</b>	1	
<i>pr natal 430 ec 29-1-430 mg COMBO PACK, DR TAB/DR CAP</i> <b>MO</b>	1	
PREMASOL 10 % 10 % PARENTERAL SOLUTION <b>MO</b>	1	BvsD
PRENATA 29 MG IRON- 1 MG CHEWABLE TABLET <b>MO</b>	1	
PRENATABS FA 29-1 MG TABLET <b>MO</b>	1	
<i>prenatal plus (calcium carb) 27 mg iron- 1 mg TABLET</i> <b>MO</b>	1	
<i>prenatal plus dha 27 mg iron-1 mg -312 mg-250 mg COMBO PACK</i> <b>MO</b>	3	
<i>prenatal plus vitamin-mineral 27 mg iron- 1 mg TABLET</i> <b>MO</b>	1	
<i>prenatal vitamin plus low iron 27 mg iron- 1 mg TABLET</i> <b>MO</b>	1	
<i>prenatal-u 106.5-1 mg CAPSULE</i> <b>MO</b>	1	
PRENATE ELITE 26 MG IRON- 1 MG TABLET <b>MO</b>	1	
PROSOL 20 % PARENTERAL SOLUTION <b>MO</b>	3	BvsD
<i>ringer's PARENTERAL SOLUTION</i> <b>MO</b>	1	
SAMSCA 15 MG, 30 MG TABLET <b>DL</b>	4	PA,QL(60 per 30 days)
<i>se-natal 19 chewable 29 mg iron- 1 mg CHEWABLE TABLET</i> <b>MO</b>	1	
SELECT-OB 29 MG IRON- 1 MG CHEWABLE TABLET <b>MO</b>	3	
SELECT-OB (FOLIC ACID) 29 MG IRON- 1 MG CHEWABLE TABLET <b>MO</b>	3	
SELECT-OB + DHA 29 MG IRON-1 MG -250 MG COMBO PACK <b>MO</b>	3	
SMOFLIPID 20 % EMULSION <b>MO</b>	3	BvsD
<i>sodium bicarbonate 50 meq/50 ml (8.4 %) SYRINGE</i> <b>MO</b>	1	
<i>sodium chloride 2.5 meq/ml SOLUTION</i> <b>MO</b>	1	
<i>sodium chloride 0.45 % 0.45 % PARENTERAL SOLUTION</i> <b>MO</b>	1	
<i>sodium chloride 0.9 % PARENTERAL SOLUTION</i> <b>MO</b>	1	
<i>sodium chloride 0.9 % PIGGYBACK</i> <b>MO</b>	1	
<i>sodium chloride 0.9 % SOLUTION</i> <b>MO</b>	1	
<i>sodium chloride 3 % hypertonic 3 % PARENTERAL SOLUTION</i> <b>MO</b>	1	
<i>sodium chloride 5 % hypertonic 5 % PARENTERAL SOLUTION</i> <b>MO</b>	1	
<i>sodium phosphate 3 mmol/ml SOLUTION</i> <b>MO</b>	1	
<i>sodium polystyrene sulfonate 15 gram POWDER</i> <b>MO</b>	1	
<i>sodium polystyrene sulfonate 15 gram/60 ml SUSPENSION</i> <b>MO</b>	1	
SPS (WITH SORBITOL) 15-20 GRAM/60 ML SUSPENSION <b>MO</b>	1	
SPS (WITH SORBITOL) 30-40 GRAM/120 ML ENEMA <b>MO</b>	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
SYPRINE 250 MG CAPSULE <b>DL</b>	4	PA,QL(240 per 30 days)
THAM 36 MG/ML (0.3 M) SOLUTION <b>MO</b>	3	
tolvaptan 15 mg, 30 mg TABLET <b>DL</b>	4	PA,QL(60 per 30 days)
tolvaptan (polycys kidney dis) 15 mg (am)/ 15 mg (pm), 30 mg (am)/ 15 mg (pm), 45 mg (am)/ 15 mg (pm), 60 mg (am)/ 30 mg (pm), 90 mg (am)/ 30 mg (pm) TABLET, SEQUENTIAL <b>DL</b>	4	PA,QL(56 per 28 days)
tolvaptan (polycys kidney dis) 15 mg, 30 mg TABLET <b>DL</b>	4	PA,QL(120 per 30 days)
TPN ELECTROLYTES 35-20-5 MEQ/20 ML SOLUTION <b>MO</b>	3	
TRAVASOL 10 % 10 % PARENTERAL SOLUTION <b>MO</b>	3	BvsD
TRICARE 27 MG IRON- 1 MG TABLET <b>MO</b>	1	
trientine 250 mg CAPSULE <b>DL</b>	4	QL(240 per 30 days)
trientine 500 mg CAPSULE <b>DL</b>	4	QL(120 per 30 days)
trinatal rx 1 60 mg iron-1 mg TABLET <b>MO</b>	1	
TRISTART DHA 31 MG IRON- 1 MG-200 MG CAPSULE <b>MO</b>	3	
tromethamine 36 mg/ml (0.3 m) SOLUTION <b>MO</b>	1	
TROPHAMINE 10 % 10 % PARENTERAL SOLUTION <b>MO</b>	3	BvsD
UROCIT-K 10 10 MEQ (1,080 MG) TABLET ER <b>MO</b>	3	
UROCIT-K 15 15 MEQ TABLET ER <b>MO</b>	3	
UROCIT-K 5 5 MEQ (540 MG) TABLET ER <b>MO</b>	3	
VAPRISOL IN 5 % DEXTROSE 20 MG/100 ML SOLUTION <b>MO</b>	3	
VELTASSA 1 GRAM POWDER IN PACKET <b>MO</b>	3	PA,QL(240 per 30 days)
VELTASSA 16.8 GRAM, 25.2 GRAM, 8.4 GRAM POWDER IN PACKET <b>MO</b>	3	PA,QL(30 per 30 days)
VITAFOL FE PLUS 90 MG IRON- 1 MG-200 MG CAPSULE <b>MO</b>	3	
VITAFOL GUMMIES 3.33 MG IRON- 0.33 MG CHEWABLE TABLET <b>MO</b>	3	
VITAFOL ULTRA 29 MG IRON- 1 MG-200 MG CAPSULE <b>MO</b>	3	
VITAFOL-OB 65-1 MG TABLET <b>MO</b>	3	
VITAFOL-OB+DHA 65-1-250 MG COMBO PACK <b>MO</b>	3	
VITAFOL-ONE 29 MG IRON- 1 MG-200 MG CAPSULE <b>MO</b>	3	
VITAMEDMD ONE RX 30 MG IRON-1MG -200 MG CAPSULE <b>MO</b>	3	
wescap-pn dha 27 mg iron-1 mg -300 mg CAPSULE <b>MO</b>	1	
wesnatal dha complete 29 mg iron- 1 mg-200 mg COMBO PACK <b>MO</b>	1	
wesnate dha 28 mg iron-1 mg -200 mg CAPSULE <b>MO</b>	1	
westab plus 27 mg iron- 1 mg TABLET <b>MO</b>	1	
westgel dha 31 mg iron- 1 mg-200 mg CAPSULE <b>MO</b>	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
zatean-pn dha 27 mg iron-1 mg -300 mg CAPSULE <b>MO</b>	1	
zatean-pn plus 28-1-300 mg CAPSULE <b>MO</b>	1	
<b>GASTROINTESTINAL AGENTS</b>		
ACIPHEX 20 MG TABLET, DR/EC <b>MO</b>	3	PA,QL(60 per 30 days)
ACIPHEX SPRINKLE 10 MG CAPSULE, DR SPRINKLE <b>DL</b>	3	QL(60 per 30 days)
ACIPHEX SPRINKLE 5 MG CAPSULE, DR SPRINKLE <b>DL</b>	3	QL(30 per 30 days)
AEMCOLO 194 MG TABLET, DR/EC <b>MO</b>	3	PA,QL(12 per 30 days)
alose tron 0.5 mg, 1 mg TABLET <b>MO</b>	1	PA,QL(60 per 30 days)
AMITIZA 24 MCG, 8 MCG CAPSULE <b>MO</b>	3	PA,QL(60 per 30 days)
amoxicil-clarithromy-lansopraz 500-500-30 mg COMBO PACK <b>MO</b>	1	ST
atropine 0.1 mg/ml, 0.25 mg/5 ml (0.05 mg/ml) SYRINGE <b>MO</b>	1	
BENTYL 10 MG/ML SOLUTION <b>MO</b>	3	
bismuth subcit k-metronidz-tcn 140-125-125 mg CAPSULE <b>MO</b>	1	ST,QL(120 per 30 days)
CARAFATE 1 GRAM TABLET <b>MO</b>	3	
CARAFATE 100 MG/ML SUSPENSION <b>MO</b>	3	
chenodal 250 mg TABLET <b>DL</b>	4	PA
cimetidine 200 mg, 300 mg, 400 mg, 800 mg TABLET <b>MO</b>	1	
cimetidine hcl 300 mg/5 ml SOLUTION <b>MO</b>	1	
CLENPIQ 10 MG-3.5 GRAM- 12 GRAM/160 ML, 10 MG-3.5 GRAM- 12 GRAM/175 ML SOLUTION <b>MO</b>	3	ST
constulose 10 gram/15 ml SOLUTION <b>MO</b>	1	
CTEXLI 250 MG TABLET <b>DL</b>	4	PA
CUVPOSA 1 MG/5 ML (0.2 MG/ML) SOLUTION <b>MO</b>	3	
CYTOTEC 100 MCG, 200 MCG TABLET <b>DL</b>	4	
DARTISLA 1.7 MG TABLET, DISINTEGRATING <b>MO</b>	3	ST,QL(120 per 30 days)
DEXILANT 30 MG, 60 MG CAPSULE, DR, BIPHASIC <b>MO</b>	3	PA,QL(30 per 30 days)
dexlansoprazole 30 mg, 60 mg CAPSULE, DR, BIPHASIC <b>MO</b>	3	QL(30 per 30 days)
dicyclomine 10 mg CAPSULE <b>MO</b>	1	
dicyclomine 10 mg/5 ml, 10 mg/ml SOLUTION <b>MO</b>	1	
dicyclomine 20 mg TABLET <b>MO</b>	1	
dicyclomine 40 mg TABLET <b>DL</b>	4	
diphenoxylate-atropine 2.5-0.025 mg TABLET <b>MO</b>	1	
diphenoxylate-atropine 2.5-0.025 mg/5 ml LIQUID <b>MO</b>	1	
ENDARI 5 GRAM POWDER IN PACKET <b>DL</b>	4	PA,QL(180 per 30 days)
enulose 10 gram/15 ml SOLUTION <b>MO</b>	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
esomeprazole magnesium 10 mg, 2.5 mg, 20 mg, 40 mg, 5 mg DR GRANULES IN PACKET <b>MO</b>	1	QL(30 per 30 days)
esomeprazole magnesium 20 mg CAPSULE, DR/EC <b>MO</b>	1	QL(60 per 30 days)
esomeprazole magnesium 40 mg CAPSULE, DR/EC <b>MO</b>	1	QL(60 per 30 days)
esomeprazole sodium 40 mg RECON SOLUTION <b>MO</b>	1	
famotidine 10 mg/ml SOLUTION <b>MO</b>	1	
famotidine 20 mg, 40 mg TABLET <b>MO</b>	1	
FAMOTIDINE 4 MG/ML SOLUTION <b>MO</b>	1	
famotidine 40 mg/5 ml (8 mg/ml) SUSPENSION FOR RECONSTITUTION <b>MO</b>	1	
famotidine (pf) 20 mg/2 ml SOLUTION <b>MO</b>	1	
FAMOTIDINE (PF) 4 MG/ML SOLUTION <b>MO</b>	1	
famotidine (pf)-nacl (iso-os) 20 mg/50 ml PIGGYBACK <b>MO</b>	1	
GATTEX 30-VIAL 5 MG KIT <b>DL</b>	4	PA
GATTEX ONE-VIAL 5 MG KIT <b>DL</b>	4	PA
gavilyte-c 240-22.72-6.72 -5.84 gram RECON SOLUTION <b>MO</b>	1	
gavilyte-g 236-22.74-6.74 -5.86 gram RECON SOLUTION <b>MO</b>	1	
gavilyte-n 420 gram RECON SOLUTION <b>MO</b>	1	
generlac 10 gram/15 ml SOLUTION <b>MO</b>	1	
glutamine (sickle cell) 5 gram POWDER IN PACKET <b>DL</b>	4	PA,QL(180 per 30 days)
GLYCATE 1.5 MG TABLET <b>MO</b>	1	
glycopyrrolate 0.2 mg/ml, 1 mg/5 ml (0.2 mg/ml) SOLUTION <b>MO</b>	1	
glycopyrrolate 1 mg, 2 mg TABLET <b>MO</b>	1	
glycopyrrolate 1.5 mg TABLET	4	
glycopyrrolate (pf) 0.4 mg/2 ml (0.2 mg/ml) SYRINGE <b>MO</b>	1	
glycopyrrolate (pf) 0.6 mg/3 ml (0.2 mg/ml) SYRINGE <b>MO</b>	3	
glycopyrrolate (pf) in water 0.2 mg/ml SYRINGE <b>MO</b>	1	
GOLYTELY 236-22.74-6.74 -5.86 GRAM RECON SOLUTION <b>MO</b>	3	ST
IBSRELA 50 MG TABLET <b>DL</b>	4	PA,QL(60 per 30 days)
IQIRVO 80 MG TABLET <b>DL</b>	4	PA,QL(30 per 30 days)
KONVOMEPE 2-84 MG/ML SUSPENSION FOR RECONSTITUTION <b>MO</b>	3	ST,QL(600 per 30 days)
KRISTALOSE 10 GRAM, 20 GRAM PACKET <b>MO</b>	1	
lactulose 10 gram, 20 gram PACKET <b>DL</b>	4	
lactulose 10 gram/15 ml SOLUTION <b>MO</b>	1	
lansoprazole 15 mg, 30 mg CAPSULE, DR/EC <b>MO</b>	1	QL(60 per 30 days)
lansoprazole 15 mg, 30 mg TABLET, DISINTEGRATING DR <b>MO</b>	1	QL(30 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
LINZESS 145 MCG, 290 MCG, 72 MCG CAPSULE <b>MO</b>	2	QL(30 per 30 days)
LIVDELZI 10 MG CAPSULE <b>DL</b>	4	PA,QL(30 per 30 days)
LIVMARLI 10 MG, 15 MG, 20 MG TABLET <b>DL</b>	4	PA,QL(60 per 30 days)
LIVMARLI 19 MG/ML SOLUTION <b>DL</b>	4	PA,QL(60 per 30 days)
LIVMARLI 30 MG TABLET <b>DL</b>	4	PA,QL(30 per 30 days)
LIVMARLI 9.5 MG/ML SOLUTION <b>DL</b>	4	PA,QL(90 per 30 days)
LOMOTIL 2.5-0.025 MG TABLET <b>MO</b>	3	
<i>loperamide</i> 2 mg CAPSULE <b>MO</b>	1	
LOTRONEX 0.5 MG, 1 MG TABLET <b>DL</b>	4	PA,QL(60 per 30 days)
<i>lubiprostone</i> 24 mcg, 8 mcg CAPSULE <b>MO</b>	1	QL(60 per 30 days)
<i>methscopolamine</i> 2.5 mg, 5 mg TABLET <b>MO</b>	1	
<i>misoprostol</i> 100 mcg, 200 mcg TABLET <b>MO</b>	1	
MOTEGRITY 1 MG, 2 MG TABLET <b>MO</b>	3	PA,QL(30 per 30 days)
MOTOFEN 1-0.025 MG TABLET <b>MO</b>	3	
MOVANTIK 12.5 MG, 25 MG TABLET <b>MO</b>	2	QL(30 per 30 days)
MOVIPREP 100-7.5-2.691 GRAM POWDER IN PACKET <b>MO</b>	3	ST
MYALEPT 5 MG/ML (FINAL CONC.) RECON SOLUTION <b>DL</b>	4	PA,QL(30 per 30 days)
MYTESI 125 MG TABLET, DR/EC <b>DL</b>	4	PA,QL(60 per 30 days)
NEXIUM 20 MG, 40 MG CAPSULE, DR/EC <b>MO</b>	3	PA,QL(60 per 30 days)
NEXIUM IV 40 MG RECON SOLUTION <b>MO</b>	3	PA
NEXIUM PACKET 10 MG, 2.5 MG, 20 MG, 40 MG, 5 MG DR GRANULES IN PACKET <b>MO</b>	3	QL(30 per 30 days)
<i>nizatidine</i> 150 mg, 300 mg CAPSULE <b>MO</b>	1	
OICALIVA 10 MG, 5 MG TABLET <b>DL</b>	4	PA,QL(30 per 30 days)
OMECLAMOX-PAK 20 MG-500 MG- 500 MG (40) COMBO PACK <b>MO</b>	3	ST
<i>omeprazole</i> 10 mg CAPSULE, DR/EC <b>MO</b>	1	
<i>omeprazole</i> 20 mg, 40 mg CAPSULE, DR/EC <b>MO</b>	1	
<i>omeprazole-sodium bicarbonate</i> 20-1,680 mg, 40-1,680 mg PACKET <b>DL</b>	4	ST,QL(30 per 30 days)
<i>omeprazole-sodium bicarbonate</i> 20-1.1 mg-gram, 40-1.1 mg-gram CAPSULE <b>MO</b>	1	QL(30 per 30 days)
<i>opium tincture</i> 10 mg/ml (morphine) TINCTURE <b>MO</b>	3	QL(180 per 30 days)
<i>pantoprazole</i> 20 mg, 40 mg TABLET, DR/EC <b>MO</b>	1	QL(60 per 30 days)
<i>pantoprazole</i> 40 mg DR GRANULES IN PACKET <b>MO</b>	1	QL(30 per 30 days)
<i>pantoprazole</i> 40 mg RECON SOLUTION <b>MO</b>	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<i>pantoprazole in 0.9% sod chlor 40 mg/100 ml (0.4 mg/ml), 40 mg/50 ml (0.8 mg/ml), 80 mg/100 ml (0.8 mg/ml) PIGGYBACK</i> <b>MO</b>	3	
PANTOPRAZOLE IN 0.9% SOD CHLOR 40 MG/50 ML (0.8 MG/ML) PIGGYBACK <b>MO</b>	3	
<i>peg 3350-electrolytes 236-22.74-6.74 -5.86 gram RECON SOLUTION</i> <b>MO</b>	1	
<i>peg-electrolyte soln 420 gram RECON SOLUTION</i> <b>MO</b>	1	
<i>peg3350-sod sul-nacl-kcl-asb-c 100-7.5-2.691 gram POWDER IN PACKET</i> <b>MO</b>	1	ST
<i>pepcid 20 mg, 40 mg TABLET</i> <b>MO</b>	3	PA
PLENVU 140-9-5.2 GRAM POWDER IN PACKET, SEQUENTIAL <b>MO</b>	3	ST
PREVACID 30 MG CAPSULE, DR/EC <b>MO</b>	3	PA,QL(60 per 30 days)
PREVACID SOLUTAB 15 MG, 30 MG TABLET, DISINTEGRATING DR <b>MO</b>	3	QL(30 per 30 days)
PRILOSEC 10 MG, 2.5 MG SUSPENSION, DR FOR RECON <b>MO</b>	3	
PROTONIX 20 MG, 40 MG TABLET, DR/EC <b>MO</b>	3	PA,QL(60 per 30 days)
PROTONIX 40 MG DR GRANULES IN PACKET <b>MO</b>	3	QL(30 per 30 days)
PROTONIX 40 MG RECON SOLUTION <b>MO</b>	3	PA
<i>prucalopride 1 mg, 2 mg TABLET</i> <b>MO</b>	1	PA,QL(30 per 30 days)
PYLERA 140-125-125 MG CAPSULE <b>MO</b>	3	ST,QL(120 per 30 days)
<i>rabeprazole 20 mg TABLET, DR/EC</i> <b>MO</b>	1	QL(60 per 30 days)
<i>ranitidine hcl 150 mg, 300 mg TABLET</i> <b>MO</b>	1	
REBYOTA 150 ML ENEMA <b>DL</b>	4	PA
RELISTOR 12 MG/0.6 ML SOLUTION <b>DL</b>	4	PA,QL(36 per 30 days)
RELISTOR 12 MG/0.6 ML SYRINGE <b>DL</b>	4	PA,QL(36 per 28 days)
RELISTOR 150 MG TABLET <b>DL</b>	4	PA,QL(90 per 30 days)
RELISTOR 8 MG/0.4 ML SYRINGE <b>DL</b>	4	PA,QL(12 per 30 days)
RELTONE 200 MG CAPSULE <b>DL</b>	4	PA,QL(150 per 30 days)
RELTONE 400 MG CAPSULE <b>DL</b>	4	PA,QL(60 per 30 days)
ROBINUL 1 MG TABLET <b>MO</b>	3	PA
ROBINUL FORTE 2 MG TABLET <b>MO</b>	3	PA
<i>sodium,potassium,mag sulfates 17.5-3.13-1.6 gram RECON SOLUTION</i> <b>MO</b>	1	
<i>sucralfate 1 gram TABLET</i> <b>MO</b>	1	
<i>sucralfate 100 mg/ml SUSPENSION</i> <b>MO</b>	1	
SUFLAVE 178.7-7.3-0.5 GRAM RECON SOLUTION <b>MO</b>	3	
SUPREP BOWEL PREP KIT 17.5-3.13-1.6 GRAM RECON SOLUTION <b>MO</b>	3	ST
SUTAB 1.479-0.188- 0.225 GRAM TABLET <b>MO</b>	2	
SYMPROIC 0.2 MG TABLET <b>MO</b>	3	PA,QL(30 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
TALICIA 10-250-12.5 MG CAPSULE, IR/DR, BIPHASIC <b>MO</b>	3	
TRULANCE 3 MG TABLET <b>MO</b>	3	PA,QL(30 per 30 days)
URSO FORTE 500 MG TABLET <b>MO</b>	3	PA
ursodiol 200 mg CAPSULE <b>DL</b>	4	PA,QL(150 per 30 days)
ursodiol 250 mg, 500 mg TABLET <b>MO</b>	1	
ursodiol 300 mg CAPSULE <b>MO</b>	1	
ursodiol 400 mg CAPSULE <b>DL</b>	4	PA,QL(60 per 30 days)
VIBERZI 100 MG, 75 MG TABLET <b>DL</b>	4	PA,QL(60 per 30 days)
VOQUEZNA 10 MG TABLET <b>MO</b>	3	PA,QL(30 per 30 days)
VOQUEZNA 20 MG TABLET <b>MO</b>	3	PA,QL(60 per 30 days)
VOQUEZNA DUAL PAK 20 MG (28)- 500 MG (84) COMBO PACK <b>MO</b>	3	ST,QL(112 per 30 days)
VOQUEZNA TRIPLE PAK 20-500-500 MG COMBO PACK <b>MO</b>	3	ST,QL(112 per 30 days)
VOWST 1 X 10EXP6 TO 3 X 10EXP7 CELL CAPSULE <b>DL</b>	4	PA
XERMELO 250 MG TABLET <b>DL</b>	4	PA,QL(84 per 28 days)
XIFAXAN 200 MG TABLET <b>MO</b>	3	PA,QL(9 per 30 days)
XIFAXAN 550 MG TABLET <b>DL</b>	4	PA,QL(84 per 28 days)
ZEGERID 20-1,680 MG, 40-1,680 MG PACKET <b>DL</b>	4	ST,QL(30 per 30 days)
ZEGERID 20-1.1 MG-GRAM, 40-1.1 MG-GRAM CAPSULE <b>DL</b>	4	PA,QL(30 per 30 days)
<b>GENETIC/ENZYME/PROTEIN DISORDER: REPLACEMENT, MODIFIERS, TREATMENT</b>		
ALDURAZYME 2.9 MG/5 ML SOLUTION <b>DL</b>	4	PA
AMVUTTRA 25 MG/0.5 ML SYRINGE <b>DL</b>	4	PA,QL(0.5 per 90 days)
AQVESME 100 MG TABLET <b>DL</b>	4	PA,QL(60 per 30 days)
ARALAST NP 1,000 MG, 500 MG RECON SOLUTION <b>DL</b>	4	PA
ATTRUBY 356 MG TABLET <b>DL</b>	4	PA,QL(120 per 30 days)
betaine 1 gram/scoop POWDER <b>DL</b>	4	
BUPHENYL 0.94 GRAM/GRAM POWDER <b>DL</b>	4	PA
BUPHENYL 500 MG TABLET <b>DL</b>	4	PA
CERDELGA 84 MG CAPSULE <b>DL</b>	4	PA
CEREZYME 400 UNIT RECON SOLUTION <b>DL</b>	4	PA
CHOLBAM 250 MG, 50 MG CAPSULE <b>DL</b>	4	QL(120 per 30 days)
CREON 12,000-38,000 -60,000 UNIT, 24,000-76,000 -120,000 UNIT, 3,000-9,500- 15,000 UNIT, 36,000-114,000- 180,000 UNIT, 6,000-19,000 -30,000 UNIT CAPSULE, DR/EC <b>MO</b>	2	
CRYSVITA 10 MG/ML, 20 MG/ML SOLUTION <b>DL</b>	4	PA,QL(2 per 28 days)
CRYSVITA 30 MG/ML SOLUTION <b>DL</b>	4	PA,QL(6 per 28 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
CYSTADANE 1 GRAM/SCOOP POWDER <b>DL</b>	4	PA
CYSTAGON 150 MG, 50 MG CAPSULE <b>MO</b>	3	
DAYBUE 200 MG/ML SOLUTION <b>DL</b>	4	PA,QL(3600 per 30 days)
DAYBUE STIX 5,000 MG, 6,000 MG POWDER IN PACKET <b>DL</b>	4	PA,QL(120 per 30 days)
DAYBUE STIX 8,000 MG POWDER IN PACKET <b>DL</b>	4	PA,QL(60 per 30 days)
<i>dichlorphenamide 50 mg TABLET</i> <b>DL</b>	4	PA,QL(120 per 30 days)
DOJOLVI 8.3 KCAL/ML LIQUID <b>DL</b>	4	PA
DUVYZAT 8.86 MG/ML SUSPENSION <b>DL</b>	4	PA,QL(360 per 30 days)
ELAPRASE 6 MG/3 ML SOLUTION <b>DL</b>	4	PA
ELELYSO 200 UNIT RECON SOLUTION <b>DL</b>	4	PA
ELEVIDYS 1.33 X 10EXP13 VG/ML SUSPENSION <b>DL</b>	4	PA
ELFABRIO 2 MG/ML SOLUTION <b>DL</b>	4	PA
EVRYSDI 0.75 MG/ML RECON SOLUTION <b>DL</b>	4	PA,QL(240 per 30 days)
EVRYSDI 5 MG TABLET <b>DL</b>	4	PA,QL(30 per 30 days)
FABRAZYME 35 MG, 5 MG RECON SOLUTION <b>DL</b>	4	PA
GALAFOLD 123 MG CAPSULE <b>DL</b>	4	PA,QL(14 per 28 days)
GLASSIA 20 MG/ML (2 %) SOLUTION <b>DL</b>	4	PA
GLYCEROL PHENYLBUTYRATE 1.1 GRAM/ML LIQUID <b>DL</b>	4	PA,QL(525 per 30 days)
<i>glycerol phenylbutyrate 1.1 gram/ml LIQUID</i> <b>DL</b>	4	PA,QL(525 per 30 days)
HARLIKU 2 MG TABLET <b>DL</b>	4	PA
<i>javygtor 100 mg TABLET, SOLUBLE</i> <b>DL</b>	4	PA
<i>javygtor 100 mg, 500 mg POWDER IN PACKET</i> <b>DL</b>	4	PA
JOENJA 70 MG TABLET <b>DL</b>	4	PA,QL(60 per 30 days)
KANUMA 2 MG/ML SOLUTION <b>DL</b>	4	PA
KEVEYIS 50 MG TABLET <b>DL</b>	4	PA,QL(120 per 30 days)
KUVAN 100 MG TABLET, SOLUBLE <b>DL</b>	4	PA
KUVAN 100 MG, 500 MG POWDER IN PACKET <b>DL</b>	4	PA
LAMZEDE 10 MG RECON SOLUTION <b>DL</b>	4	PA
LUMIZYME 50 MG RECON SOLUTION <b>DL</b>	4	PA
MEPSEVII 2 MG/ML SOLUTION <b>DL</b>	4	PA
<i>miglustat 100 mg CAPSULE</i> <b>DL</b>	4	PA,QL(90 per 30 days)
MIPLYFFA 124 MG, 47 MG, 62 MG, 93 MG CAPSULE <b>DL</b>	4	PA,QL(90 per 30 days)
NAGLAZYME 5 MG/5 ML SOLUTION <b>DL</b>	4	PA
NEXVIAZYME 100 MG RECON SOLUTION <b>DL</b>	4	PA
<i>nitisinone 10 mg, 2 mg, 20 mg, 5 mg CAPSULE</i> <b>DL</b>	4	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
NITYR 10 MG, 2 MG, 5 MG TABLET <b>DL</b>	4	
NULIBRY 9.5 MG RECON SOLUTION <b>DL</b>	4	PA
OLPRUVA 2 GRAM, 3 GRAM, 4 GRAM, 5 GRAM, 6 GRAM, 6.67 GRAM PELLETS IN PACKET <b>DL</b>	4	PA
ONPATTRO 2 MG/ML SOLUTION <b>DL</b>	4	PA
OPFOLDA 65 MG CAPSULE <b>MO</b>	3	PA
ORFADIN 10 MG, 2 MG, 20 MG, 5 MG CAPSULE <b>DL</b>	4	
ORFADIN 4 MG/ML SUSPENSION <b>DL</b>	4	
<i>ormalvi</i> 50 mg TABLET <b>DL</b>	4	PA,QL(120 per 30 days)
PALYNZIQ 10 MG/0.5 ML SYRINGE <b>DL</b>	4	PA,QL(15 per 30 days)
PALYNZIQ 2.5 MG/0.5 ML SYRINGE <b>DL</b>	4	PA,QL(4 per 28 days)
PALYNZIQ 20 MG/ML SYRINGE <b>DL</b>	4	PA,QL(90 per 30 days)
PANCREAZE 10,500-35,500- 61,500 UNIT, 2,600-8,800- 15,200 UNIT, 4,200-14,200- 24,600 UNIT CAPSULE, DR/EC <b>MO</b>	3	ST
PANCREAZE 16,800-56,800- 98,400 UNIT, 21,000-54,700- 83,900 UNIT, 37,000-97,300- 149,900 UNIT CAPSULE, DR/EC <b>DL</b>	4	ST
PERTZYE 16,000-57,500- 60,500 UNIT, 24,000-86,250- 90,750 UNIT, 4,000-14,375- 15,125 UNIT, 8,000-28,750- 30,250 UNIT CAPSULE, DR/EC <b>DL</b>	4	ST
PHEBURANE 483 MG/GRAM GRANULES <b>DL</b>	4	PA
POMBILITI 105 MG RECON SOLUTION <b>DL</b>	4	PA
PROCYSBI 25 MG CAPSULE, DR SPRINKLE <b>DL</b>	4	PA,QL(120 per 30 days)
PROCYSBI 300 MG DR GRANULES IN PACKET <b>DL</b>	4	PA,QL(210 per 30 days)
PROCYSBI 75 MG CAPSULE, DR SPRINKLE <b>DL</b>	4	PA,QL(780 per 30 days)
PROCYSBI 75 MG DR GRANULES IN PACKET <b>DL</b>	4	PA,QL(780 per 30 days)
PROLASTIN-C 1,000 MG (+-)/20 ML SOLUTION <b>DL</b>	4	PA
PYRUKYND 20 MG (7)- 5 MG (7), 50 MG (7)- 20 MG (7) TABLET, DOSE PACK <b>DL</b>	4	PA,QL(14 per 14 days)
PYRUKYND 20 MG, 5 MG, 50 MG TABLET <b>DL</b>	4	PA,QL(60 per 30 days)
RAVICTI 1.1 GRAM/ML LIQUID <b>DL</b>	4	PA,QL(525 per 30 days)
REVCovi 2.4 MG/1.5 ML (1.6 MG/ML) SOLUTION <b>DL</b>	4	PA
<i>sapropterin</i> 100 mg TABLET, SOLUBLE <b>DL</b>	4	PA
<i>sapropterin</i> 100 mg, 500 mg POWDER IN PACKET <b>DL</b>	4	PA
SEPHIENCE 1,000 MG, 250 MG POWDER IN PACKET <b>DL</b>	4	PA
<i>sodium phenylbutyrate</i> 0.94 gram/gram POWDER <b>DL</b>	4	
<i>sodium phenylbutyrate</i> 500 mg TABLET <b>DL</b>	4	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
STRENSIQ 18 MG/0.45 ML, 28 MG/0.7 ML, 40 MG/ML, 80 MG/0.8 ML SOLUTION <b>DL</b>	4	PA
SUCRAID 8,500 UNIT/ML SOLUTION <b>DL</b>	4	PA
VIJOICE 125 MG, 50 MG TABLET <b>DL</b>	4	PA,QL(28 per 28 days)
VIJOICE 250 MG/DAY (200 MG X1-50 MG X1) TABLET <b>DL</b>	4	PA,QL(56 per 28 days)
VIJOICE 50 MG GRANULES IN PACKET <b>DL</b>	4	PA,QL(28 per 28 days)
VIOKACE 10,440-39,150- 39,150 UNIT, 20,880-78,300- 78,300 UNIT TABLET <b>DL</b>	4	ST
VOXZOGO 0.4 MG, 0.56 MG, 1.2 MG RECON SOLUTION <b>DL</b>	4	PA,QL(30 per 30 days)
VPRIV 400 UNIT RECON SOLUTION <b>DL</b>	4	PA
VYNDAMAX 61 MG CAPSULE <b>DL</b>	4	PA,QL(30 per 30 days)
VYNDAQEL 20 MG CAPSULE <b>DL</b>	4	PA,QL(120 per 30 days)
WAINUA 45 MG/0.8 ML AUTO-INJECTOR <b>DL</b>	4	PA,QL(0.8 per 28 days)
WELIREG 40 MG TABLET <b>DL</b>	4	PA,QL(90 per 30 days)
XENPOZYME 20 MG, 4 MG RECON SOLUTION <b>DL</b>	4	PA
<i>yargesa 100 mg CAPSULE</i> <b>DL</b>	4	PA,QL(90 per 30 days)
ZAVESCA 100 MG CAPSULE <b>DL</b>	4	PA,QL(90 per 30 days)
<i>zelvysia 100 mg, 500 mg POWDER IN PACKET</i> <b>DL</b>	4	PA
ZEMAIRA 1,000 MG RECON SOLUTION <b>DL</b>	4	PA
ZEMAIRA 4,000 MG, 5,000 MG RECON SOLUTION <b>DL</b>	4	PA
ZENPEP 10,000-32,000 -42,000 UNIT, 15,000-47,000 -63,000 UNIT, 20,000-63,000- 84,000 UNIT, 25,000-79,000- 105,000 UNIT, 3,000-10,000 -14,000-UNIT, 40,000-126,000- 168,000 UNIT, 5,000-17,000- 24,000 UNIT, 60,000-189,600- 252,600 UNIT CAPSULE, DR/EC <b>MO</b>	3	
ZOKINVY 50 MG, 75 MG CAPSULE <b>DL</b>	4	PA,QL(120 per 30 days)
<b>GENITOURINARY AGENTS</b>		
<i>alfuzosin 10 mg TABLET, ER 24 HR.</i> <b>MO</b>	1	
AVODART 0.5 MG CAPSULE <b>MO</b>	3	PA,QL(30 per 30 days)
<i>bethanechol chloride 10 mg, 25 mg, 5 mg, 50 mg TABLET</i> <b>MO</b>	1	
CIALIS 5 MG TABLET <b>MO</b>	3	PA
<i>darifenacin 15 mg, 7.5 mg TABLET, ER 24 HR.</i> <b>MO</b>	1	QL(30 per 30 days)
DETROL 1 MG, 2 MG TABLET <b>MO</b>	3	PA,QL(60 per 30 days)
DETROL LA 2 MG, 4 MG CAPSULE, ER 24 HR. <b>MO</b>	3	PA,QL(30 per 30 days)
<i>dutasteride 0.5 mg CAPSULE</i> <b>MO</b>	1	QL(30 per 30 days)
<i>dutasteride-tamsulosin 0.5-0.4 mg CAPSULE ER MULTIPHASE 24 HR.</i> <b>MO</b>	1	QL(30 per 30 days)
ELMIRON 100 MG CAPSULE <b>MO</b>	3	QL(90 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<i>fesoterodine 4 mg, 8 mg TABLET, ER 24 HR. MO</i>	1	QL(30 per 30 days)
<i>finasteride 5 mg TABLET MO</i>	1	QL(30 per 30 days)
<i>flavoxate 100 mg TABLET MO</i>	1	
FLOMAX 0.4 MG CAPSULE MO	3	
GEMTESA 75 MG TABLET MO	3	QL(30 per 30 days)
JALYN 0.5-0.4 MG CAPSULE ER MULTIPHASE 24 HR. MO	3	PA,QL(30 per 30 days)
MYRBETRIQ 25 MG, 50 MG TABLET, ER 24 HR. MO	2	QL(30 per 30 days)
MYRBETRIQ 8 MG/ML SUSPENSION, ER, RECON MO	2	QL(300 per 30 days)
<i>oxybutynin chloride 10 mg TABLET, ER 24 HR. MO</i>	1	QL(60 per 30 days)
<i>oxybutynin chloride 15 mg, 5 mg TABLET, ER 24 HR. MO</i>	1	QL(60 per 30 days)
<i>oxybutynin chloride 2.5 mg TABLET MO</i>	1	QL(90 per 30 days)
<i>oxybutynin chloride 5 mg TABLET MO</i>	1	
<i>oxybutynin chloride 5 mg/5 ml SYRUP MO</i>	1	
OXYTROL 3.9 MG/24 HR PATCH, SEMIWEEKLY MO	3	ST,QL(8 per 28 days)
PROSCAR 5 MG TABLET MO	3	PA,QL(30 per 30 days)
RAPAFLO 4 MG, 8 MG CAPSULE MO	3	PA,QL(30 per 30 days)
<i>silodosin 4 mg, 8 mg CAPSULE MO</i>	1	QL(30 per 30 days)
<i>solifenacin 10 mg, 5 mg TABLET MO</i>	1	QL(30 per 30 days)
<i>tadalafil 2.5 mg, 5 mg TABLET MO</i>	1	PA
<i>tamsulosin 0.4 mg CAPSULE MO</i>	1	
THIOLA 100 MG TABLET DL	4	
THIOLA EC 100 MG, 300 MG TABLET, DR/EC DL	4	
<i>tiopronin 100 mg TABLET DL</i>	4	
<i>tiopronin 100 mg, 300 mg TABLET, DR/EC DL</i>	4	
<i>tolterodine 1 mg, 2 mg TABLET MO</i>	1	QL(60 per 30 days)
<i>tolterodine 2 mg, 4 mg CAPSULE, ER 24 HR. MO</i>	1	QL(30 per 30 days)
TOVIAZ 4 MG, 8 MG TABLET, ER 24 HR. MO	3	PA,QL(30 per 30 days)
<i>tropium 20 mg TABLET MO</i>	1	
<i>tropium 60 mg CAPSULE, ER 24 HR. MO</i>	1	QL(30 per 30 days)
UROXATRAL 10 MG TABLET, ER 24 HR. MO	3	
<i>venxxiva 100 mg, 300 mg TABLET, DR/EC DL</i>	4	
VESICARE 10 MG, 5 MG TABLET MO	3	PA,QL(30 per 30 days)
VESICARE LS 1 MG/ML SUSPENSION MO	3	PA,QL(300 per 30 days)
<b>HORMONAL AGENTS, STIMULANT/REPLACEMENT/MODIFYING (ADRENAL)</b>		
ACTHAR 80 UNIT/ML GEL DL	4	PA,QL(30 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
ACTHAR SELFJECT 40 UNIT/0.5 ML, 80 UNIT/ML PEN INJECTOR <b>DL</b>	4	PA,QL(45 per 30 days)
AGAMREE 40 MG/ML SUSPENSION <b>DL</b>	4	PA,QL(225 per 30 days)
ALKINDI SPRINKLE 0.5 MG, 1 MG, 2 MG, 5 MG CAPSULE, SPRINKLE <b>DL</b>	4	PA
<i>betamethasone acet,sod phos 6 mg/ml SUSPENSION</i> <b>MO</b>	1	
CELESTONE SOLUSPAN 6 MG/ML SUSPENSION <b>MO</b>	3	
CORTROPHIN GEL 40 UNIT/0.5 ML SYRINGE <b>DL</b>	4	PA,QL(45 per 30 days)
CORTROPHIN GEL 80 UNIT/ML GEL <b>DL</b>	4	PA,QL(30 per 30 days)
CORTROPHIN GEL 80 UNIT/ML SYRINGE <b>DL</b>	4	PA,QL(30 per 30 days)
<i>deflazacort 18 mg, 30 mg, 36 mg, 6 mg TABLET</i> <b>DL</b>	4	PA
<i>deflazacort 22.75 mg/ml SUSPENSION</i> <b>DL</b>	4	PA
DEPO-MEDROL 20 MG/ML, 40 MG/ML, 80 MG/ML SUSPENSION <b>MO</b>	3	
<i>dexabliss 1.5 mg (39 tabs) TABLET, DOSE PACK</i> <b>MO</b>	1	
<i>dexamethasone 0.5 mg, 0.75 mg, 1 mg, 1.5 mg, 2 mg, 4 mg, 6 mg TABLET</i> <b>MO</b>	1	
<i>dexamethasone 0.5 mg/5 ml ELIXIR</i> <b>MO</b>	1	
<i>dexamethasone 0.5 mg/5 ml SOLUTION</i> <b>MO</b>	1	
<i>dexamethasone 1.5 mg (21 tabs), 1.5 mg (35 tabs), 1.5 mg (51 tabs) TABLET, DOSE PACK</i> <b>MO</b>	1	
<i>dexamethasone intensol 1 mg/ml DROPS</i> <b>MO</b>	1	
<i>dexamethasone sodium phos (pf) 10 mg/ml SOLUTION</i> <b>MO</b>	1	
<i>dexamethasone sodium phos (pf) 10 mg/ml SYRINGE</i> <b>MO</b>	1	
<i>dexamethasone sodium phosphate 10 mg/ml, 4 mg/ml SOLUTION</i> <b>MO</b>	1	
<i>dexamethasone sodium phosphate 4 mg/ml SYRINGE</i> <b>MO</b>	1	
EMFLAZA 18 MG, 30 MG, 36 MG, 6 MG TABLET <b>DL</b>	4	PA
EMFLAZA 22.75 MG/ML SUSPENSION <b>DL</b>	4	PA
<i>fludrocortisone 0.1 mg TABLET</i> <b>MO</b>	1	
HEMADY 20 MG TABLET <b>MO</b>	3	PA,QL(24 per 28 days)
<i>hydrocortisone acetate 2.5 % CREAM W/PERINEAL APPLICATOR</i> <b>DL</b>	4	
<i>hydrocortisone sod succinate 100 mg RECON SOLUTION</i> <b>MO</b>	1	
<i>jaythari 18 mg, 30 mg, 36 mg, 6 mg TABLET</i> <b>DL</b>	4	PA
<i>jaythari 22.75 mg/ml SUSPENSION</i> <b>DL</b>	4	PA
KENALOG 0.147 MG/GRAM AEROSOL <b>MO</b>	3	QL(200 per 30 days)
KENALOG 10 MG/ML, 40 MG/ML SUSPENSION <b>MO</b>	3	
KENALOG-80 80 MG/ML SUSPENSION <b>MO</b>	3	
KHINDIVI 1 MG/ML SOLUTION <b>DL</b>	4	PA
<i>kymbee 18 mg, 30 mg, 36 mg, 6 mg TABLET</i> <b>DL</b>	4	PA

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
MEDROL 16 MG, 2 MG, 4 MG, 8 MG TABLET <b>MO</b>	3	BvsD
MEDROL (PAK) 4 MG TABLET, DOSE PACK <b>MO</b>	3	
methylprednisolone 16 mg, 32 mg, 4 mg, 8 mg TABLET <b>MO</b>	1	BvsD
methylprednisolone 4 mg TABLET, DOSE PACK <b>MO</b>	1	
methylprednisolone acetate 40 mg/ml, 80 mg/ml SUSPENSION <b>MO</b>	1	
methylprednisolone sodium succ 1,000 mg, 125 mg, 40 mg, 500 mg RECON SOLUTION <b>MO</b>	1	
micort-hc 2.5 % CREAM W/PERINEAL APPLICATOR <b>MO</b>	1	
millipred 5 mg TABLET <b>MO</b>	1	BvsD
millipred dp 5 mg (21 tabs), 5 mg (48 tabs) TABLET, DOSE PACK <b>MO</b>	1	
ORAPRED ODT 10 MG, 15 MG, 30 MG TABLET, DISINTEGRATING <b>MO</b>	3	
PEDIAPRED 5 MG BASE/5 ML (6.7 MG/5 ML) SOLUTION <b>MO</b>	3	
prednisolone 15 mg/5 ml SOLUTION <b>MO</b>	1	
prednisolone 5 mg TABLET <b>MO</b>	1	BvsD
prednisolone sodium phosphate 10 mg, 15 mg, 30 mg TABLET, DISINTEGRATING <b>MO</b>	1	
prednisolone sodium phosphate 10 mg/5 ml, 15 mg/5 ml (3 mg/ml), 20 mg/5 ml (4 mg/ml), 25 mg/5 ml (5 mg/ml), 5 mg base/5 ml (6.7 mg/5 ml) SOLUTION <b>MO</b>	1	
prednisone 1 mg, 2 mg TABLET, DR/EC <b>DL</b>	4	PA
prednisone 1 mg, 2.5 mg, 50 mg TABLET <b>MO</b>	1	BvsD
prednisone 10 mg, 20 mg, 5 mg TABLET <b>MO</b>	1	BvsD
prednisone 10 mg, 5 mg TABLET, DOSE PACK <b>MO</b>	1	
prednisone 5 mg/5 ml SOLUTION <b>MO</b>	1	BvsD
prednisone intensol 5 mg/ml CONCENTRATE <b>MO</b>	1	BvsD
pyquvi 22.75 mg/ml SUSPENSION <b>DL</b>	4	PA
RAYOS 1 MG, 2 MG, 5 MG TABLET, DR/EC <b>DL</b>	4	PA
SOLU-CORTEF 100 MG RECON SOLUTION <b>MO</b>	3	
SOLU-CORTEF ACT-O-VIAL (PF) 1,000 MG/8 ML, 100 MG/2 ML, 250 MG/2 ML, 500 MG/4 ML RECON SOLUTION <b>MO</b>	3	
SOLU-MEDROL 1,000 MG, 2 GRAM, 500 MG RECON SOLUTION <b>MO</b>	3	
SOLU-MEDROL (PF) 1,000 MG/8 ML, 125 MG/2 ML, 40 MG/ML, 500 MG/4 ML RECON SOLUTION <b>MO</b>	3	
taperdex 1.5 mg (21 tabs), 1.5 mg (27 tabs), 1.5 mg (49 tabs) TABLET, DOSE PACK <b>MO</b>	1	
triamcinolone acetonide 0.025 %, 0.05 %, 0.1 %, 0.5 % OINTMENT <b>MO</b>	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
triamcinolone acetonide 0.025 %, 0.1 % LOTION <b>MO</b>	1	
triamcinolone acetonide 0.025 %, 0.5 % CREAM <b>MO</b>	1	
triamcinolone acetonide 0.1 % CREAM <b>MO</b>	1	
triamcinolone acetonide 0.147 mg/gram AEROSOL <b>MO</b>	1	QL(200 per 30 days)
triamcinolone acetonide 10 mg/ml, 40 mg/ml SUSPENSION <b>MO</b>	1	
trianex 0.05 % OINTMENT <b>MO</b>	1	
triderm 0.1 %, 0.5 % CREAM <b>MO</b>	1	
VERIPRED 20 20 MG/5 ML (4 MG/ML) SOLUTION <b>MO</b>	1	
ZCORT 1.5 MG (25 TABS) TABLET, DOSE PACK <b>MO</b>	1	
ZILRETTA 32 MG SUSPENSION, ER, RECON <b>MO</b>	3	PA
<b>HORMONAL AGENTS, STIMULANT/REPLACEMENT/MODIFYING (PITUITARY)</b>		
CHORIONIC GONADOTROPIN, HUMAN 10,000 UNIT RECON SOLUTION <b>MO</b>	3	PA
DDAVP 0.1 MG TABLET <b>MO</b>	3	PA
DDAVP 0.2 MG TABLET <b>DL</b>	4	PA
DDAVP 4 MCG/ML SOLUTION <b>MO</b>	3	PA
desmopressin 0.1 mg, 0.2 mg TABLET <b>MO</b>	1	
desmopressin 10 mcg/spray (0.1 ml) SPRAY WITH PUMP <b>MO</b>	1	PA,QL(25 per 30 days)
desmopressin 10 mcg/spray (0.1 ml) SPRAY, NON-AEROSOL <b>MO</b>	1	PA,QL(25 per 30 days)
desmopressin 4 mcg/ml SOLUTION <b>DL</b>	4	
EGRIFTA SV 2 MG RECON SOLUTION <b>DL</b>	4	PA,QL(30 per 30 days)
EGRIFTA WR 11.6 MG KIT <b>DL</b>	4	PA,QL(1 per 28 days)
GENOTROPIN 12 MG/ML (36 UNIT/ML), 5 MG/ML (15 UNIT/ML) CARTRIDGE <b>DL</b>	4	PA
GENOTROPIN MINIQUICK 0.2 MG/0.25 ML, 0.4 MG/0.25 ML, 0.6 MG/0.25 ML, 0.8 MG/0.25 ML, 1 MG/0.25 ML, 1.2 MG/0.25 ML, 1.4 MG/0.25 ML, 1.6 MG/0.25 ML, 1.8 MG/0.25 ML, 2 MG/0.25 ML SYRINGE <b>DL</b>	4	PA
HUMATROPE 12 MG (36 UNIT), 24 MG (72 UNIT), 6 MG (18 UNIT) CARTRIDGE <b>DL</b>	4	PA
HUMATROPE 5 (15 UNIT) MG RECON SOLUTION <b>DL</b>	4	PA
INCRELEX 10 MG/ML SOLUTION <b>DL</b>	4	PA
ISTURISA 1 MG TABLET <b>DL</b>	4	PA,QL(240 per 30 days)
ISTURISA 5 MG TABLET <b>DL</b>	4	PA,QL(360 per 30 days)
NGENLA 24 MG/1.2 ML (20 MG/ML), 60 MG/1.2 ML (50 MG/ML) PEN INJECTOR <b>DL</b>	4	PA
NOCDURNA (MEN) 55.3 MCG TABLET, DISINTEGRATING <b>MO</b>	3	QL(30 per 30 days)
NOCDURNA (WOMEN) 27.7 MCG TABLET, DISINTEGRATING <b>MO</b>	3	QL(30 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
NORDITROPIN FLEXPRO 10 MG/1.5 ML (6.7 MG/ML), 15 MG/1.5 ML (10 MG/ML), 30 MG/3 ML (10 MG/ML), 5 MG/1.5 ML (3.3 MG/ML) PEN INJECTOR <b>DL</b>	4	PA
NOVAREL 5,000 UNIT RECON SOLUTION <b>MO</b>	3	PA
NUTROPIN AQ NUSPIN 10 MG/2 ML (5 MG/ML), 20 MG/2 ML (10 MG/ML), 5 MG/2 ML (2.5 MG/ML) PEN INJECTOR <b>DL</b>	4	PA
OMNITROPE 10 MG/1.5 ML (6.7 MG/ML), 5 MG/1.5 ML (3.3 MG/ML) CARTRIDGE <b>DL</b>	4	PA
OMNITROPE 5.8 MG RECON SOLUTION <b>DL</b>	4	PA
PREGNYL 10,000 UNIT RECON SOLUTION <b>MO</b>	3	PA
SAIZEN SAIZENPREP 8.8 MG/1.51 ML (FINAL CONC.) CARTRIDGE <b>DL</b>	4	PA
SEROSTIM 4 MG, 5 MG, 6 MG RECON SOLUTION <b>DL</b>	4	PA,QL(28 per 28 days)
SKYTROFA 0.7 MG, 1.4 MG, 1.8 MG, 13.3 MG, 2.1 MG, 2.5 MG, 3 MG, 3.6 MG, 4.3 MG, 5.2 MG, 6.3 MG CARTRIDGE <b>DL</b>	4	PA,QL(4 per 28 days)
SKYTROFA 11 MG, 7.6 MG, 9.1 MG CARTRIDGE <b>DL</b>	4	PA,QL(8 per 28 days)
SOGROYA 10 MG/1.5 ML (6.7 MG/ML), 15 MG/1.5 ML (10 MG/ML), 5 MG/1.5 ML (3.3 MG/ML) PEN INJECTOR <b>DL</b>	4	PA,QL(6 per 28 days)
ZOMACTON 10 MG RECON SOLUTION <b>DL</b>	4	PA
ZOMACTON 5 MG RECON SOLUTION <b>DL</b>	4	PA,QL(28 per 28 days)
<b>HORMONAL AGENTS, STIMULANT/REPLACEMENT/MODIFYING (PROSTAGLANDINS)</b>		
carboprost tromethamine 250 mcg/ml SOLUTION <b>MO</b>	1	
carboprost tromethamine 250 mcg/ml SYRINGE <b>MO</b>	1	
HEMABATE 250 MCG/ML SOLUTION <b>MO</b>	3	
<b>HORMONAL AGENTS, STIMULANT/REPLACEMENT/MODIFYING (SEX HORMONES/MODIFIERS)</b>		
abigale 1-0.5 mg TABLET <b>MO</b>	1	
abigale lo 0.5-0.1 mg TABLET <b>MO</b>	1	
ACTIVELLA 1-0.5 MG TABLET <b>MO</b>	3	
afirmelle 0.1-20 mg-mcg TABLET <b>MO</b>	1	
altavera (28) 0.15-0.03 mg TABLET <b>MO</b>	1	
alyacen 1/35 (28) 1-35 mg-mcg TABLET <b>MO</b>	1	
alyacen 7/7/7 (28) 0.5/0.75/1 mg- 35 mcg TABLET <b>MO</b>	1	
amethia 0.15 mg-30 mcg (84)/10 mcg (7) TABLET, DOSE PACK, 3 MONTH <b>MO</b>	1	QL(91 per 90 days)
amethyst (28) 90-20 mcg (28) TABLET <b>MO</b>	1	
ANDROGEL 20.25 MG/1.25 GRAM (1.62 %) GEL IN METERED DOSE PUMP <b>DL</b>	4	PA,QL(150 per 30 days)
ANGELIQ 0.25-0.5 MG, 0.5-1 MG TABLET <b>MO</b>	3	
ANNOVERA 0.15-0.013 MG/24 HOUR RING <b>MO</b>	3	QL(1 per 365 days)
apri 0.15-0.03 mg TABLET <b>MO</b>	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
aranelle (28) 0.5/1/0.5-35 mg-mcg TABLET <b>MO</b>	1	
ashlyna 0.15 mg-30 mcg (84)/10 mcg (7) TABLET, DOSE PACK, 3 MONTH <b>MO</b>	1	QL(91 per 90 days)
aubra 0.1-20 mg-mcg TABLET <b>MO</b>	1	
aubra eq 0.1-20 mg-mcg TABLET <b>MO</b>	1	
aurovela 1.5/30 (21) 1.5-30 mg-mcg TABLET <b>MO</b>	1	
aurovela 1/20 (21) 1-20 mg-mcg TABLET <b>MO</b>	1	
aurovela 24 fe 1 mg-20 mcg (24)/75 mg (4) TABLET <b>MO</b>	1	
aurovela fe 1-20 (28) 1 mg-20 mcg (21)/75 mg (7) TABLET <b>MO</b>	1	
aurovela fe 1.5/30 (28) 1.5 mg-30 mcg (21)/75 mg (7) TABLET <b>MO</b>	1	
AVEED 750 MG/3 ML (250 MG/ML) SOLUTION <b>DL</b>	4	PA
AVERI 0.15 MG-0.03 MG (21)/36.5 MG(7) TABLET <b>MO</b>	1	
aviane 0.1-20 mg-mcg TABLET <b>MO</b>	1	
ayuna 0.15-0.03 mg TABLET <b>MO</b>	1	
AZMIRO 200 MG/ML SYRINGE <b>MO</b>	3	PA
azurette (28) 0.15-0.02 mgx21 /0.01 mg x 5 TABLET <b>MO</b>	1	
BALCOLTRA 0.1 MG-0.02 MG (21)/IRON (7) TABLET <b>MO</b>	3	
balziva (28) 0.4-35 mg-mcg TABLET <b>MO</b>	1	
BEYAZ 3-0.02-0.451 MG (24) (4) TABLET <b>MO</b>	3	
BIJUVA 0.5-100 MG, 1-100 MG CAPSULE <b>MO</b>	3	QL(30 per 30 days)
blisovi 24 fe 1 mg-20 mcg (24)/75 mg (4) TABLET <b>MO</b>	1	
blisovi fe 1.5/30 (28) 1.5 mg-30 mcg (21)/75 mg (7) TABLET <b>MO</b>	1	
blisovi fe 1/20 (28) 1 mg-20 mcg (21)/75 mg (7) TABLET <b>MO</b>	1	
briellyn 0.4-35 mg-mcg TABLET <b>MO</b>	1	
camila 0.35 mg TABLET <b>MO</b>	1	
camrese 0.15 mg-30 mcg (84)/10 mcg (7) TABLET, DOSE PACK, 3 MONTH <b>MO</b>	1	QL(91 per 90 days)
camrese lo 0.1 mg-20 mcg (84)/10 mcg (7) TABLET, DOSE PACK, 3 MONTH <b>MO</b>	1	QL(91 per 90 days)
charlotte 24 fe 1 mg-20 mcg(24) /75 mg (4) CHEWABLE TABLET <b>MO</b>	1	
chateal eq (28) 0.15-0.03 mg TABLET <b>MO</b>	1	
CLIMARA 0.025 MG/24 HR, 0.0375 MG/24 HR, 0.05 MG/24 HR, 0.06 MG/24 HR, 0.075 MG/24 HR, 0.1 MG/24 HR PATCH, WEEKLY <b>MO</b>	3	QL(4 per 28 days)
CLIMARA PRO 0.045-0.015 MG/24 HR PATCH, WEEKLY <b>MO</b>	3	QL(4 per 28 days)
COMBIPATCH 0.05-0.14 MG/24 HR, 0.05-0.25 MG/24 HR PATCH, SEMIWEEKLY <b>MO</b>	3	QL(8 per 28 days)
conjugated estrogens 0.3 mg, 0.45 mg, 0.625 mg, 0.9 mg, 1.25 mg TABLET <b>MO</b>	1	
CRENESSITY 100 MG CAPSULE <b>DL</b>	4	PA,QL(120 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
CRENESSITY 25 MG, 50 MG CAPSULE <b>DL</b>	4	PA,QL(90 per 30 days)
CRENESSITY 50 MG/ML SOLUTION <b>DL</b>	4	PA,QL(240 per 30 days)
CRINONE 4 %, 8 % GEL <b>MO</b>	3	
<i>cryselle (28) 0.3-30 mg-mcg TABLET <b>MO</b></i>	1	
<i>cyred 0.15-0.03 mg TABLET <b>MO</b></i>	1	
<i>cyred eq 0.15-0.03 mg TABLET <b>MO</b></i>	1	
<i>danazol 100 mg, 200 mg, 50 mg CAPSULE <b>MO</b></i>	1	
<i>dasetta 1/35 (28) 1-35 mg-mcg TABLET <b>MO</b></i>	1	
<i>dasetta 7/7/7 (28) 0.5/0.75/1 mg- 35 mcg TABLET <b>MO</b></i>	1	
<i>daysee 0.15 mg-30 mcg (84)/10 mcg (7) TABLET, DOSE PACK, 3 MONTH <b>MO</b></i>	1	QL(91 per 90 days)
<i>deblitane 0.35 mg TABLET <b>MO</b></i>	1	
DELESTROGEN 10 MG/ML, 20 MG/ML, 40 MG/ML OIL <b>MO</b>	3	
DEPO-ESTRADIOL 5 MG/ML OIL <b>MO</b>	1	
DEPO-PROVERA 150 MG/ML SUSPENSION <b>MO</b>	3	QL(1 per 90 days)
DEPO-PROVERA 150 MG/ML SYRINGE <b>MO</b>	3	QL(1 per 90 days)
DEPO-SUBQ PROVERA 104 104 MG/0.65 ML SYRINGE <b>MO</b>	2	QL(0.65 per 90 days)
DEPO-TESTOSTERONE 100 MG/ML, 200 MG/ML OIL <b>MO</b>	1	PA
<i>desog-e.estradiol/e.estradiol 0.15-0.02 mgx21 /0.01 mg x 5 TABLET <b>MO</b></i>	1	
DIVIGEL 0.25 MG/0.25 GRAM (0.1 %), 0.5 MG/0.5 GRAM (0.1 %), 0.75 MG/0.75 GRAM (0.1%), 1 MG/GRAM (0.1 %), 1.25 MG/1.25 GRAM (0.1 %) GEL IN PACKET <b>MO</b>	3	
<i>dolishale 90-20 mcg (28) TABLET <b>MO</b></i>	1	
<i>dotti 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr PATCH, SEMIWEEKLY <b>MO</b></i>	1	QL(8 per 28 days)
<i>drospirenone-e.estradiol-lm.fa 3-0.02-0.451 mg (24) (4), 3-0.03-0.451 mg (21) (7) TABLET <b>MO</b></i>	1	
<i>drospirenone-ethinyl estradiol 3-0.02 mg, 3-0.03 mg TABLET <b>MO</b></i>	1	
DUAVEE 0.45-20 MG TABLET <b>MO</b>	3	PA,QL(30 per 30 days)
ELESTRIN 0.87 GRAM/ACTUATION GEL IN METERED DOSE PUMP <b>MO</b>	3	QL(52 per 30 days)
<i>elinest 0.3-30 mg-mcg TABLET <b>MO</b></i>	1	
<i>eluryng 0.12-0.015 mg/24 hr RING <b>MO</b></i>	1	QL(1 per 28 days)
<i>emzahh 0.35 mg TABLET <b>MO</b></i>	1	
ENDOMETRIN 100 MG INSERT <b>MO</b>	3	
<i>enilloring 0.12-0.015 mg/24 hr RING <b>MO</b></i>	1	QL(1 per 28 days)
<i>enpresse 50-30 (6)/75-40 (5)/125-30(10) TABLET <b>MO</b></i>	1	
<i>enskyce 0.15-0.03 mg TABLET <b>MO</b></i>	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
errin 0.35 mg TABLET <b>MO</b>	1	
estarylla 0.25-0.035 mg TABLET <b>MO</b>	1	
ESTRACE 0.01 % (0.1 MG/GRAM) CREAM <b>MO</b>	3	PA
ESTRACE 0.5 MG, 1 MG, 2 MG TABLET <b>MO</b>	1	
estradiol 0.01 % (0.1 mg/gram) CREAM <b>MO</b>	1	
estradiol 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.06 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr PATCH, WEEKLY <b>MO</b>	1	QL(4 per 28 days)
estradiol 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr PATCH, SEMIWEEKLY <b>MO</b>	1	QL(8 per 28 days)
estradiol 0.25 mg/0.25 gram (0.1 %), 0.5 mg/0.5 gram (0.1 %), 0.75 mg/0.75 gram (0.1%), 1 mg/gram (0.1 %), 1.25 mg/1.25 gram (0.1 %) GEL IN PACKET <b>MO</b>	1	
estradiol 0.5 mg, 1 mg, 10 mcg, 2 mg TABLET <b>MO</b>	1	
estradiol 1.25 gram/actuation GEL IN METERED DOSE PUMP <b>MO</b>	1	
estradiol valerate 10 mg/ml, 20 mg/ml, 40 mg/ml OIL <b>MO</b>	1	
estradiol-norethindrone acet 0.5-0.1 mg, 1-0.5 mg TABLET <b>MO</b>	1	
ESTRING 2 MG (7.5 MCG/24 HOUR) RING <b>MO</b>	3	QL(1 per 90 days)
ethynodiol diac-eth estradiol 1-35 mg-mcg, 1-50 mg-mcg TABLET <b>MO</b>	1	
etonogestrel-ethinyl estradiol 0.12-0.015 mg/24 hr RING <b>MO</b>	1	QL(1 per 28 days)
EVAMIST 1.53 MG/SPRAY (1.7%) SPRAY, NON-AEROSOL <b>MO</b>	3	
EVISTA 60 MG TABLET <b>MO</b>	3	PA,QL(30 per 30 days)
falmina (28) 0.1-20 mg-mcg TABLET <b>MO</b>	1	
feirza 1 mg-20 mcg (21)/75 mg (7), 1.5 mg-30 mcg (21)/75 mg (7) TABLET <b>MO</b>	1	
FEMLYV 1 MG- 20 MCG TABLET, DISINTEGRATING <b>MO</b>	3	
FEMRING 0.05 MG/24 HR, 0.1 MG/24 HR RING <b>MO</b>	3	QL(1 per 90 days)
finzala 1 mg-20 mcg(24) /75 mg (4) CHEWABLE TABLET <b>MO</b>	1	
FORTESTA 10 MG/0.5 GRAM /ACTUATION GEL IN METERED DOSE PUMP <b>MO</b>	3	PA,QL(120 per 30 days)
fyavolv 0.5-2.5 mg-mcg, 1-5 mg-mcg TABLET <b>MO</b>	1	
galbriela 0.8mg-25mcg(24) and 75 mg (4) CHEWABLE TABLET <b>MO</b>	1	
gallifrey 5 mg TABLET <b>MO</b>	1	
gemmily 1 mg-20 mcg (24)/75 mg (4) CAPSULE <b>MO</b>	1	
hailey 1.5-30 mg-mcg TABLET <b>MO</b>	1	
hailey 24 fe 1 mg-20 mcg (24)/75 mg (4) TABLET <b>MO</b>	1	
hailey fe 1.5/30 (28) 1.5 mg-30 mcg (21)/75 mg (7) TABLET <b>MO</b>	1	
hailey fe 1/20 (28) 1 mg-20 mcg (21)/75 mg (7) TABLET <b>MO</b>	1	
haloette 0.12-0.015 mg/24 hr RING <b>MO</b>	1	QL(1 per 28 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
heather 0.35 mg TABLET <b>MO</b>	1	
iclevia 0.15 mg-30 mcg (91) TABLET, DOSE PACK, 3 MONTH <b>MO</b>	1	QL(91 per 90 days)
IMVEXXY MAINTENANCE PACK 10 MCG, 4 MCG INSERT <b>MO</b>	3	PA,QL(8 per 28 days)
IMVEXXY STARTER PACK 10 MCG, 4 MCG INSERT, DOSE PACK <b>MO</b>	3	PA,QL(18 per 28 days)
incassia 0.35 mg TABLET <b>MO</b>	1	
INTRAROSA 6.5 MG INSERT <b>MO</b>	3	PA
introvale 0.15 mg-30 mcg (91) TABLET, DOSE PACK, 3 MONTH <b>MO</b>	1	QL(91 per 90 days)
isibloom 0.15-0.03 mg TABLET <b>MO</b>	1	
jaimiess 0.15 mg-30 mcg (84)/10 mcg (7) TABLET, DOSE PACK, 3 MONTH <b>MO</b>	1	QL(91 per 90 days)
jasmiel (28) 3-0.02 mg TABLET <b>MO</b>	1	
JATENZO 158 MG, 198 MG CAPSULE <b>MO</b>	3	PA,QL(120 per 30 days)
JATENZO 237 MG CAPSULE <b>MO</b>	3	PA,QL(60 per 30 days)
jencycla 0.35 mg TABLET <b>MO</b>	1	
jjinteli 1-5 mg-mcg TABLET <b>MO</b>	1	
jolessa 0.15 mg-30 mcg (91) TABLET, DOSE PACK, 3 MONTH <b>MO</b>	3	QL(91 per 90 days)
joyeaux 0.1 mg-0.02 mg (21)/iron (7) TABLET <b>MO</b>	1	
juleber 0.15-0.03 mg TABLET <b>MO</b>	1	
junel 1.5/30 (21) 1.5-30 mg-mcg TABLET <b>MO</b>	1	
junel 1/20 (21) 1-20 mg-mcg TABLET <b>MO</b>	1	
junel fe 1.5/30 (28) 1.5 mg-30 mcg (21)/75 mg (7) TABLET <b>MO</b>	1	
junel fe 1/20 (28) 1 mg-20 mcg (21)/75 mg (7) TABLET <b>MO</b>	1	
junel fe 24 1 mg-20 mcg (24)/75 mg (4) TABLET <b>MO</b>	1	
kaitlib fe 0.8mg-25mcg(24) and 75 mg (4) CHEWABLE TABLET <b>MO</b>	1	
kalliga 0.15-0.03 mg TABLET <b>MO</b>	1	
kariva (28) 0.15-0.02 mgx21 /0.01 mg x 5 TABLET <b>MO</b>	1	
kelnor 1/35 (28) 1-35 mg-mcg TABLET <b>MO</b>	1	
kelnor 1/50 (28) 1-50 mg-mcg TABLET <b>MO</b>	1	
kurvelo (28) 0.15-0.03 mg TABLET <b>MO</b>	1	
l norgest/e.estradiol-e.estrad 0.1 mg-20 mcg (84)/10 mcg (7), 0.15 mg-20 mcg/ 0.15 mg-25 mcg, 0.15 mg-30 mcg (84)/10 mcg (7) TABLET, DOSE PACK, 3 MONTH <b>MO</b>	1	QL(91 per 90 days)
larin 1.5/30 (21) 1.5-30 mg-mcg TABLET <b>MO</b>	1	
larin 1/20 (21) 1-20 mg-mcg TABLET <b>MO</b>	1	
larin 24 fe 1 mg-20 mcg (24)/75 mg (4) TABLET <b>MO</b>	1	
larin fe 1.5/30 (28) 1.5 mg-30 mcg (21)/75 mg (7) TABLET <b>MO</b>	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
larin fe 1/20 (28) 1 mg-20 mcg (21)/75 mg (7) TABLET <b>MO</b>	1	
LAYOLIS FE 0.8MG-25MCG(24) AND 75 MG (4) CHEWABLE TABLET <b>MO</b>	3	
leena 28 0.5/1/0.5-35 mg-mcg TABLET <b>MO</b>	1	
lessina 0.1-20 mg-mcg TABLET <b>MO</b>	1	
levonest (28) 50-30 (6)/75-40 (5)/125-30(10) TABLET <b>MO</b>	1	
levonorg-eth estrad triphasic 50-30 (6)/75-40 (5)/125-30(10) TABLET <b>MO</b>	1	
levonorgest-eth.estradiol-iron 0.1 mg-0.02 mg (21)/iron (7) TABLET <b>MO</b>	3	
levonorgestrel-ethinyl estrad 0.1-20 mg-mcg, 0.15-0.03 mg, 90-20 mcg (28) TABLET <b>MO</b>	1	
levonorgestrel-ethinyl estrad 0.15 mg-30 mcg (91) TABLET, DOSE PACK, 3 MONTH <b>MO</b>	1	QL(91 per 90 days)
levora-28 0.15-0.03 mg TABLET <b>MO</b>	1	
LO LOESTRIN FE 1 MG-10 MCG (24)/10 MCG (2) TABLET <b>MO</b>	3	
lo-zumandimine (28) 3-0.02 mg TABLET <b>MO</b>	1	
LOESTRIN 1.5/30 (21) 1.5-30 MG-MCG TABLET <b>MO</b>	1	
LOESTRIN 1/20 (21) 1-20 MG-MCG TABLET <b>MO</b>	1	
LOESTRIN FE 1.5/30 (28-DAY) 1.5 MG-30 MCG (21)/75 MG (7) TABLET <b>MO</b>	1	
LOESTRIN FE 1/20 (28-DAY) 1 MG-20 MCG (21)/75 MG (7) TABLET <b>MO</b>	1	
lojaimiess 0.1 mg-20 mcg (84)/10 mcg (7) TABLET, DOSE PACK, 3 MONTH <b>MO</b>	1	QL(91 per 90 days)
loryna (28) 3-0.02 mg TABLET <b>MO</b>	1	
low-ogestrel (28) 0.3-30 mg-mcg TABLET <b>MO</b>	1	
luizza 1-20 mg-mcg, 1.5-30 mg-mcg TABLET <b>MO</b>	1	
lutera (28) 0.1-20 mg-mcg TABLET <b>MO</b>	1	
lyleq 0.35 mg TABLET <b>MO</b>	1	
lyllana 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr PATCH, SEMIWEEKLY <b>MO</b>	1	QL(8 per 28 days)
lyza 0.35 mg TABLET <b>MO</b>	1	
marlissa (28) 0.15-0.03 mg TABLET <b>MO</b>	1	
medroxyprogesterone 10 mg, 2.5 mg, 5 mg TABLET <b>MO</b>	1	
medroxyprogesterone 150 mg/ml SUSPENSION <b>MO</b>	1	QL(1 per 90 days)
medroxyprogesterone 150 mg/ml SYRINGE <b>MO</b>	1	QL(1 per 90 days)
megestrol 20 mg, 40 mg TABLET <b>MO</b>	1	
megestrol 400 mg/10 ml (10 ml), 400 mg/10 ml (40 mg/ml), 625 mg/5 ml (125 mg/ml) SUSPENSION <b>MO</b>	1	
meleya 0.35 mg TABLET <b>MO</b>	1	
MENEST 0.3 MG, 0.625 MG, 1.25 MG, 2.5 MG TABLET <b>MO</b>	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
MENOSTAR 14 MCG/24 HR PATCH, WEEKLY <b>MO</b>	3	QL(8 per 28 days)
merzee 1 mg-20 mcg (24)/75 mg (4) CAPSULE <b>MO</b>	1	
METHITEST 10 MG TABLET <b>DL</b>	4	
methyltestosterone 10 mg CAPSULE <b>DL</b>	4	
mibelas 24 fe 1 mg-20 mcg(24) /75 mg (4) CHEWABLE TABLET <b>MO</b>	1	
microgestin 1.5/30 (21) 1.5-30 mg-mcg TABLET <b>MO</b>	1	
microgestin 1/20 (21) 1-20 mg-mcg TABLET <b>MO</b>	1	
microgestin fe 1.5/30 (28) 1.5 mg-30 mcg (21)/75 mg (7) TABLET <b>MO</b>	1	
microgestin fe 1/20 (28) 1 mg-20 mcg (21)/75 mg (7) TABLET <b>MO</b>	1	
mili 0.25-0.035 mg TABLET <b>MO</b>	1	
mimvey 1-0.5 mg TABLET <b>MO</b>	1	
MINIVELLE 0.025 MG/24 HR, 0.0375 MG/24 HR, 0.05 MG/24 HR, 0.075 MG/24 HR, 0.1 MG/24 HR PATCH, SEMIWEEKLY <b>MO</b>	3	QL(8 per 28 days)
minzoya 0.1 mg-0.02 mg (21)/iron (7) TABLET <b>MO</b>	1	
mono-lynyah 0.25-0.035 mg TABLET <b>MO</b>	1	
NATAZIA 3 MG/2 MG-2 MG/ 2 MG-3 MG/1 MG TABLET <b>MO</b>	3	
necon 0.5/35 (28) 0.5-35 mg-mcg TABLET <b>MO</b>	1	
NEXPLANON 68 MG IMPLANT <b>MO</b>	2	
NEXTSTELLIS 3 MG- 14.2 MG (28) TABLET <b>MO</b>	3	
nikki (28) 3-0.02 mg TABLET <b>MO</b>	1	
NORA-BE 0.35 MG TABLET <b>MO</b>	1	
norelgestromin-ethin.estradiol 150-35 mcg/24 hr PATCH, WEEKLY <b>MO</b>	1	QL(3 per 28 days)
noreth-ethinyl estradiol-iron 0.4mg-35mcg(21) and 75 mg (7), 0.8mg-25mcg(24) and 75 mg (4) CHEWABLE TABLET <b>MO</b>	1	
norethindrone (contraceptive) 0.35 mg TABLET <b>MO</b>	1	
norethindrone ac-eth estradiol 0.5-2.5 mg-mcg, 1-20 mg-mcg, 1-5 mg-mcg, 1.5-30 mg-mcg TABLET <b>MO</b>	1	
norethindrone acetate 5 mg TABLET <b>MO</b>	1	
norethindrone-e.estradiol-iron 1 mg-20 mcg (21)/75 mg (7), 1-20(5)/1-30(7) /1mg-35mcg (9), 1.5 mg-30 mcg (21)/75 mg (7) TABLET <b>MO</b>	1	
norethindrone-e.estradiol-iron 1 mg-20 mcg (24)/75 mg (4) CAPSULE <b>MO</b>	1	
norethindrone-e.estradiol-iron 1 mg-20 mcg(24) /75 mg (4) CHEWABLE TABLET <b>MO</b>	1	
norgestimate-ethinyl estradiol 0.18/0.215/0.25 mg-0.025 mg, 0.18/0.215/0.25 mg-0.035mg (28), 0.25-0.035 mg TABLET <b>MO</b>	1	
nortrel 0.5/35 (28) 0.5-35 mg-mcg TABLET <b>MO</b>	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
nortrel 1/35 (21) 1-35 mg-mcg (21) TABLET <b>MO</b>	1	
nortrel 1/35 (28) 1-35 mg-mcg TABLET <b>MO</b>	1	
nortrel 7/7/7 (28) 0.5/0.75/1 mg- 35 mcg TABLET <b>MO</b>	1	
NUVARING 0.12-0.015 MG/24 HR RING <b>MO</b>	3	QL(1 per 28 days)
nylia 1/35 (28) 1-35 mg-mcg TABLET <b>MO</b>	1	
nylia 7/7/7 (28) 0.5/0.75/1 mg- 35 mcg TABLET <b>MO</b>	1	
ocella 3-0.03 mg TABLET <b>MO</b>	1	
orquidea 0.35 mg TABLET <b>MO</b>	1	
OSPHENA 60 MG TABLET <b>MO</b>	2	PA
philith 0.4-35 mg-mcg TABLET <b>MO</b>	1	
pimtrea (28) 0.15-0.02 mgx21 /0.01 mg x 5 TABLET <b>MO</b>	1	
portia 28 0.15-0.03 mg TABLET <b>MO</b>	1	
PREMARIN 0.3 MG, 0.45 MG, 0.625 MG, 0.9 MG, 1.25 MG TABLET <b>MO</b>	3	
PREMARIN 0.625 MG/GRAM CREAM <b>MO</b>	2	
PREMARIN 25 MG RECON SOLUTION <b>MO</b>	3	
PREMPHASE 0.625 MG (14)/ 0.625MG-5MG(14) TABLET <b>MO</b>	3	
PREMPRO 0.3-1.5 MG, 0.45-1.5 MG, 0.625-2.5 MG, 0.625-5 MG TABLET <b>MO</b>	3	
progesterone 50 mg/ml OIL <b>MO</b>	1	
progesterone micronized 100 mg INSERT <b>MO</b>	1	
progesterone micronized 100 mg, 200 mg CAPSULE <b>MO</b>	1	
PROMETRIUM 100 MG, 200 MG CAPSULE <b>MO</b>	3	
PROVERA 10 MG, 2.5 MG, 5 MG TABLET <b>MO</b>	3	
raloxifene 60 mg TABLET <b>MO</b>	1	QL(30 per 30 days)
reclipsen (28) 0.15-0.03 mg TABLET <b>MO</b>	1	
rivalsa 0.15 mg-20 mcg/ 0.15 mg-25 mcg TABLET, DOSE PACK, 3 MONTH <b>MO</b>	1	QL(91 per 90 days)
rosyrah 0.15 mg-20 mcg/ 0.15 mg-25 mcg TABLET, DOSE PACK, 3 MONTH <b>MO</b>	1	QL(91 per 90 days)
SAFYRAL 3-0.03-0.451 MG (21) (7) TABLET <b>MO</b>	3	
setlakin 0.15 mg-30 mcg (91) TABLET, DOSE PACK, 3 MONTH <b>MO</b>	1	QL(91 per 90 days)
sharobel 0.35 mg TABLET <b>MO</b>	1	
simliya (28) 0.15-0.02 mgx21 /0.01 mg x 5 TABLET <b>MO</b>	1	
simpesse 0.15 mg-30 mcg (84)/10 mcg (7) TABLET, DOSE PACK, 3 MONTH <b>MO</b>	1	QL(91 per 90 days)
sprintec (28) 0.25-0.035 mg TABLET <b>MO</b>	1	
sronyx 0.1-20 mg-mcg TABLET <b>MO</b>	1	
syeda 3-0.03 mg TABLET <b>MO</b>	1	
tarina 24 fe 1 mg-20 mcg (24)/75 mg (4) TABLET <b>MO</b>	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
tarina fe 1-20 eq (28) 1 mg-20 mcg (21)/75 mg (7) TABLET <b>MO</b>	1	
tarina fe 1/20 (28) 1 mg-20 mcg (21)/75 mg (7) TABLET <b>MO</b>	1	
taysofy 1 mg-20 mcg (24)/75 mg (4) CAPSULE <b>MO</b>	1	
TAYTULLA 1 MG-20 MCG (24)/75 MG (4) CAPSULE <b>MO</b>	3	
TESTIM 50 MG/5 GRAM (1 %) GEL <b>MO</b>	3	PA,QL(300 per 30 days)
testosterone 1 % (25 mg/2.5gram), 1 % (50 mg/5 gram) GEL IN PACKET <b>MO</b>	1	PA,QL(300 per 30 days)
testosterone 1.62 % (20.25 mg/1.25 gram) GEL IN PACKET <b>MO</b>	1	PA,QL(37.5 per 30 days)
testosterone 1.62 % (40.5 mg/2.5 gram) GEL IN PACKET <b>MO</b>	1	PA,QL(150 per 30 days)
testosterone 10 mg/0.5 gram /actuation GEL IN METERED DOSE PUMP <b>MO</b>	1	PA,QL(120 per 30 days)
testosterone 12.5 mg/ 1.25 gram (1 %) GEL IN METERED DOSE PUMP <b>MO</b>	1	PA,QL(300 per 30 days)
testosterone 20.25 mg/1.25 gram (1.62 %) GEL IN METERED DOSE PUMP <b>MO</b>	1	PA,QL(150 per 30 days)
testosterone 30 mg/actuation (1.5 ml) SOLUTION IN METERED DOSE PUMP <b>MO</b>	3	PA,QL(180 per 30 days)
testosterone 50 mg/5 gram (1 %) GEL <b>MO</b>	3	PA,QL(300 per 30 days)
testosterone cypionate 100 mg/ml, 200 mg/ml OIL <b>MO</b>	1	PA
testosterone enanthate 200 mg/ml OIL <b>MO</b>	1	PA,QL(25 per 90 days)
tilia fe 1-20(5)/1-30(7) /1mg-35mcg (9) TABLET <b>MO</b>	1	
TLANDO 112.5 MG CAPSULE <b>MO</b>	3	PA,QL(120 per 30 days)
tri-estarylla 0.18/0.215/0.25 mg-0.035mg (28) TABLET <b>MO</b>	1	
tri-legest fe 1-20(5)/1-30(7) /1mg-35mcg (9) TABLET <b>MO</b>	1	
tri-linyah 0.18/0.215/0.25 mg-0.035mg (28) TABLET <b>MO</b>	1	
tri-lo-estarylla 0.18/0.215/0.25 mg-0.025 mg TABLET <b>MO</b>	1	
tri-lo-marzia 0.18/0.215/0.25 mg-0.025 mg TABLET <b>MO</b>	1	
tri-lo-mili 0.18/0.215/0.25 mg-0.025 mg TABLET <b>MO</b>	1	
tri-lo-sprintec 0.18/0.215/0.25 mg-0.025 mg TABLET <b>MO</b>	1	
tri-mili 0.18/0.215/0.25 mg-0.035mg (28) TABLET <b>MO</b>	1	
tri-sprintec (28) 0.18/0.215/0.25 mg-0.035mg (28) TABLET <b>MO</b>	1	
tri-vylibra 0.18/0.215/0.25 mg-0.035mg (28) TABLET <b>MO</b>	1	
tri-vylibra lo 0.18/0.215/0.25 mg-0.025 mg TABLET <b>MO</b>	1	
trivora (28) 50-30 (6)/75-40 (5)/125-30(10) TABLET <b>MO</b>	1	
tulana 0.35 mg TABLET <b>MO</b>	1	
turqoz (28) 0.3-30 mg-mcg TABLET <b>MO</b>	1	
tydemy 3-0.03-0.451 mg (21) (7) TABLET <b>MO</b>	1	
UNDECATREX 200 MG CAPSULE <b>DL</b>	4	PA,QL(120 per 30 days)
VAGIFEM 10 MCG TABLET <b>MO</b>	3	PA
valtya 1-35 mg-mcg, 1-50 mg-mcg TABLET <b>MO</b>	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
velivet triphasic regimen (28) 0.1/.125/.15-25 mg-mcg TABLET <b>MO</b>	1	
vestura (28) 3-0.02 mg TABLET <b>MO</b>	1	
vienva 0.1-20 mg-mcg TABLET <b>MO</b>	1	
viorele (28) 0.15-0.02 mgx21 /0.01 mg x 5 TABLET <b>MO</b>	1	
VIVELLE-DOT 0.025 MG/24 HR, 0.0375 MG/24 HR, 0.05 MG/24 HR, 0.075 MG/24 HR, 0.1 MG/24 HR PATCH, SEMIWEEKLY <b>MO</b>	3	QL(8 per 28 days)
VOGELXO 1 % (50 MG/5 GRAM) GEL IN PACKET <b>MO</b>	3	PA,QL(300 per 30 days)
VOGELXO 12.5 MG/ 1.25 GRAM (1 %) GEL IN METERED DOSE PUMP <b>MO</b>	3	PA,QL(300 per 30 days)
VOGELXO 50 MG/5 GRAM (1 %) GEL <b>MO</b>	3	PA,QL(300 per 30 days)
volnea (28) 0.15-0.02 mgx21 /0.01 mg x 5 TABLET <b>MO</b>	1	
vyfemla (28) 0.4-35 mg-mcg TABLET <b>MO</b>	1	
vylibra 0.25-0.035 mg TABLET <b>MO</b>	1	
wera (28) 0.5-35 mg-mcg TABLET <b>MO</b>	1	
wymzya fe 0.4mg-35mcg(21) and 75 mg (7) CHEWABLE TABLET <b>MO</b>	1	
xarah fe 1-20(5)/1-30(7) /1mg-35mcg (9) TABLET <b>MO</b>	1	
xelria fe 0.4mg-35mcg(21) and 75 mg (7) CHEWABLE TABLET <b>MO</b>	1	
xulane 150-35 mcg/24 hr PATCH, WEEKLY <b>MO</b>	1	QL(3 per 28 days)
XYOSTED 100 MG/0.5 ML, 50 MG/0.5 ML, 75 MG/0.5 ML AUTO-INJECTOR <b>MO</b>	3	PA,QL(2 per 28 days)
YASMIN (28) 3-0.03 MG TABLET <b>MO</b>	3	
YAZ (28) 3-0.02 MG TABLET <b>MO</b>	3	
yuvafem 10 mcg TABLET <b>MO</b>	1	
zafemy 150-35 mcg/24 hr PATCH, WEEKLY <b>MO</b>	1	QL(3 per 28 days)
zarah 3-0.03 mg TABLET <b>MO</b>	1	
zovia 1-35 (28) 1-35 mg-mcg TABLET <b>MO</b>	1	
zumandimine (28) 3-0.03 mg TABLET <b>MO</b>	1	
<b>HORMONAL AGENTS, STIMULANT/REPLACEMENT/MODIFYING (THYROID)</b>		
ARMOUR THYROID 120 MG, 15 MG, 180 MG, 240 MG, 30 MG, 300 MG, 60 MG, 90 MG TABLET <b>MO</b>	2	
CYTOMEL 25 MCG, 5 MCG, 50 MCG TABLET <b>MO</b>	3	
ERMEZA 30 MCG/ML SOLUTION <b>MO</b>	3	PA
LEVO-T 100 MCG, 112 MCG, 125 MCG, 137 MCG, 150 MCG, 175 MCG, 200 MCG, 25 MCG, 300 MCG, 50 MCG, 75 MCG, 88 MCG TABLET <b>MO</b>	2	
levothyroxine 100 mcg RECON SOLUTION <b>MO</b>	1	
levothyroxine 100 mcg, 112 mcg, 125 mcg, 13 mcg, 137 mcg, 150 mcg, 175 mcg, 200 mcg, 25 mcg, 50 mcg, 75 mcg, 88 mcg CAPSULE <b>MO</b>	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
levothyroxine 100 mcg, 112 mcg, 125 mcg, 137 mcg, 150 mcg, 25 mcg, 50 mcg, 75 mcg, 88 mcg TABLET <b>MO</b>	1	
levothyroxine 100 mcg/ml SOLUTION	4	
levothyroxine 175 mcg, 200 mcg, 300 mcg TABLET <b>MO</b>	1	
levothyroxine 20 mcg/ml, 40 mcg/ml SOLUTION <b>MO</b>	1	
levothyroxine 200 mcg, 500 mcg RECON SOLUTION <b>DL</b>	4	
LEVOXYL 100 MCG, 112 MCG, 125 MCG, 137 MCG, 150 MCG, 175 MCG, 200 MCG, 25 MCG, 50 MCG, 75 MCG, 88 MCG TABLET <b>MO</b>	1	
liomny 25 mcg, 5 mcg, 50 mcg TABLET <b>MO</b>	1	
liothyronine 10 mcg/ml SOLUTION <b>MO</b>	1	
liothyronine 25 mcg, 5 mcg, 50 mcg TABLET <b>MO</b>	1	
np thyroid 120 mg, 15 mg, 30 mg, 60 mg, 90 mg TABLET <b>MO</b>	2	
SYNTHROID 100 MCG, 112 MCG, 125 MCG, 137 MCG, 150 MCG, 175 MCG, 200 MCG, 25 MCG, 300 MCG, 50 MCG, 75 MCG, 88 MCG TABLET <b>MO</b>	2	
THYQUIDITY 20 MCG/ML SOLUTION <b>MO</b>	3	PA
TIROSINT 100 MCG, 112 MCG, 125 MCG, 13 MCG, 137 MCG, 150 MCG, 175 MCG, 200 MCG, 25 MCG, 37.5 MCG, 44 MCG, 50 MCG, 62.5 MCG, 75 MCG, 88 MCG CAPSULE <b>MO</b>	3	
TIROSINT-SOL 100 MCG/ML, 112 MCG/ML, 125 MCG/ML, 13 MCG/ML, 137 MCG/ML, 150 MCG/ML, 175 MCG/ML, 200 MCG/ML, 25 MCG/ML, 37.5 MCG/ML, 44 MCG/ML, 50 MCG/ML, 62.5 MCG/ML, 75 MCG/ML, 88 MCG/ML SOLUTION <b>MO</b>	3	PA
UNITHROID 100 MCG, 112 MCG, 125 MCG, 137 MCG, 150 MCG, 175 MCG, 200 MCG, 25 MCG, 300 MCG, 50 MCG, 75 MCG, 88 MCG TABLET <b>MO</b>	2	
<b>HORMONAL AGENTS, SUPPRESSANT (ADRENAL OR PITUITARY)</b>		
BYNFEZIA 7,000 MCG/2.8ML (2,500 MCG/ML) PEN INJECTOR <b>DL</b>	4	PA
cabergoline 0.5 mg TABLET <b>MO</b>	1	
CAMCEVI (6 MONTH) 42 MG SYRINGE <b>MO</b>	3	PA,QL(1 per 180 days)
ELIGARD 7.5 MG (1 MONTH) SYRINGE <b>MO</b>	3	PA
ELIGARD (3 MONTH) 22.5 MG SYRINGE <b>MO</b>	3	PA
ELIGARD (4 MONTH) 30 MG SYRINGE <b>MO</b>	3	PA
ELIGARD (6 MONTH) 45 MG SYRINGE <b>MO</b>	3	PA
FENSOLVI 45 MG SYRINGE	4	PA,QL(1 per 180 days)
FIRMAGON 120 MG RECON SOLUTION <b>DL</b>	4	PA
FIRMAGON KIT W DILUENT SYRINGE 120 MG RECON SOLUTION <b>DL</b>	4	PA
FIRMAGON KIT W DILUENT SYRINGE 80 MG RECON SOLUTION <b>MO</b>	3	PA

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
lanreotide 120 mg/0.5 ml SYRINGE <b>DL</b>	4	PA,QL(0.5 per 28 days)
lanreotide 60 mg/0.2 ml SYRINGE <b>DL</b>	4	PA,QL(0.2 per 28 days)
lanreotide 90 mg/0.3 ml SYRINGE <b>DL</b>	4	PA,QL(0.3 per 28 days)
leuprolide 1 mg/0.2 ml KIT <b>MO</b>	1	
leuprolide acetate (3 month) 22.5 mg SUSPENSION FOR RECONSTITUTION <b>MO</b>	3	PA,QL(1 per 90 days)
LUPRON DEPOT 3.75 MG SYRINGE KIT	4	PA,QL(1 per 30 days)
LUPRON DEPOT 7.5 MG SYRINGE KIT <b>DL</b>	4	PA,QL(1 per 30 days)
LUPRON DEPOT (3 MONTH) 11.25 MG, 22.5 MG SYRINGE KIT	4	PA,QL(1 per 90 days)
LUPRON DEPOT (4 MONTH) 30 MG SYRINGE KIT	4	PA,QL(1 per 112 days)
LUPRON DEPOT (6 MONTH) 45 MG SYRINGE KIT	4	PA,QL(1 per 168 days)
LUPRON DEPOT-PED 11.25 MG, 15 MG, 7.5 MG (PED) KIT <b>DL</b>	4	PA,QL(1 per 28 days)
LUPRON DEPOT-PED 45 MG SYRINGE KIT	4	PA,QL(1 per 168 days)
LUPRON DEPOT-PED (3 MONTH) 11.25 MG, 30 MG SYRINGE KIT	4	PA,QL(1 per 90 days)
LUTRATE DEPOT (3 MONTH) 22.5 MG SUSPENSION FOR RECONSTITUTION <b>MO</b>	3	PA,QL(1 per 90 days)
MYCAPSSA 20 MG CAPSULE, DR/EC <b>DL</b>	4	PA,QL(112 per 28 days)
MYFEMBREE 40-1-0.5 MG TABLET <b>DL</b>	4	PA,QL(28 per 28 days)
octreotide acetate 1,000 mcg/ml, 100 mcg/ml, 200 mcg/ml, 50 mcg/ml, 500 mcg/ml SOLUTION <b>MO</b>	1	PA
octreotide acetate 100 mcg/ml (1 ml), 50 mcg/ml (1 ml), 500 mcg/ml (1 ml) SYRINGE <b>MO</b>	1	PA
octreotide,microspheres 10 mg, 20 mg, 30 mg SUSPENSION, ER, RECON <b>DL</b>	4	PA
ORIAHNN 300-1-0.5MG(AM) /300 MG(PM) CAPSULE, SEQUENTIAL <b>DL</b>	4	PA,QL(56 per 28 days)
ORILISSA 150 MG TABLET <b>DL</b>	4	PA,QL(28 per 28 days)
ORILISSA 200 MG TABLET <b>DL</b>	4	PA,QL(56 per 28 days)
PALSONIFY 20 MG TABLET <b>DL</b>	4	PA,QL(90 per 30 days)
PALSONIFY 30 MG TABLET <b>DL</b>	4	PA,QL(120 per 30 days)
RECORLEV 150 MG TABLET <b>DL</b>	4	PA,QL(240 per 30 days)
SANDOSTATIN 100 MCG/ML, 50 MCG/ML, 500 MCG/ML SOLUTION <b>DL</b>	4	PA
SANDOSTATIN LAR DEPOT 10 MG, 20 MG, 30 MG SUSPENSION, ER, RECON <b>DL</b>	4	PA
SIGNIFOR 0.3 MG/ML (1 ML), 0.6 MG/ML (1 ML), 0.9 MG/ML (1 ML) SOLUTION <b>DL</b>	4	PA,QL(60 per 30 days)
SIGNIFOR LAR 10 MG, 20 MG, 30 MG, 40 MG, 60 MG SUSPENSION FOR RECONSTITUTION <b>DL</b>	4	PA,QL(1 per 28 days)
SOMATULINE DEPOT 120 MG/0.5 ML SYRINGE <b>DL</b>	4	PA,QL(0.5 per 28 days)
SOMATULINE DEPOT 60 MG/0.2 ML SYRINGE <b>DL</b>	4	PA,QL(0.2 per 28 days)
SOMATULINE DEPOT 90 MG/0.3 ML SYRINGE <b>DL</b>	4	PA,QL(0.3 per 28 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
SOMAVERT 10 MG, 15 MG, 20 MG RECON SOLUTION <b>DL</b>	4	PA,QL(60 per 30 days)
SOMAVERT 25 MG, 30 MG RECON SOLUTION <b>DL</b>	4	PA,QL(30 per 30 days)
SYNAREL 2 MG/ML SPRAY, NON-AEROSOL <b>DL</b>	4	
TRELSTAR 11.25 MG, 22.5 MG, 3.75 MG SUSPENSION FOR RECONSTITUTION <b>MO</b>	3	PA
TRIPTODUR 22.5 MG SUSPENSION FOR RECONSTITUTION	4	PA,QL(1 per 168 days)
VABRINTY (3 MONTH) 22.5 MG SYRINGE	4	PA
VABRINTY (4 MONTH) 30 MG SYRINGE	4	PA
VABRINTY (6 MONTH) 45 MG SYRINGE	4	PA
ZOLADEX 10.8 MG IMPLANT <b>MO</b>	3	PA,QL(1 per 84 days)
ZOLADEX 3.6 MG IMPLANT <b>MO</b>	3	PA,QL(1 per 28 days)
<b>HORMONAL AGENTS, SUPPRESSANT (THYROID)</b>		
<i>methimazole 10 mg, 5 mg TABLET</i> <b>MO</b>	1	
<i>propylthiouracil 50 mg TABLET</i> <b>MO</b>	1	
<b>IMMUNOLOGICAL AGENTS</b>		
ABRILADA(CF) 20 MG/0.4 ML SYRINGE KIT <b>DL</b>	4	PA,QL(2 per 28 days)
ABRILADA(CF) 40 MG/0.8 ML SYRINGE KIT <b>DL</b>	4	PA,QL(6 per 28 days)
ABRILADA(CF) PEN 40 MG/0.8 ML PEN INJECTOR KIT <b>DL</b>	4	PA,QL(6 per 28 days)
ABRYSVO (PF) 120 MCG/0.5 ML RECON SOLUTION <b>AV,DL</b>	1	
ACTEMRA 162 MG/0.9 ML SYRINGE <b>DL</b>	4	PA,QL(3.6 per 28 days)
ACTEMRA ACTPEN 162 MG/0.9 ML PEN INJECTOR <b>DL</b>	4	PA,QL(3.6 per 28 days)
ACTHIB (PF) 10 MCG/0.5 ML RECON SOLUTION <b>DL</b>	1	
ACTIMMUNE 100 MCG/0.5 ML SOLUTION <b>DL</b>	4	PA
ADACEL(TDAP ADOLESN/ADULT)(PF) 2 LF-(2.5-5-3-5 MCG)-5LF/0.5 ML SUSPENSION <b>AV,DL</b>	1	
ADACEL(TDAP ADOLESN/ADULT)(PF) 2 LF-(2.5-5-3-5 MCG)-5LF/0.5 ML SYRINGE <b>AV,DL</b>	1	
ADALIMUMAB-AACF 40 MG/0.8 ML PEN INJECTOR KIT <b>DL</b>	4	PA,QL(6 per 28 days)
ADALIMUMAB-AACF 40 MG/0.8 ML SYRINGE KIT <b>DL</b>	4	PA,QL(6 per 28 days)
ADALIMUMAB-AACF(CF) PEN CROHNS 40 MG/0.8 ML PEN INJECTOR KIT <b>DL</b>	4	PA,QL(6 per 28 days)
ADALIMUMAB-AACF(CF) PEN PS-UV 40 MG/0.8 ML PEN INJECTOR KIT <b>DL</b>	4	PA,QL(6 per 28 days)
ADALIMUMAB-AATY 20 MG/0.2 ML, 40 MG/0.4 ML SYRINGE KIT <b>DL</b>	4	PA,QL(6 per 28 days)
ADALIMUMAB-AATY 40 MG/0.4 ML, 80 MG/0.8 ML AUTO-INJECTOR, KIT <b>DL</b>	4	PA,QL(6 per 28 days)
ADALIMUMAB-AATY(CF) AI CROHNS 80 MG/0.8 ML AUTO-INJECTOR, KIT <b>DL</b>	4	PA,QL(6 per 28 days)
ADALIMUMAB-ADAZ 10 MG/0.1 ML SYRINGE <b>DL</b>	4	PA,QL(0.2 per 28 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
ADALIMUMAB-ADAZ 20 MG/0.2 ML SYRINGE <b>DL</b>	4	PA,QL(1.2 per 28 days)
ADALIMUMAB-ADAZ 40 MG/0.4 ML PEN INJECTOR <b>DL</b>	4	PA,QL(2.4 per 28 days)
ADALIMUMAB-ADAZ 40 MG/0.4 ML SYRINGE <b>DL</b>	4	PA,QL(2.4 per 28 days)
ADALIMUMAB-ADAZ 80 MG/0.8 ML PEN INJECTOR <b>DL</b>	4	PA,QL(4.8 per 28 days)
ADALIMUMAB-ADB 10 MG/0.2 ML, 20 MG/0.4 ML SYRINGE KIT <b>DL</b>	4	PA,QL(2 per 28 days)
ADALIMUMAB-ADB 40 MG/0.4 ML, 40 MG/0.8 ML PEN INJECTOR KIT <b>DL</b>	4	PA,QL(6 per 28 days)
ADALIMUMAB-ADB 40 MG/0.4 ML, 40 MG/0.8 ML SYRINGE KIT <b>DL</b>	4	PA,QL(6 per 28 days)
ADALIMUMAB-ADB(CF) PEN CROHNS 40 MG/0.4 ML, 40 MG/0.8 ML PEN INJECTOR KIT <b>DL</b>	4	PA,QL(6 per 28 days)
ADALIMUMAB-ADB(CF) PEN PS-UV 40 MG/0.4 ML, 40 MG/0.8 ML PEN INJECTOR KIT <b>DL</b>	4	PA,QL(6 per 28 days)
ADALIMUMAB-BWWD 40 MG/0.4 ML AUTO-INJECTOR <b>DL</b>	4	PA,QL(2.4 per 28 days)
ADALIMUMAB-BWWD 40 MG/0.4 ML SYRINGE <b>DL</b>	4	PA,QL(2.4 per 28 days)
ADALIMUMAB-FKJP 20 MG/0.4 ML SYRINGE KIT <b>DL</b>	4	PA,QL(2 per 28 days)
ADALIMUMAB-FKJP 40 MG/0.8 ML PEN INJECTOR KIT <b>DL</b>	4	PA,QL(6 per 28 days)
ADALIMUMAB-FKJP 40 MG/0.8 ML SYRINGE KIT <b>DL</b>	4	PA,QL(6 per 28 days)
ADALIMUMAB-RYVK 40 MG/0.4 ML SYRINGE KIT <b>DL</b>	4	PA,QL(6 per 28 days)
ADALIMUMAB-RYVK 40 MG/0.4 ML, 80 MG/0.8 ML AUTO-INJECTOR, KIT <b>DL</b>	4	PA,QL(6 per 28 days)
ALYGLO 10 % SOLUTION <b>DL</b>	4	PA
AMJEVITA(CF) 10 MG/0.2 ML, 20 MG/0.2 ML SYRINGE <b>DL</b>	4	PA,QL(1.2 per 28 days)
AMJEVITA(CF) 20 MG/0.4 ML, 40 MG/0.4 ML SYRINGE <b>DL</b>	4	PA,QL(2.4 per 28 days)
AMJEVITA(CF) 40 MG/0.8 ML SYRINGE <b>DL</b>	4	PA,QL(4.8 per 28 days)
AMJEVITA(CF) AUTOINJECTOR 40 MG/0.4 ML AUTO-INJECTOR <b>DL</b>	4	PA,QL(2.4 per 28 days)
AMJEVITA(CF) AUTOINJECTOR 40 MG/0.8 ML, 80 MG/0.8 ML AUTO-INJECTOR <b>DL</b>	4	PA,QL(4.8 per 28 days)
ANDEMBRY AUTOINJECTOR 200 MG/1.2 ML AUTO-INJECTOR <b>DL</b>	4	PA
ARAVA 10 MG, 20 MG TABLET <b>DL</b>	4	PA,QL(30 per 30 days)
ARCALYST 220 MG RECON SOLUTION <b>DL</b>	4	PA
AREXVY (PF) 120 MCG/0.5 ML SUSPENSION FOR RECONSTITUTION <b>AV,DL</b>	1	
ASCENIV 10 % SOLUTION <b>DL</b>	4	PA
ASTAGRAF XL 0.5 MG, 1 MG, 5 MG CAPSULE, ER 24 HR. <b>MO</b>	3	BvsD
ATGAM 50 MG/ML SOLUTION <b>DL</b>	4	PA
<i>auranofin</i> 3 mg CAPSULE <b>DL</b>	4	PA
AVSOLA 100 MG RECON SOLUTION <b>DL</b>	4	PA
AZASAN 100 MG, 75 MG TABLET <b>MO</b>	1	BvsD

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
azathioprine 100 mg, 50 mg, 75 mg TABLET <b>MO</b>	1	BvsD
azathioprine sodium 100 mg RECON SOLUTION <b>MO</b>	1	BvsD
BCG VACCINE, LIVE (PF) 50 MG SUSPENSION FOR RECONSTITUTION <b>AV,DL</b>	1	
BENLYSTA 120 MG RECON SOLUTION <b>DL</b>	4	PA,QL(20 per 28 days)
BENLYSTA 200 MG/ML AUTO-INJECTOR <b>DL</b>	4	PA,QL(8 per 28 days)
BENLYSTA 200 MG/ML SYRINGE <b>DL</b>	4	PA,QL(8 per 28 days)
BENLYSTA 400 MG RECON SOLUTION <b>DL</b>	4	PA,QL(6 per 28 days)
BERINERT 500 UNIT (10 ML) KIT <b>DL</b>	4	PA,QL(15 per 30 days)
BERINERT 500 UNIT (10 ML) RECON SOLUTION <b>DL</b>	4	PA,QL(15 per 30 days)
BESREMI 500 MCG/ML SYRINGE <b>DL</b>	4	PA,QL(2 per 28 days)
BEXSERO 50-50-50-25 MCG/0.5 ML SYRINGE <b>AV,DL</b>	1	
BIMZELX 160 MG/ML, 320 MG/2 ML SYRINGE <b>DL</b>	4	PA,QL(4 per 28 days)
BIMZELX AUTOINJECTOR 160 MG/ML, 320 MG/2 ML AUTO-INJECTOR <b>DL</b>	4	PA,QL(4 per 28 days)
BIVIGAM 10 % SOLUTION <b>DL</b>	4	PA
BKEMV 300 MG/30 ML SOLUTION <b>DL</b>	4	PA
BOOSTRIX TDAP 2.5-8-5 LF-MCG-LF/0.5ML SUSPENSION <b>AV,DL</b>	1	
BOOSTRIX TDAP 2.5-8-5 LF-MCG-LF/0.5ML SYRINGE <b>AV,DL</b>	1	
CELLCEPT 200 MG/ML SUSPENSION FOR RECONSTITUTION <b>DL</b>	4	BvsD
CELLCEPT 250 MG CAPSULE <b>DL</b>	4	BvsD
CELLCEPT 500 MG TABLET <b>DL</b>	4	BvsD
CELLCEPT INTRAVENOUS 500 MG RECON SOLUTION <b>MO</b>	3	BvsD
CIBINQO 100 MG, 200 MG, 50 MG TABLET <b>DL</b>	4	PA,QL(30 per 30 days)
CIMZIA 200 MG/ML SYRINGE KIT <b>DL</b>	4	PA,QL(6 per 30 days)
CIMZIA 400 MG/2 ML (200 MG/ML X 2) SYRINGE KIT <b>DL</b>	4	PA,QL(3 per 30 days)
CIMZIA POWDER FOR RECONST 400 MG (200 MG X 2 VIALS) KIT <b>DL</b>	4	PA,QL(3 per 30 days)
CIMZIA STARTER KIT 400 MG/2 ML (200 MG/ML X 2) SYRINGE KIT <b>DL</b>	4	PA,QL(3 per 30 days)
CINRYZE 500 UNIT (5 ML) RECON SOLUTION <b>DL</b>	4	PA,QL(20 per 30 days)
COSENTYX 150 MG/ML SYRINGE <b>DL</b>	4	PA,QL(8 per 28 days)
COSENTYX 25 MG/ML SOLUTION <b>DL</b>	4	PA
COSENTYX 75 MG/0.5 ML SYRINGE <b>DL</b>	4	PA,QL(2 per 28 days)
COSENTYX (2 SYRINGES) 150 MG/ML SYRINGE <b>DL</b>	4	PA,QL(8 per 28 days)
COSENTYX PEN 150 MG/ML PEN INJECTOR <b>DL</b>	4	PA,QL(8 per 28 days)
COSENTYX PEN (2 PENS) 150 MG/ML PEN INJECTOR <b>DL</b>	4	PA,QL(8 per 28 days)
COSENTYX UNOREADY PEN 300 MG/2 ML PEN INJECTOR <b>DL</b>	4	PA,QL(8 per 28 days)
CUTAQUIG 16.5 % SOLUTION <b>DL</b>	4	PA

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
cyclosporine 100 mg, 25 mg CAPSULE <b>MO</b>	1	BvsD
cyclosporine modified 100 mg, 25 mg, 50 mg CAPSULE <b>MO</b>	1	BvsD
cyclosporine modified 100 mg/ml SOLUTION <b>MO</b>	1	BvsD
CYLTEZO(CF) 10 MG/0.2 ML, 20 MG/0.4 ML SYRINGE KIT <b>DL</b>	4	PA,QL(2 per 28 days)
CYLTEZO(CF) 40 MG/0.4 ML, 40 MG/0.8 ML SYRINGE KIT <b>DL</b>	4	PA,QL(6 per 28 days)
CYLTEZO(CF) PEN 40 MG/0.4 ML, 40 MG/0.8 ML PEN INJECTOR KIT <b>DL</b>	4	PA,QL(6 per 28 days)
CYLTEZO(CF) PEN CROHN'S-UC-HS 40 MG/0.4 ML, 40 MG/0.8 ML PEN INJECTOR KIT <b>DL</b>	4	PA,QL(6 per 28 days)
CYLTEZO(CF) PEN PSORIASIS-UV 40 MG/0.4 ML, 40 MG/0.8 ML PEN INJECTOR KIT <b>DL</b>	4	PA,QL(6 per 28 days)
CYTOGAM 50 MG/ML SOLUTION <b>DL</b>	4	PA
DAPTACEL (DTAP PEDIATRIC) (PF) 15-10-5 LF-MCG-LF/0.5ML SUSPENSION <b>DL</b>	1	
DAWNZERA 80 MG/0.8 ML AUTO-INJECTOR <b>DL</b>	4	PA,QL(0.8 per 28 days)
DENGVAXIA (PF) 10EXP4.5-6 CCID50/0.5 ML SUSPENSION FOR RECONSTITUTION <b>DL</b>	1	
DUPIXENT PEN 200 MG/1.14 ML PEN INJECTOR <b>DL</b>	4	PA,QL(3.42 per 28 days)
DUPIXENT PEN 300 MG/2 ML PEN INJECTOR <b>DL</b>	4	PA,QL(8 per 28 days)
DUPIXENT SYRINGE 200 MG/1.14 ML SYRINGE <b>DL</b>	4	PA,QL(3.42 per 28 days)
DUPIXENT SYRINGE 300 MG/2 ML SYRINGE <b>DL</b>	4	PA,QL(8 per 28 days)
EKTERLY 300 MG TABLET <b>DL</b>	4	PA,QL(12 per 30 days)
ENBREL 25 MG/0.5 ML (0.5), 50 MG/ML (1 ML) SYRINGE <b>DL</b>	4	PA,QL(8 per 28 days)
ENBREL 25 MG/0.5 ML SOLUTION <b>DL</b>	4	PA,QL(8 per 28 days)
ENBREL MINI 50 MG/ML (1 ML) CARTRIDGE <b>DL</b>	4	PA,QL(8 per 28 days)
ENBREL SURECLICK 50 MG/ML (1 ML) PEN INJECTOR <b>DL</b>	4	PA,QL(8 per 28 days)
ENGERIX-B (PF) 20 MCG/ML SUSPENSION <b>AV,DL</b>	1	BvsD
ENGERIX-B (PF) 20 MCG/ML SYRINGE <b>AV,DL</b>	1	BvsD
ENGERIX-B PEDIATRIC (PF) 10 MCG/0.5 ML SYRINGE <b>AV,DL</b>	1	BvsD
ENJAYMO 50 MG/ML SOLUTION <b>DL</b>	4	PA
ENTYVIO 300 MG RECON SOLUTION	4	PA,QL(8 per 365 days)
ENTYVIO PEN 108 MG/0.68 ML PEN INJECTOR <b>DL</b>	4	PA,QL(1.36 per 28 days)
ENVARUSUS XR 0.75 MG, 1 MG, 4 MG TABLET, ER 24 HR. <b>MO</b>	3	PA
EPYSQLI 300 MG/30 ML SOLUTION <b>DL</b>	4	PA
everolimus (immunosuppressive) 0.25 mg TABLET <b>MO</b>	1	BvsD,QL(60 per 30 days)
everolimus (immunosuppressive) 0.5 mg TABLET <b>DL</b>	4	BvsD,QL(120 per 30 days)
everolimus (immunosuppressive) 0.75 mg, 1 mg TABLET <b>DL</b>	4	BvsD,QL(60 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
FABHALTA 200 MG CAPSULE <b>DL</b>	4	PA,QL(60 per 30 days)
FIRAZYR 30 MG/3 ML SYRINGE <b>DL</b>	4	PA,QL(18 per 30 days)
FLEBOGAMMA DIF 10 %, 5 % SOLUTION <b>DL</b>	4	PA
GAMASTAN 15-18 % RANGE SOLUTION <b>MO</b>	3	PA
GAMIFANT 5 MG/ML SOLUTION <b>DL</b>	4	PA
GAMMAGARD LIQUID 10 % SOLUTION <b>DL</b>	4	PA
GAMMAGARD LIQUID ERC 10 % SOLUTION <b>DL</b>	4	PA
GAMMAGARD S-D (IGA < 1 MCG/ML) 10 GRAM, 5 GRAM RECON SOLUTION <b>DL</b>	4	PA
GAMMAKED 1 GRAM/10 ML (10 %), 10 GRAM/100 ML (10 %), 20 GRAM/200 ML (10 %), 5 GRAM/50 ML (10 %) SOLUTION <b>DL</b>	4	PA
GAMMAPLEX 10 % SOLUTION <b>DL</b>	4	PA
GAMMAPLEX (WITH SORBITOL) 5 % SOLUTION <b>DL</b>	4	PA
GAMUNEX-C 1 GRAM/10 ML (10 %) SOLUTION <b>DL</b>	4	PA
GAMUNEX-C 10 GRAM/100 ML (10 %), 2.5 GRAM/25 ML (10 %), 20 GRAM/200 ML (10 %), 40 GRAM/400 ML (10 %), 5 GRAM/50 ML (10 %) SOLUTION <b>DL</b>	4	PA
GARDASIL 9 (PF) 0.5 ML SUSPENSION <b>AV,DL</b>	1	
GARDASIL 9 (PF) 0.5 ML SYRINGE <b>AV,DL</b>	1	
<i>gengraf</i> 100 mg, 25 mg CAPSULE <b>MO</b>	1	BvsD
<i>gengraf</i> 100 mg/ml SOLUTION <b>MO</b>	1	BvsD
HADLIMA 40 MG/0.8 ML SYRINGE <b>DL</b>	4	PA,QL(4.8 per 28 days)
HADLIMA PUSH TOUCH 40 MG/0.8 ML AUTO-INJECTOR <b>DL</b>	4	PA,QL(4.8 per 28 days)
HADLIMA(CF) 40 MG/0.4 ML SYRINGE <b>DL</b>	4	PA,QL(2.4 per 28 days)
HADLIMA(CF) PUSH TOUCH 40 MG/0.4 ML AUTO-INJECTOR <b>DL</b>	4	PA,QL(2.4 per 28 days)
HAEGARDA 2,000 UNIT, 3,000 UNIT RECON SOLUTION <b>DL</b>	4	PA,QL(24 per 28 days)
HAVRIX (PF) 1,440 ELISA UNIT/ML SYRINGE <b>AV,DL</b>	1	
HAVRIX (PF) 720 ELISA UNIT/0.5 ML SYRINGE <b>DL</b>	1	
HEPLISAV-B (PF) 20 MCG/0.5 ML SYRINGE <b>AV,DL</b>	1	BvsD
HIBERIX (PF) 10 MCG/0.5 ML RECON SOLUTION <b>DL</b>	1	
HIZENTRA 1 GRAM/5 ML (20 %), 10 GRAM/50 ML (20 %), 2 GRAM/10 ML (20 %), 4 GRAM/20 ML (20 %) SOLUTION <b>DL</b>	4	PA
HIZENTRA 1 GRAM/5 ML (20 %), 10 GRAM/50 ML (20 %), 2 GRAM/10 ML (20 %), 4 GRAM/20 ML (20 %) SYRINGE <b>DL</b>	4	PA
HULIO(CF) 20 MG/0.4 ML SYRINGE KIT <b>DL</b>	4	PA,QL(2 per 28 days)
HULIO(CF) 40 MG/0.8 ML SYRINGE KIT <b>DL</b>	4	PA,QL(6 per 28 days)
HULIO(CF) PEN 40 MG/0.8 ML PEN INJECTOR KIT <b>DL</b>	4	PA,QL(6 per 28 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
HUMIRA 40 MG/0.8 ML SYRINGE KIT <b>DL</b>	4	PA,QL(6 per 28 days)
HUMIRA PEN 40 MG/0.8 ML PEN INJECTOR KIT <b>DL</b>	4	PA,QL(6 per 28 days)
HUMIRA(CF) 10 MG/0.1 ML SYRINGE KIT <b>DL</b>	4	PA,QL(2 per 28 days)
HUMIRA(CF) 20 MG/0.2 ML, 40 MG/0.4 ML SYRINGE KIT <b>DL</b>	4	PA,QL(6 per 28 days)
HUMIRA(CF) PEN 40 MG/0.4 ML, 80 MG/0.8 ML PEN INJECTOR KIT <b>DL</b>	4	PA,QL(6 per 28 days)
HUMIRA(CF) PEN CROHNS-UC-HS 80 MG/0.8 ML PEN INJECTOR KIT <b>DL</b>	4	PA,QL(6 per 28 days)
HUMIRA(CF) PEN PEDIATRIC UC 80 MG/0.8 ML PEN INJECTOR KIT <b>DL</b>	4	PA,QL(6 per 28 days)
HUMIRA(CF) PEN PSOR-UV-ADOL HS 80 MG/0.8 ML-40 MG/0.4 ML PEN INJECTOR KIT <b>DL</b>	4	PA,QL(6 per 28 days)
HYPERRAB (PF) 300 UNIT/ML SOLUTION <b>DL</b>	4	BvsD
HYPERTET (PF) 250 UNIT/ML SYRINGE <b>DL</b>	3	BvsD
HYRIMOZ 40 MG/0.8 ML SYRINGE <b>DL</b>	4	PA,QL(4.8 per 28 days)
HYRIMOZ PEN 40 MG/0.8 ML PEN INJECTOR <b>DL</b>	4	PA,QL(4.8 per 28 days)
HYRIMOZ PEN CROHN'S-UC STARTER 80 MG/0.8 ML PEN INJECTOR <b>DL</b>	4	PA,QL(4.8 per 28 days)
HYRIMOZ PEN PSORIASIS STARTER 80MG/0.8ML(X1)- 40 MG/0.4ML(X2) PEN INJECTOR <b>DL</b>	4	PA,QL(3.2 per 28 days)
HYRIMOZ(CF) 10 MG/0.1 ML SYRINGE <b>DL</b>	4	PA,QL(0.2 per 28 days)
HYRIMOZ(CF) 20 MG/0.2 ML SYRINGE <b>DL</b>	4	PA,QL(1.2 per 28 days)
HYRIMOZ(CF) 40 MG/0.4 ML SYRINGE <b>DL</b>	4	PA,QL(2.4 per 28 days)
HYRIMOZ(CF) PEDI CROHN STARTER 80 MG/0.8 ML SYRINGE <b>DL</b>	4	PA,QL(4.8 per 28 days)
HYRIMOZ(CF) PEDI CROHN STARTER 80 MG/0.8 ML- 40 MG/0.4 ML SYRINGE <b>DL</b>	4	PA,QL(3.6 per 28 days)
HYRIMOZ(CF) PEN 40 MG/0.4 ML PEN INJECTOR <b>DL</b>	4	PA,QL(2.4 per 28 days)
HYRIMOZ(CF) PEN 80 MG/0.8 ML PEN INJECTOR <b>DL</b>	4	PA,QL(4.8 per 28 days)
<i>icatibant 30 mg/3 ml SYRINGE</i> <b>DL</b>	4	PA,QL(18 per 30 days)
IDACIO(CF) 40 MG/0.8 ML SYRINGE KIT <b>DL</b>	4	PA,QL(6 per 28 days)
IDACIO(CF) PEN 40 MG/0.8 ML PEN INJECTOR KIT <b>DL</b>	4	PA,QL(6 per 28 days)
IDACIO(CF) PEN CROHN-UC STARTR 40 MG/0.8 ML PEN INJECTOR KIT <b>DL</b>	4	PA,QL(6 per 28 days)
IDACIO(CF) PEN PSORIASIS START 40 MG/0.8 ML PEN INJECTOR KIT <b>DL</b>	4	PA,QL(6 per 28 days)
ILUMYA 100 MG/ML SYRINGE	4	PA,QL(6 per 365 days)
IMAAVY 185 MG/ML SOLUTION <b>DL</b>	4	PA
IMOGAM RABIES-HT (PF) 150 UNIT/ML SOLUTION <b>DL</b>	3	BvsD
IMOVAX RABIES VACCINE (PF) 2.5 UNIT RECON SOLUTION <b>AV,DL</b>	1	BvsD
IMULDOSA 130 MG/26 ML SOLUTION <b>DL</b>	4	PA,QL(104 per 30 days)
IMULDOSA 45 MG/0.5 ML SYRINGE <b>DL</b>	4	PA,QL(1.5 per 84 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
IMULDOSA 90 MG/ML SYRINGE <b>DL</b>	4	PA,QL(3 per 84 days)
IMURAN 50 MG TABLET <b>MO</b>	3	BvsD
INFANRIX (DTAP) (PF) 25-58-10 LF-MCG-LF/0.5ML SYRINGE <b>DL</b>	1	
INFLECTRA 100 MG RECON SOLUTION <b>DL</b>	4	PA
INFLIXIMAB 100 MG RECON SOLUTION <b>DL</b>	4	PA
IPOL 40-8-32 UNIT/0.5 ML SUSPENSION <b>AV,DL</b>	1	
IXIARO (PF) 6 MCG/0.5 ML SYRINGE <b>AV,DL</b>	1	
JYLAMVO 2 MG/ML SOLUTION <b>MO</b>	3	PA
JYNNEOS (PF) 0.5X TO 3.95X 10EXP8 UNIT/0.5 SUSPENSION <b>AV,DL</b>	1	
KEDRAB (PF) 150 UNIT/ML SOLUTION <b>DL</b>	4	BvsD
KEVZARA 150 MG/1.14 ML, 200 MG/1.14 ML PEN INJECTOR <b>DL</b>	4	PA,QL(2.28 per 28 days)
KEVZARA 150 MG/1.14 ML, 200 MG/1.14 ML SYRINGE <b>DL</b>	4	PA,QL(2.28 per 28 days)
KINERET 100 MG/0.67 ML SYRINGE <b>DL</b>	4	PA,QL(20.1 per 30 days)
KINRIX (PF) 25 LF-58 MCG-10 LF/0.5 ML SYRINGE <b>DL</b>	1	
<i>leflunomide 10 mg, 20 mg TABLET</i> <b>MO</b>	1	QL(30 per 30 days)
LEQSELVI 8 MG TABLET <b>DL</b>	4	PA,QL(60 per 30 days)
LITFULO 50 MG CAPSULE <b>DL</b>	4	PA,QL(28 per 28 days)
LUPKYNIS 7.9 MG CAPSULE <b>DL</b>	4	PA,QL(180 per 30 days)
M-M-R II (PF) 1,000-12,500 TCID50/0.5 ML RECON SOLUTION <b>AV,DL</b>	1	
MENQUADFI (PF) 10 MCG/0.5 ML SOLUTION <b>AV,DL</b>	1	
MENVEO A-C-Y-W-135-DIP (PF) 10-5 MCG/0.5 ML KIT <b>AV,DL</b>	1	
MENVEO A-C-Y-W-135-DIP (PF) 10-5 MCG/0.5 ML SOLUTION <b>AV,DL</b>	1	
<i>methotrexate sodium 2.5 mg TABLET</i> <b>MO</b>	1	BvsD
<i>methotrexate sodium 25 mg/ml SOLUTION</i> <b>MO</b>	1	
<i>methotrexate sodium (pf) 1 gram RECON SOLUTION</i> <b>MO</b>	1	
<i>methotrexate sodium (pf) 25 mg/ml SOLUTION</i> <b>MO</b>	1	
MONJUVI 200 MG RECON SOLUTION <b>DL</b>	4	PA
MRESVIA (PF) 50 MCG/0.5 ML SYRINGE <b>AV,DL</b>	1	
<i>mycophenolate mofetil 200 mg/ml SUSPENSION FOR RECONSTITUTION</i> <b>MO</b>	1	BvsD
<i>mycophenolate mofetil 250 mg CAPSULE</i> <b>MO</b>	1	BvsD
<i>mycophenolate mofetil 500 mg TABLET</i> <b>MO</b>	1	BvsD
<i>mycophenolate mofetil (hcl) 500 mg RECON SOLUTION</i> <b>MO</b>	1	BvsD
<i>mycophenolate sodium 180 mg, 360 mg TABLET, DR/EC</i> <b>MO</b>	1	BvsD
MYFORTIC 180 MG, 360 MG TABLET, DR/EC <b>MO</b>	3	BvsD
MYHIBBIN 200 MG/ML SUSPENSION <b>DL</b>	4	BvsD

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
NEMLUVIO 30 MG PEN INJECTOR <b>DL</b>	4	PA,QL(2 per 28 days)
NEORAL 100 MG, 25 MG CAPSULE <b>MO</b>	3	BvsD
NEORAL 100 MG/ML SOLUTION <b>MO</b>	3	BvsD
NIKTIMVO 50 MG/ML SOLUTION <b>DL</b>	4	PA
OCTAGAM 10 %, 5 % SOLUTION <b>DL</b>	4	PA
OLUMIANT 1 MG, 2 MG, 4 MG TABLET <b>DL</b>	4	PA,QL(30 per 30 days)
OMVOH 100 MG/ML, 200 MG/2 ML (100 MG/ML X 2), 300MG/3ML(100MG /ML-200 MG/2ML) SYRINGE <b>DL</b>	4	PA,QL(3 per 28 days)
OMVOH 300 MG/15 ML (20 MG/ML) SOLUTION <b>DL</b>	4	PA
OMVOH PEN 100 MG/ML, 200 MG/2 ML (100 MG/ML X 2), 300MG/3ML(100MG /ML-200 MG/2ML) PEN INJECTOR <b>DL</b>	4	PA,QL(3 per 28 days)
ORENCIA 125 MG/ML SYRINGE <b>DL</b>	4	PA,QL(4 per 28 days)
ORENCIA 50 MG/0.4 ML SYRINGE <b>DL</b>	4	PA,QL(1.6 per 28 days)
ORENCIA 87.5 MG/0.7 ML SYRINGE <b>DL</b>	4	PA,QL(2.8 per 28 days)
ORENCIA CLICKJECT 125 MG/ML AUTO-INJECTOR <b>DL</b>	4	PA,QL(4 per 28 days)
ORLADEYO 110 MG, 150 MG CAPSULE <b>DL</b>	4	PA,QL(28 per 28 days)
OTREXUP (PF) 10 MG/0.4 ML, 12.5 MG/0.4 ML, 15 MG/0.4 ML, 17.5 MG/0.4 ML, 20 MG/0.4 ML, 22.5 MG/0.4 ML, 25 MG/0.4 ML AUTO-INJECTOR <b>MO</b>	3	PA,QL(1.6 per 28 days)
OTULFI 130 MG/26 ML SOLUTION <b>DL</b>	4	PA,QL(104 per 30 days)
OTULFI 45 MG/0.5 ML SOLUTION <b>MO</b>	2	PA,QL(1.5 per 84 days)
OTULFI 45 MG/0.5 ML SYRINGE <b>MO</b>	2	PA,QL(1.5 per 84 days)
OTULFI 90 MG/ML SYRINGE <b>DL</b>	4	PA,QL(3 per 84 days)
PANZYGA 10 % SOLUTION <b>DL</b>	4	PA
PEDIARIX (PF) 10 MCG-25LF-25 MCG-10LF/0.5 ML SYRINGE <b>DL</b>	1	
PEDVAX HIB (PF) 7.5 MCG/0.5 ML SOLUTION <b>DL</b>	1	
PEGASYS 180 MCG/0.5 ML SYRINGE <b>DL</b>	4	PA,QL(2 per 28 days)
PEGASYS 180 MCG/ML SOLUTION <b>DL</b>	4	PA,QL(4 per 28 days)
PENBRAYA (PF) 5-120 MCG/0.5 ML KIT <b>AV,DL</b>	1	
PENMENVY MEN A-B-C-W-Y (PF) 0.5 ML KIT <b>AV,DL</b>	1	
PENTACEL (PF) 15LF-20MCG-5LF- 62 DU/0.5 ML KIT <b>DL</b>	1	
PIASKY 340 MG/2 ML (170 MG/ML) SOLUTION <b>DL</b>	4	PA
PRIORIX (PF) 10EXP3.4-4.2- 3.3CCID50/0.5ML SUSPENSION FOR RECONSTITUTION <b>AV,DL</b>	1	
PRIVIGEN 10 % SOLUTION <b>DL</b>	4	PA
PROGRAF 0.2 MG, 1 MG GRANULES IN PACKET <b>MO</b>	3	BvsD
PROGRAF 0.5 MG, 1 MG, 5 MG CAPSULE <b>MO</b>	3	BvsD

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
PROQUAD (PF) 10EXP3-4.3-3- 3.99 TCID50/0.5 SUSPENSION FOR RECONSTITUTION <b>DL</b>	1	
PYZCHIVA 130 MG/26 ML SOLUTION <b>DL</b>	4	PA,QL(104 per 30 days)
PYZCHIVA 45 MG/0.5 ML SOLUTION <b>DL</b>	4	PA,QL(1.5 per 84 days)
PYZCHIVA 45 MG/0.5 ML SYRINGE <b>DL</b>	4	PA,QL(1.5 per 84 days)
PYZCHIVA 90 MG/ML SYRINGE <b>DL</b>	4	PA,QL(3 per 84 days)
PYZCHIVA AUTOINJECTOR 45 MG/0.5 ML AUTO-INJECTOR <b>DL</b>	4	PA,QL(1.5 per 84 days)
PYZCHIVA AUTOINJECTOR 90 MG/ML AUTO-INJECTOR <b>DL</b>	4	PA,QL(3 per 84 days)
QUADRACEL (PF) 15 LF-48 MCG- 5 LF UNIT/0.5ML SUSPENSION <b>DL</b>	1	
QUADRACEL (PF) 15 LF-48 MCG- 5 LF UNIT/0.5ML SYRINGE <b>DL</b>	1	
RABAVERT (PF) 2.5 UNIT SUSPENSION FOR RECONSTITUTION <b>AV,DL</b>	1	BvsD
RAPAMUNE 0.5 MG TABLET <b>MO</b>	3	BvsD
RAPAMUNE 1 MG, 2 MG TABLET <b>DL</b>	4	BvsD
RAPAMUNE 1 MG/ML SOLUTION <b>DL</b>	4	BvsD
RASUVO (PF) 10 MG/0.2 ML AUTO-INJECTOR <b>MO</b>	3	PA,QL(0.8 per 28 days)
RASUVO (PF) 12.5 MG/0.25 ML AUTO-INJECTOR <b>MO</b>	3	PA,QL(1 per 28 days)
RASUVO (PF) 15 MG/0.3 ML AUTO-INJECTOR <b>MO</b>	3	PA,QL(1.2 per 28 days)
RASUVO (PF) 17.5 MG/0.35 ML AUTO-INJECTOR <b>MO</b>	3	PA,QL(1.4 per 28 days)
RASUVO (PF) 20 MG/0.4 ML AUTO-INJECTOR <b>MO</b>	3	PA,QL(1.6 per 28 days)
RASUVO (PF) 22.5 MG/0.45 ML AUTO-INJECTOR <b>MO</b>	3	PA,QL(1.8 per 28 days)
RASUVO (PF) 25 MG/0.5 ML AUTO-INJECTOR <b>MO</b>	3	PA,QL(2 per 28 days)
RASUVO (PF) 30 MG/0.6 ML AUTO-INJECTOR <b>MO</b>	3	PA,QL(2.4 per 28 days)
RASUVO (PF) 7.5 MG/0.15 ML AUTO-INJECTOR <b>MO</b>	3	PA,QL(0.6 per 28 days)
RECOMBIVAX HB (PF) 10 MCG/ML, 40 MCG/ML, 5 MCG/0.5 ML SUSPENSION <b>AV,DL</b>	1	BvsD
RECOMBIVAX HB (PF) 10 MCG/ML, 5 MCG/0.5 ML SYRINGE <b>AV,DL</b>	1	BvsD
REMICADE 100 MG RECON SOLUTION <b>DL</b>	4	PA
RENFLIXIS 100 MG RECON SOLUTION <b>DL</b>	4	PA
REZUROCK 200 MG TABLET <b>DL</b>	4	PA,QL(30 per 30 days)
RHOPHYLAC 1,500 UNIT (300 MCG)/2 ML SYRINGE <b>MO</b>	3	
RIDAURA 3 MG CAPSULE <b>DL</b>	4	PA
RINVOQ 15 MG, 30 MG TABLET, ER 24 HR. <b>DL</b>	4	PA,QL(30 per 30 days)
RINVOQ 45 MG TABLET, ER 24 HR. <b>DL</b>	4	PA,QL(168 per 365 days)
RINVOQ LQ 1 MG/ML SOLUTION <b>DL</b>	4	PA,QL(360 per 30 days)
ROTARIX 10EXP6 CCID50 /1.5 ML SUSPENSION <b>DL</b>	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
ROTATEQ VACCINE 2 ML SOLUTION <b>DL</b>	1	
RUCONEST 2,100 UNIT RECON SOLUTION <b>DL</b>	4	PA,QL(8 per 28 days)
RYSTIGGO 140 MG/ML SOLUTION <b>DL</b>	4	PA
<i>sajazir 30 mg/3 ml SYRINGE</i> <b>DL</b>	4	PA,QL(18 per 30 days)
SANDIMMUNE 100 MG, 25 MG CAPSULE <b>MO</b>	3	BvsD
SANDIMMUNE 100 MG/ML SOLUTION <b>MO</b>	3	BvsD
SAPHNELO 300 MG/2 ML (150 MG/ML) SOLUTION <b>DL</b>	4	PA,QL(2 per 28 days)
SELARSDI 130 MG/26 ML SOLUTION <b>DL</b>	4	PA,QL(104 per 30 days)
SELARSDI 45 MG/0.5 ML SOLUTION <b>DL</b>	4	PA,QL(1.5 per 84 days)
SELARSDI 45 MG/0.5 ML SYRINGE <b>DL</b>	4	PA,QL(1.5 per 84 days)
SELARSDI 90 MG/ML SYRINGE <b>DL</b>	4	PA,QL(3 per 84 days)
SHINGRIX (PF) 50 MCG/0.5 ML SUSPENSION FOR RECONSTITUTION <b>AV,DL</b>	1	
SHINGRIX (PF) 50 MCG/0.5 ML SYRINGE <b>AV,DL</b>	1	
SILIQ 210 MG/1.5 ML SYRINGE <b>DL</b>	4	PA,QL(6 per 28 days)
SIMLANDI(CF) 20 MG/0.2 ML, 40 MG/0.4 ML, 80 MG/0.8 ML SYRINGE KIT <b>DL</b>	4	PA,QL(6 per 28 days)
SIMLANDI(CF) AUTOINJECTOR 40 MG/0.4 ML, 80 MG/0.8 ML AUTO-INJECTOR, KIT <b>DL</b>	4	PA,QL(6 per 28 days)
SIMPONI 100 MG/ML PEN INJECTOR <b>DL</b>	4	PA,QL(3 per 28 days)
SIMPONI 100 MG/ML SYRINGE <b>DL</b>	4	PA,QL(3 per 28 days)
SIMPONI 50 MG/0.5 ML PEN INJECTOR <b>DL</b>	4	PA,QL(0.5 per 30 days)
SIMPONI 50 MG/0.5 ML SYRINGE <b>DL</b>	4	PA,QL(0.5 per 30 days)
SIMPONI ARIA 12.5 MG/ML SOLUTION <b>DL</b>	4	PA,QL(20 per 28 days)
SIMULECT 10 MG, 20 MG RECON SOLUTION <b>DL</b>	4	BvsD
<i>sirolimus 0.5 mg, 1 mg, 2 mg TABLET</i> <b>MO</b>	1	BvsD
<i>sirolimus 1 mg/ml SOLUTION</i> <b>MO</b>	1	BvsD
SKYRIZI 150 MG/ML PEN INJECTOR	4	PA,QL(2 per 84 days)
SKYRIZI 150 MG/ML SYRINGE	4	PA,QL(2 per 84 days)
SKYRIZI 180 MG/1.2 ML (150 MG/ML) WEARABLE INJECTOR <b>DL</b>	4	PA,QL(8.4 per 365 days)
SKYRIZI 360 MG/2.4 ML (150 MG/ML) WEARABLE INJECTOR <b>DL</b>	4	PA,QL(16.8 per 365 days)
SKYRIZI 60 MG/ML SOLUTION <b>DL</b>	4	PA,QL(30 per 365 days)
SOLIRIS 300 MG/30 ML SOLUTION <b>DL</b>	4	PA
SOTYKTU 6 MG TABLET <b>DL</b>	4	PA,QL(30 per 30 days)
SPEVIGO 150 MG/ML, 300 MG/2 ML SYRINGE <b>DL</b>	4	PA,QL(4 per 28 days)
SPEVIGO 60 MG/ML SOLUTION <b>DL</b>	4	PA,QL(30 per 84 days)
STARJEMZA 130 MG/26 ML SOLUTION <b>DL</b>	4	PA,QL(104 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
STARJEMZA 45 MG/0.5 ML SOLUTION <b>DL</b>	4	PA,QL(1.5 per 84 days)
STARJEMZA 45 MG/0.5 ML SYRINGE <b>DL</b>	4	PA,QL(1.5 per 84 days)
STARJEMZA 90 MG/ML SYRINGE <b>DL</b>	4	PA,QL(3 per 84 days)
STELARA 130 MG/26 ML SOLUTION <b>DL</b>	4	PA,QL(104 per 30 days)
STELARA 45 MG/0.5 ML SOLUTION <b>DL</b>	4	PA,QL(1.5 per 84 days)
STELARA 45 MG/0.5 ML SYRINGE <b>DL</b>	4	PA,QL(1.5 per 84 days)
STELARA 90 MG/ML SYRINGE <b>DL</b>	4	PA,QL(3 per 84 days)
STEQEYMA 130 MG/26 ML SOLUTION <b>DL</b>	4	PA,QL(104 per 30 days)
STEQEYMA 45 MG/0.5 ML SYRINGE <b>DL</b>	4	PA,QL(1.5 per 84 days)
STEQEYMA 90 MG/ML SYRINGE <b>DL</b>	4	PA,QL(3 per 84 days)
SYLVANT 100 MG, 400 MG RECON SOLUTION <b>DL</b>	4	PA
<i>tacrolimus 0.5 mg, 1 mg, 5 mg CAPSULE</i> <b>MO</b>	1	BvsD
<i>tacrolimus 0.5 mg, 1 mg, 5 mg CAPSULE, ER 24 HR.</i> <b>MO</b>	1	BvsD
TAKHZYRO 150 MG/ML SYRINGE <b>DL</b>	4	PA,QL(2 per 28 days)
TAKHZYRO 300 MG/2 ML (150 MG/ML) SOLUTION <b>DL</b>	4	PA,QL(4 per 28 days)
TAKHZYRO 300 MG/2 ML (150 MG/ML) SYRINGE <b>DL</b>	4	PA,QL(4 per 28 days)
TALTZ AUTOINJECTOR 80 MG/ML AUTO-INJECTOR <b>DL</b>	4	PA,QL(4 per 28 days)
TALTZ AUTOINJECTOR (2 PACK) 80 MG/ML AUTO-INJECTOR <b>DL</b>	4	PA,QL(4 per 28 days)
TALTZ AUTOINJECTOR (3 PACK) 80 MG/ML AUTO-INJECTOR <b>DL</b>	4	PA,QL(4 per 28 days)
TALTZ SYRINGE 20 MG/0.25 ML SYRINGE <b>DL</b>	4	PA,QL(0.25 per 28 days)
TALTZ SYRINGE 40 MG/0.5 ML SYRINGE <b>DL</b>	4	PA,QL(0.5 per 28 days)
TALTZ SYRINGE 80 MG/ML SYRINGE <b>DL</b>	4	PA,QL(4 per 28 days)
TAVNEOS 10 MG CAPSULE <b>DL</b>	4	PA,QL(180 per 30 days)
TDVAX 2-2 LF UNIT/0.5 ML SUSPENSION <b>AV,DL</b>	1	
TENIVAC (PF) 5 LF UNIT- 2 LF UNIT/0.5ML SUSPENSION <b>AV,DL</b>	1	
TENIVAC (PF) 5-2 LF UNIT/0.5 ML SYRINGE <b>AV,DL</b>	1	
TEZSPIRE 210 MG/1.91 ML (110 MG/ML) PEN INJECTOR <b>DL</b>	4	PA,QL(1.91 per 28 days)
TEZSPIRE 210 MG/1.91 ML (110 MG/ML) SYRINGE <b>DL</b>	4	PA,QL(1.91 per 28 days)
THYMOGLOBULIN 25 MG RECON SOLUTION <b>MO</b>	3	PA
TICOVAC 1.2 MCG/0.25 ML, 2.4 MCG/0.5 ML SYRINGE <b>AV,DL</b>	1	
TREMFYA 100 MG/ML SYRINGE	4	PA,QL(3 per 84 days)
TREMFYA 200 MG/2 ML SYRINGE <b>DL</b>	4	PA,QL(4 per 28 days)
TREMFYA 200 MG/20 ML (10 MG/ML) SOLUTION <b>DL</b>	4	PA,QL(120 per 365 days)
TREMFYA ONE-PRESS 100 MG/ML AUTO-INJECTOR	4	PA,QL(3 per 84 days)
TREMFYA PEN 100 MG/ML PEN INJECTOR	4	PA,QL(3 per 84 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
TREMFYA PEN 200 MG/2 ML PEN INJECTOR <b>DL</b>	4	PA,QL(4 per 28 days)
TREMFYA PEN INDUCTION PK(2PEN) 200 MG/2 ML PEN INJECTOR <b>DL</b>	4	PA,QL(4 per 28 days)
TREXALL 10 MG, 15 MG, 5 MG, 7.5 MG TABLET <b>MO</b>	1	BvsD
TRUMENBA 120 MCG/0.5 ML SYRINGE <b>AV,DL</b>	1	
TWINRIX (PF) 720 ELISA UNIT- 20 MCG/ML SYRINGE <b>AV,DL</b>	1	
TYENNE 162 MG/0.9 ML SYRINGE <b>DL</b>	4	PA,QL(3.6 per 28 days)
TYENNE AUTOINJECTOR 162 MG/0.9 ML PEN INJECTOR <b>DL</b>	4	PA,QL(3.6 per 28 days)
TYPHIM VI 25 MCG/0.5 ML SOLUTION <b>AV,DL</b>	1	
TYPHIM VI 25 MCG/0.5 ML SYRINGE <b>AV,DL</b>	1	
ULTOMIRIS 100 MG/ML SOLUTION	4	PA
UPLIZNA 10 MG/ML SOLUTION <b>DL</b>	4	PA,QL(120 per 365 days)
USTEKINUMAB 130 MG/26 ML SOLUTION <b>DL</b>	4	PA,QL(104 per 30 days)
USTEKINUMAB 45 MG/0.5 ML SOLUTION <b>DL</b>	4	PA,QL(1.5 per 84 days)
USTEKINUMAB 45 MG/0.5 ML SYRINGE <b>DL</b>	4	PA,QL(1.5 per 84 days)
USTEKINUMAB 90 MG/ML SYRINGE <b>DL</b>	4	PA,QL(3 per 84 days)
USTEKINUMAB-AEKN 45 MG/0.5 ML SYRINGE <b>DL</b>	4	PA,QL(1.5 per 84 days)
USTEKINUMAB-AEKN 90 MG/ML SYRINGE <b>DL</b>	4	PA,QL(3 per 84 days)
USTEKINUMAB-TTWE 130 MG/26 ML SOLUTION <b>DL</b>	4	PA,QL(104 per 30 days)
USTEKINUMAB-TTWE 45 MG/0.5 ML SYRINGE <b>DL</b>	4	PA,QL(1.5 per 84 days)
USTEKINUMAB-TTWE 90 MG/ML SYRINGE <b>DL</b>	4	PA,QL(3 per 84 days)
VAQTA (PF) 25 UNIT/0.5 ML SUSPENSION <b>DL</b>	1	
VAQTA (PF) 25 UNIT/0.5 ML SYRINGE <b>DL</b>	1	
VAQTA (PF) 50 UNIT/ML SUSPENSION <b>AV,DL</b>	1	
VAQTA (PF) 50 UNIT/ML SYRINGE <b>AV,DL</b>	1	
VARIVAX (PF) 1,350 UNIT/0.5 ML SUSPENSION FOR RECONSTITUTION <b>AV,DL</b>	1	
VARIZIG 125 UNIT/1.2 ML SOLUTION <b>DL</b>	4	PA,QL(12 per 30 days)
VAXCHORA VACCINE 4X10EXP8 TO 2X 10EXP9 CF UNIT SUSPENSION FOR RECONSTITUTION <b>AV,MO</b>	1	
VELSIPITY 2 MG TABLET <b>DL</b>	4	PA,QL(30 per 30 days)
VEOPOZ 200 MG/ML SOLUTION <b>DL</b>	4	PA
VIMKUNYA 40 MCG/0.8 ML SYRINGE <b>AV,DL</b>	1	
VIVOTIF 2 BILLION UNIT CAPSULE, DR/EC <b>AV,MO</b>	1	
VOYDEYA 100 MG, 150 MG (50 MG X 1-100 MG X 1) TABLET <b>DL</b>	4	PA,QL(180 per 30 days)
VOYXACT 400 MG/2 ML (200 MG/ML) SYRINGE <b>DL</b>	4	PA,QL(2 per 28 days)
WEZLANA 130 MG/26 ML SOLUTION <b>DL</b>	4	PA,QL(104 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
WEZLANA 45 MG/0.5 ML SOLUTION <b>DL</b>	4	PA,QL(1.5 per 84 days)
WEZLANA 45 MG/0.5 ML SYRINGE <b>DL</b>	4	PA,QL(1.5 per 84 days)
WEZLANA 90 MG/ML SYRINGE <b>DL</b>	4	PA,QL(3 per 84 days)
XATMEP 2.5 MG/ML SOLUTION <b>MO</b>	3	PA
XELJANZ 1 MG/ML SOLUTION <b>DL</b>	4	PA,QL(300 per 30 days)
XELJANZ 10 MG, 5 MG TABLET <b>DL</b>	4	PA,QL(60 per 30 days)
XELJANZ XR 11 MG, 22 MG TABLET, ER 24 HR. <b>DL</b>	4	PA,QL(30 per 30 days)
XEMBIFY 1 GRAM/5 ML (20 %), 10 GRAM/50 ML (20 %), 2 GRAM/10 ML (20 %), 4 GRAM/20 ML (20 %) SOLUTION <b>DL</b>	4	PA
XOLAIR 150 MG RECON SOLUTION <b>DL</b>	4	PA,QL(8 per 28 days)
XOLAIR 150 MG/ML, 300 MG/2 ML AUTO-INJECTOR <b>DL,LA</b>	4	PA,QL(8 per 28 days)
XOLAIR 150 MG/ML, 300 MG/2 ML SYRINGE <b>DL,LA</b>	4	PA,QL(8 per 28 days)
XOLAIR 75 MG/0.5 ML AUTO-INJECTOR <b>DL,LA</b>	4	PA,QL(4 per 28 days)
XOLAIR 75 MG/0.5 ML SYRINGE <b>DL,LA</b>	4	PA,QL(4 per 28 days)
YESINTEK 130 MG/26 ML SOLUTION <b>DL</b>	4	PA,QL(104 per 30 days)
YESINTEK 45 MG/0.5 ML SOLUTION <b>MO</b>	2	PA,QL(1.5 per 84 days)
YESINTEK 45 MG/0.5 ML SYRINGE <b>MO</b>	2	PA,QL(1.5 per 84 days)
YESINTEK 90 MG/ML SYRINGE <b>DL</b>	4	PA,QL(3 per 84 days)
YF-VAX (PF) 10 EXP4.74 UNIT/0.5 ML SUSPENSION FOR RECONSTITUTION <b>AV,DL</b>	1	
YIMMUGO 10 % SOLUTION <b>DL</b>	4	PA
YUFLYMA(CF) 20 MG/0.2 ML, 40 MG/0.4 ML SYRINGE KIT <b>DL</b>	4	PA,QL(6 per 28 days)
YUFLYMA(CF) AI CROHN'S-UC-HS 80 MG/0.8 ML AUTO-INJECTOR, KIT <b>DL</b>	4	PA,QL(6 per 28 days)
YUFLYMA(CF) AUTOINJECTOR 40 MG/0.4 ML, 80 MG/0.8 ML AUTO-INJECTOR, KIT <b>DL</b>	4	PA,QL(6 per 28 days)
YUSIMRY(CF) PEN 40 MG/0.8 ML PEN INJECTOR <b>DL</b>	4	PA,QL(4.8 per 28 days)
ZILBRYSQ 16.6 MG/0.416 ML, 23 MG/0.574 ML, 32.4 MG/0.81 ML SYRINGE <b>DL</b>	4	PA
ZORTRESS 0.25 MG TABLET <b>MO</b>	3	BvsD,QL(60 per 30 days)
ZORTRESS 0.5 MG TABLET <b>DL</b>	4	BvsD,QL(120 per 30 days)
ZORTRESS 0.75 MG, 1 MG TABLET <b>DL</b>	4	BvsD,QL(60 per 30 days)
ZYMFENTRA 120 MG/ML PEN INJECTOR KIT <b>DL</b>	4	PA,QL(2 per 28 days)
ZYMFENTRA 120 MG/ML SYRINGE KIT <b>DL</b>	4	PA,QL(2 per 28 days)
<b>INFLAMMATORY BOWEL DISEASE AGENTS</b>		
APRISO 0.375 GRAM CAPSULE, ER 24 HR. <b>MO</b>	3	ST,QL(120 per 30 days)
AZULFIDINE 500 MG TABLET <b>MO</b>	3	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
AZULFIDINE EN-TABS 500 MG TABLET, DR/EC <b>MO</b>	3	
balsalazide 750 mg CAPSULE <b>MO</b>	1	
budesonide 2 mg/actuation FOAM <b>MO</b>	1	PA
budesonide 3 mg CAPSULE, DR/EC <b>MO</b>	1	
budesonide 9 mg TABLET, DR/ER <b>DL</b>	4	PA,QL(30 per 30 days)
CANASA 1,000 MG SUPPOSITORY <b>DL</b>	4	ST,QL(30 per 30 days)
COLAZAL 750 MG CAPSULE <b>DL</b>	4	PA
CORTENEMA 100 MG/60 ML ENEMA <b>MO</b>	3	
CORTIFOAM 10 % (80 MG) FOAM <b>MO</b>	3	
DELZICOL 400 MG CAPSULE (WITH DR TABLETS) <b>MO</b>	3	ST,QL(180 per 30 days)
DIPENTUM 250 MG CAPSULE <b>DL</b>	4	ST,QL(120 per 30 days)
hydrocortisone 100 mg/60 ml ENEMA <b>MO</b>	1	
LIALDA 1.2 GRAM TABLET, DR/EC <b>MO</b>	3	ST,QL(120 per 30 days)
mesalamine 0.375 gram CAPSULE, ER 24 HR. <b>MO</b>	1	QL(120 per 30 days)
mesalamine 1,000 mg SUPPOSITORY <b>MO</b>	1	QL(30 per 30 days)
mesalamine 1.2 gram TABLET, DR/EC <b>MO</b>	1	ST,QL(120 per 30 days)
mesalamine 4 gram/60 ml ENEMA <b>MO</b>	1	QL(1800 per 30 days)
mesalamine 400 mg CAPSULE (WITH DR TABLETS) <b>MO</b>	1	ST,QL(180 per 30 days)
mesalamine 500 mg CAPSULE, ER <b>MO</b>	1	ST,QL(300 per 30 days)
mesalamine 800 mg TABLET, DR/EC <b>MO</b>	1	ST,QL(180 per 30 days)
PENTASA 250 MG CAPSULE, ER <b>MO</b>	3	ST,QL(150 per 30 days)
PENTASA 500 MG CAPSULE, ER <b>DL</b>	4	ST,QL(300 per 30 days)
PROCTOFOAM HC 1-1 % FOAM <b>MO</b>	1	
ROWASA 4 GRAM/60 ML ENEMA <b>MO</b>	3	QL(1800 per 30 days)
SFROWASA 4 GRAM/60 ML ENEMA <b>MO</b>	3	QL(1800 per 30 days)
sulfasalazine 500 mg TABLET <b>MO</b>	1	
sulfasalazine 500 mg TABLET, DR/EC <b>MO</b>	1	
TARPEYO 4 MG CAPSULE, DR/EC <b>DL</b>	4	PA,QL(120 per 30 days)
UCERIS 2 MG/ACTUATION FOAM <b>MO</b>	3	PA
UCERIS 9 MG TABLET, DR/ER	4	PA,QL(30 per 30 days)
<b>METABOLIC BONE DISEASE AGENTS</b>		
ACTONEL 150 MG TABLET <b>MO</b>	3	PA,QL(1 per 30 days)
ACTONEL 35 MG TABLET <b>MO</b>	3	PA,QL(4 per 28 days)
alendronate 10 mg, 5 mg TABLET <b>MO</b>	1	QL(30 per 30 days)
alendronate 35 mg TABLET <b>MO</b>	1	QL(4 per 28 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
alendronate 70 mg TABLET <b>MO</b>	1	QL(4 per 28 days)
alendronate 70 mg/75 ml SOLUTION <b>MO</b>	1	QL(300 per 28 days)
ATELVIA 35 MG TABLET, DR/EC <b>MO</b>	3	PA,QL(4 per 28 days)
BINOSTO 70 MG TABLET, EFFERVESCENT <b>MO</b>	3	ST,QL(4 per 28 days)
calcitonin (salmon) 200 unit/actuation SPRAY, NON-AEROSOL <b>MO</b>	1	QL(3.7 per 28 days)
calcitonin (salmon) 200 unit/ml SOLUTION <b>DL</b>	4	
calcitriol 0.25 mcg, 0.5 mcg CAPSULE <b>MO</b>	1	
calcitriol 1 mcg/ml SOLUTION <b>MO</b>	1	
cinacalcet 30 mg, 60 mg TABLET <b>MO</b>	1	QL(60 per 30 days)
cinacalcet 90 mg TABLET <b>MO</b>	1	QL(120 per 30 days)
doxercalciferol 0.5 mcg, 1 mcg, 2.5 mcg CAPSULE <b>MO</b>	1	
doxercalciferol 4 mcg/2 ml SOLUTION <b>MO</b>	1	
EVENITY 105 MG/1.17 ML, 210MG/2.34ML ( 105MG/1.17MLX2) SYRINGE <b>DL</b>	4	PA,QL(2.34 per 30 days)
FORTEO 20 MCG/DOSE (560MCG/2.24ML) PEN INJECTOR <b>DL</b>	4	PA,QL(2.24 per 28 days)
FOSAMAX 70 MG TABLET <b>MO</b>	3	PA,QL(4 per 28 days)
FOSAMAX PLUS D 70 MG- 2,800 UNIT, 70 MG- 5,600 UNIT TABLET <b>MO</b>	3	ST,QL(4 per 28 days)
HECTOROL 4 MCG/2 ML SOLUTION <b>MO</b>	3	
ibandronate 150 mg TABLET <b>MO</b>	1	QL(1 per 28 days)
ibandronate 3 mg/3 ml SOLUTION <b>MO</b>	1	PA,QL(3 per 90 days)
ibandronate 3 mg/3 ml SYRINGE <b>MO</b>	1	PA,QL(3 per 90 days)
MIACALCIN 200 UNIT/ML SOLUTION <b>DL</b>	4	
pamidronate 30 mg/10 ml (3 mg/ml) SOLUTION <b>MO</b>	1	QL(30 per 21 days)
pamidronate 60 mg/10 ml (6 mg/ml), 90 mg/10 ml (9 mg/ml) SOLUTION <b>MO</b>	1	QL(10 per 21 days)
paricalcitol 1 mcg, 2 mcg, 4 mcg CAPSULE <b>MO</b>	1	
paricalcitol 2 mcg/ml SOLUTION <b>MO</b>	1	QL(24 per 30 days)
paricalcitol 5 mcg/ml SOLUTION <b>MO</b>	1	QL(48 per 28 days)
PROLIA 60 MG/ML SYRINGE <b>MO</b>	3	QL(1 per 180 days)
RAYALDEE 30 MCG CAPSULE, ER 24 HR. <b>DL</b>	4	QL(60 per 30 days)
RECLAST 5 MG/100 ML PIGGYBACK <b>MO</b>	3	PA,QL(100 per 365 days)
risedronate 150 mg TABLET <b>MO</b>	1	QL(1 per 30 days)
risedronate 30 mg, 5 mg TABLET <b>MO</b>	1	QL(30 per 30 days)
risedronate 35 mg TABLET <b>MO</b>	1	QL(4 per 28 days)
risedronate 35 mg TABLET, DR/EC <b>MO</b>	1	QL(4 per 28 days)
ROCALTROL 0.25 MCG, 0.5 MCG CAPSULE <b>MO</b>	3	
ROCALTROL 1 MCG/ML SOLUTION <b>MO</b>	3	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
SENSIPAR 30 MG TABLET <b>MO</b>	3	QL(60 per 30 days)
SENSIPAR 60 MG TABLET <b>DL</b>	4	QL(60 per 30 days)
SENSIPAR 90 MG TABLET <b>DL</b>	4	QL(120 per 30 days)
TYMLOS 80 MCG (3,120 MCG/1.56 ML) PEN INJECTOR <b>DL</b>	4	PA,QL(1.56 per 30 days)
XGEVA 120 MG/1.7 ML (70 MG/ML) SOLUTION <b>DL</b>	4	PA,QL(1.7 per 28 days)
YORVIPATH 168 MCG/0.56 ML PEN INJECTOR <b>DL</b>	4	PA,QL(1.12 per 28 days)
YORVIPATH 294 MCG/0.98 ML PEN INJECTOR <b>DL</b>	4	PA,QL(1.96 per 28 days)
YORVIPATH 420 MCG/1.4 ML PEN INJECTOR <b>DL</b>	4	PA,QL(2.8 per 28 days)
ZEMPLAR 1 MCG, 2 MCG CAPSULE <b>MO</b>	3	
ZEMPLAR 2 MCG/ML SOLUTION <b>DL</b>	4	QL(24 per 30 days)
ZEMPLAR 5 MCG/ML SOLUTION <b>DL</b>	4	QL(48 per 28 days)
zoledronic ac-mannitol-0.9nacl 4 mg/100 ml PIGGYBACK <b>MO</b>	1	QL(300 per 21 days)
zoledronic acid 4 mg RECON SOLUTION <b>MO</b>	1	
zoledronic acid 4 mg/5 ml SOLUTION <b>MO</b>	1	QL(15 per 21 days)
zoledronic acid-mannitol-water 4 mg/100 ml PIGGYBACK <b>MO</b>	1	QL(300 per 21 days)
zoledronic acid-mannitol-water 5 mg/100 ml PIGGYBACK <b>MO</b>	1	PA,QL(100 per 365 days)
<b>MISCELLANEOUS THERAPEUTIC AGENTS</b>		
ACETADOTE 200 MG/ML (20 %) SOLUTION <b>MO</b>	3	
acetaminophen 1,000 mg/100 ml (10 mg/ml), 500 mg/50 ml (10 mg/ml) SOLUTION <b>MO</b>	1	
acetic acid 0.25 % SOLUTION <b>MO</b>	1	
acetylcysteine 200 mg/ml (20 %) SOLUTION <b>MO</b>	1	
ADAKVEO 10 MG/ML SOLUTION <b>DL</b>	4	PA
ADSTILADRIN 3X10EXP11 VP/ML SUSPENSION	4	PA
ALCOHOL PADS PADS, MEDICATED <b>MO</b>	1	
ALCOHOL PREP PADS PADS, MEDICATED <b>MO</b>	1	
ALCOHOL SWABS PADS, MEDICATED <b>MO</b>	1	
ALCOHOL WIPES PADS, MEDICATED <b>MO</b>	1	
AMMONUL 10-10 % SOLUTION <b>DL</b>	4	
AQNEURSA 1 GRAM GRANULES IN PACKET <b>DL</b>	4	PA,QL(112 per 28 days)
AUTOJECT 2 INJECTION DEVICE INSULIN PEN <b>MO</b>	1	
AUTOPEN 1 TO 21 UNITS INSULIN PEN <b>MO</b>	1	
AUTOPEN 2 TO 42 UNITS INSULIN PEN <b>MO</b>	1	
AUTOSHIELD DUO PEN NEEDLE 30 GAUGE X 3/16" NEEDLE <b>PDS,MO</b>	1	
BAND-AID GAUZE PADS 2 X 2 " BANDAGE <b>MO</b>	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
BD ALCOHOL SWABS PADS, MEDICATED <b>MO</b>	1	
BD AUTOSHIELD DUO PEN NEEDLE 30 GAUGE X 3/16" NEEDLE <b>PDS,MO</b>	1	
BD ECLIPSE LUER-LOK 1 ML 30 GAUGE X 1/2" SYRINGE <b>PDS,MO</b>	1	
BD INSULIN SYRINGE 0.3 ML 29 GAUGE X 1/2", 0.5 ML 29 GAUGE X 1/2", 1 ML 27 GAUGE X 1/2", 1 ML 28 GAUGE X 1/2", 1 ML 29 GAUGE X 1/2" SYRINGE <b>PDS,MO</b>	1	
BD INSULIN SYRINGE (HALF UNIT) 0.3 ML 31 GAUGE X 5/16" SYRINGE <b>PDS,MO</b>	1	
BD INSULIN SYRINGE MICRO-FINE 1 ML 28 GAUGE X 1/2" SYRINGE <b>PDS,MO</b>	1	
BD INSULIN SYRINGE U-500 1/2 ML 31 GAUGE X 15/64" SYRINGE <b>PDS,MO</b>	1	
BD INSULIN SYRINGE ULTRA-FINE 0.3 ML 30 GAUGE X 1/2", 0.3 ML 31 GAUGE X 5/16", 0.5 ML 30 GAUGE X 1/2", 0.5 ML 31 GAUGE X 5/16", 1 ML 30 GAUGE X 1/2", 1 ML 31 GAUGE X 5/16 SYRINGE <b>PDS,MO</b>	1	
BD LO-DOSE MICRO-FINE IV 1/2 ML 28 GAUGE X 1/2" SYRINGE <b>PDS,MO</b>	1	
BD NANO 2ND GEN PEN NEEDLE 32 GAUGE X 5/32" NEEDLE <b>PDS,MO</b>	1	
BD SAFETYGLIDE INSULIN SYRINGE 0.3 ML 29 GAUGE X 1/2", 0.3 ML 31 GAUGE X 15/64", 0.3 ML 31 GAUGE X 5/16", 0.5 ML 29 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 15/64", 1 ML 29 GAUGE X 1/2", 1 ML 31 GAUGE X 15/64" SYRINGE <b>PDS,MO</b>	1	
BD SAFETYGLIDE SYRINGE 1 ML 27 GAUGE X 5/8" SYRINGE <b>PDS,MO</b>	1	
BD ULTRA-FINE MICRO PEN NEEDLE 32 GAUGE X 1/4" NEEDLE <b>PDS,MO</b>	1	
BD ULTRA-FINE MINI PEN NEEDLE 31 GAUGE X 3/16" NEEDLE <b>PDS,MO</b>	1	
BD ULTRA-FINE NANO PEN NEEDLE 32 GAUGE X 5/32" NEEDLE <b>PDS,MO</b>	1	
BD ULTRA-FINE ORIG PEN NEEDLE 29 GAUGE X 1/2" NEEDLE <b>PDS,MO</b>	1	
BD ULTRA-FINE SHORT PEN NEEDLE 31 GAUGE X 5/16" NEEDLE <b>PDS,MO</b>	1	
BD VEO INSULIN SYR (HALF UNIT) 0.3 ML 31 GAUGE X 15/64" SYRINGE <b>PDS,MO</b>	1	
BD VEO INSULIN SYRINGE UF 0.3 ML 31 GAUGE X 15/64", 1 ML 31 GAUGE X 15/64", 1/2 ML 31 GAUGE X 15/64" SYRINGE <b>PDS,MO</b>	1	
BEYFORTUS 100 MG/ML, 50 MG/0.5 ML SYRINGE <b>DL</b>	4	
BORDERED GAUZE 2 X 2 " BANDAGE <b>MO</b>	1	
BRINSUPRI 10 MG, 25 MG TABLET <b>DL</b>	4	PA,QL(30 per 30 days)
<i>bupap 50-300 mg TABLET <b>MO</b></i>	1	QL(180 per 30 days)
<i>butalbital-acetaminop-caf-cod 50-300-40-30 mg CAPSULE <b>DL</b></i>	1	QL(180 per 30 days)
<i>butalbital-acetaminop-caf-cod 50-325-40-30 mg CAPSULE <b>DL</b></i>	1	QL(360 per 30 days)
<i>butalbital-acetaminophen 50-300 mg CAPSULE <b>MO</b></i>	1	QL(180 per 30 days)
<i>butalbital-acetaminophen 50-300 mg, 50-325 mg TABLET <b>MO</b></i>	1	QL(180 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
butalbital-acetaminophen-caff 50-300-40 mg, 50-325-40 mg CAPSULE <b>MO</b>	1	QL(180 per 30 days)
butalbital-acetaminophen-caff 50-325-40 mg TABLET <b>MO</b>	1	QL(180 per 30 days)
butalbital-acetaminophen-caff 50-325-40 mg/15 ml SOLUTION <b>DL</b>	4	QL(450 per 30 days)
butalbital-aspirin-caffeine 50-325-40 mg CAPSULE <b>MO</b>	1	QL(180 per 30 days)
butalbital-aspirin-caffeine 50-325-40 mg TABLET <b>MO</b>	1	QL(180 per 30 days)
BYLVAY 1,200 MCG CAPSULE <b>DL</b>	4	PA,QL(150 per 30 days)
BYLVAY 200 MCG PELLETT <b>DL</b>	4	PA,QL(360 per 30 days)
BYLVAY 400 MCG CAPSULE <b>DL</b>	4	PA,QL(420 per 30 days)
BYLVAY 600 MCG PELLETT <b>DL</b>	4	PA,QL(120 per 30 days)
CAFCIT 60 MG/3 ML (20 MG/ML) SOLUTION <b>MO</b>	3	
caffeine citrate 60 mg/3 ml (20 mg/ml) SOLUTION <b>MO</b>	1	
CARETOUCH ALCOHOL PREP PAD PADS, MEDICATED <b>MO</b>	1	
CEQUR SIMPLICITY 2 UNIT DEVICE <b>MO</b>	2	
CEQUR SIMPLICITY INSERTER MISCELLANEOUS <b>MO</b>	2	
CERVIDIL 10 MG INSERT, ER <b>MO</b>	3	
CLARINEX-D 12 HOUR 2.5-120 MG TABLET, ER 12 HR., MULTIPHASE <b>MO</b>	3	QL(60 per 30 days)
COBENFY 100-20 MG, 125-30 MG, 50-20 MG CAPSULE <b>DL</b>	3	PA,QL(60 per 30 days)
COBENFY STARTER PACK 50 MG-20 MG /100 MG-20 MG CAPSULE, DOSE PACK <b>DL</b>	3	PA,QL(56 per 28 days)
COMBOGESIC IV 300-1,000 MG/100 ML SOLUTION <b>MO</b>	3	
CURITY ALCOHOL SWABS PADS, MEDICATED <b>MO</b>	1	
CURITY GAUZE 2 X 2 " BANDAGE <b>MO</b>	1	
DEFITELIO 80 MG/ML SOLUTION <b>DL</b>	4	PA
DERMACEA 2 X 2 " BANDAGE <b>MO</b>	1	
DROPLET INSULIN SYR(HALF UNIT) 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 GAUGE X 1/2", 0.3 ML 30 GAUGE X 5/16", 0.3 ML 31 GAUGE X 15/64", 0.3 ML 31 GAUGE X 5/16", 0.5 ML 29 GAUGE X 1/2", 0.5 ML 30 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 15/64", 0.5 ML 31 GAUGE X 5/16", 0.5ML 30 GAUGE X 15/64" SYRINGE <b>PDS,MO</b>	1	
DROPLET INSULIN SYRINGE 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 GAUGE X 1/2", 0.3 ML 30 GAUGE X 15/64", 0.3 ML 30 GAUGE X 5/16", 0.3 ML 31 GAUGE X 15/64", 0.3 ML 31 GAUGE X 5/16", 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 1/2", 1 ML 30 GAUGE X 15/64", 1 ML 30 GAUGE X 5/16, 1 ML 31 GAUGE X 15/64", 1 ML 31 GAUGE X 5/16 SYRINGE <b>PDS,MO</b>	1	
DROPLET INSULIN SYRINGE 0.5 ML 29 GAUGE X 1/2", 0.5 ML 30 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16", 1/2 ML 31 GAUGE X 15/64" SYRINGE <b>PDS,MO</b>	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
DROPLET MICRON PEN NEEDLE 34 GAUGE X 9/64" NEEDLE <b>PDS,MO</b>	1	
DROPLET PEN NEEDLE 29 GAUGE X 1/2", 29 GAUGE X 3/8", 30 GAUGE X 5/16", 31 GAUGE X 1/4", 31 GAUGE X 3/16", 31 GAUGE X 5/16", 32 GAUGE X 1/4", 32 GAUGE X 3/16", 32 GAUGE X 5/16", 32 GAUGE X 5/32" NEEDLE <b>PDS,MO</b>	1	
DROPSAFE ALCOHOL PREP PADS PADS, MEDICATED <b>MO</b>	1	
DROPSAFE PEN NEEDLE 31 GAUGE X 1/4", 31 GAUGE X 3/16", 31 GAUGE X 5/16" NEEDLE <b>PDS,MO</b>	1	
DROXIA 200 MG, 300 MG, 400 MG CAPSULE <b>MO</b>	3	
<i>dyclopro 0.5 % SOLUTION</i> <b>MO</b>	1	
EASY COMFORT ALCOHOL PAD PADS, MEDICATED <b>MO</b>	1	
EASY TOUCH ALCOHOL PREP PADS PADS, MEDICATED <b>MO</b>	1	
<i>edetate calcium disodium 200 mg/ml SOLUTION</i> <b>DL</b>	4	
ELYXYB 120 MG/4.8 ML (25 MG/ML) SOLUTION <b>DL</b>	4	ST,QL(43.2 per 30 days)
EMPAVELI 1,080 MG/20 ML SOLUTION <b>DL</b>	4	PA,QL(160 per 28 days)
ENFLONIA 105 MG/0.7 ML SYRINGE <b>MO</b>	3	
EOHILIA 2 MG/10 ML SUSPENSION IN PACKET <b>DL</b>	4	PA
ESGIC 50-325-40 MG CAPSULE <b>MO</b>	1	QL(180 per 30 days)
ESGIC 50-325-40 MG TABLET <b>MO</b>	1	QL(180 per 30 days)
FILSPARI 200 MG, 400 MG TABLET <b>DL</b>	4	PA,QL(30 per 30 days)
FILSUVEZ 10 % GEL <b>DL</b>	4	PA
<i>fioricet 50-300-40 mg CAPSULE</i> <b>MO</b>	1	QL(180 per 30 days)
FIORICET WITH CODEINE 50-300-40-30 MG CAPSULE <b>DL</b>	3	QL(180 per 30 days)
<i>flumazenil 0.1 mg/ml SOLUTION</i> <b>MO</b>	1	
<i>fomepizole 1 gram/ml SOLUTION</i> <b>MO</b>	1	
FORZINITY 80 MG/ML SOLUTION <b>DL</b>	4	PA,QL(15 per 30 days)
GAUZE BANDAGE 2 X 2 " BANDAGE <b>MO</b>	1	
GAUZE PAD 2 X 2 " BANDAGE <b>MO</b>	1	
GIVLAARI 189 MG/ML SOLUTION <b>DL</b>	4	PA
IGALMI 120 MCG, 180 MCG FILM <b>MO</b>	3	PA
INCONTROL ALCOHOL PADS PADS, MEDICATED <b>MO</b>	1	
INSULIN SYRINGE MICROFINE 1 ML 27 GAUGE X 5/8", 1/2 ML 28 GAUGE X 1/2" SYRINGE <b>PDS,MO</b>	1	
INSULIN SYRINGE-NEEDLE U-100 1 ML 27 GAUGE X 5/8", 1 ML 28 GAUGE X 1/2", 1/2 ML 28 GAUGE X 1/2" SYRINGE <b>PDS,MO</b>	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
INSULIN U-500 SYRINGE-NEEDLE 1/2 ML 31 GAUGE X 15/64" SYRINGE PDS,MO	1	
IV PREP WIPES PADS, MEDICATED MO	1	
JOURNAVX 50 MG TABLET MO	3	PA,QL(30 per 180 days)
KORLYM 300 MG TABLET DL	4	PA,QL(120 per 30 days)
<i>lactated ringers SOLUTION</i> MO	1	
LITHOSTAT 250 MG TABLET MO	3	
<i>methylergonovine 0.2 mg TABLET</i> DL	4	
<i>methylergonovine 0.2 mg/ml (1 ml) SOLUTION</i> MO	1	
<i>mifepristone 300 mg TABLET</i> DL	4	PA,QL(120 per 30 days)
MIRENA 21 MCG/24HR (UP TO 8 YRS) 52 MG IUD MO	2	
MODD1 PATIENT WELCOME KIT KIT MO	3	PA
MODD1 SUPPLY KIT COMBO PACK MO	3	PA
NANO 2ND GEN PEN NEEDLE 32 GAUGE X 5/32" NEEDLE PDS,MO	1	
NANO PEN NEEDLE 32 GAUGE X 5/32" NEEDLE PDS,MO	1	
<i>neomycin-polymyxin b gu 40 mg-200,000 unit/ml SOLUTION</i> MO	1	
<i>nitroglycerin 0.4 % (w/w) OINTMENT</i> MO	1	QL(30 per 30 days)
NOVOPEN ECHO INSULIN PEN MO	1	
OMNIPOD 5 (G6/LIBRE 2 PLUS) CARTRIDGE MO	2	
OMNIPOD 5 G6-G7 INTRO KT(GEN5) CARTRIDGE MO	2	
OMNIPOD 5 G6-G7 PODS (GEN 5) CARTRIDGE MO	2	
OMNIPOD 5 INTRO(G6/LIBRE2PLUS) CARTRIDGE MO	2	
OMNIPOD CLASSIC PODS (GEN 3) CARTRIDGE MO	2	
OMNIPOD DASH INTRO KIT (GEN 4) CARTRIDGE MO	2	
OMNIPOD DASH PODS (GEN 4) CARTRIDGE MO	2	
OMNIPOD GO PODS CARTRIDGE MO	2	
OMNIPOD GO PODS 10 UNITS/DAY CARTRIDGE MO	2	
OMNIPOD GO PODS 15 UNITS/DAY CARTRIDGE MO	2	
OMNIPOD GO PODS 20 UNITS/DAY CARTRIDGE MO	2	
OMNIPOD GO PODS 25 UNITS/DAY CARTRIDGE MO	2	
OMNIPOD GO PODS 30 UNITS/DAY CARTRIDGE MO	2	
OMNIPOD GO PODS 40 UNITS/DAY CARTRIDGE MO	2	
OXLUMO 94.5 MG/0.5 ML SOLUTION	4	PA
<i>oxytocin 10 unit/ml SOLUTION</i> MO	1	
PALFORZIA (LEVEL 1) 3 MG (1 MG X 3) CAPSULE, SPRINKLE MO	3	PA

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
PALFORZIA (LEVEL 2) 6 MG (1 MG X 6) CAPSULE, SPRINKLE <b>MO</b>	3	PA
PALFORZIA (LEVEL 3) 12 MG (1 MG X 2, 10 MG X 1) CAPSULE, SPRINKLE <b>MO</b>	3	PA
PALFORZIA (LEVEL 4) 20 MG CAPSULE, SPRINKLE <b>MO</b>	3	PA
PALFORZIA (LEVEL 5) 40 MG (20 MG X 2) CAPSULE, SPRINKLE <b>MO</b>	3	PA
PALFORZIA (LEVEL 6) 80 MG (20 MG X 4) CAPSULE, SPRINKLE <b>MO</b>	3	PA
PALFORZIA (LEVEL 7) 120 MG (20 MG X 1, 100 MG X 1) CAPSULE, SPRINKLE <b>MO</b>	3	PA
PALFORZIA (LEVEL 8) 160 MG (20 MG X 3, 100 MG X1) CAPSULE, SPRINKLE <b>MO</b>	3	PA
PALFORZIA (LEVEL 9) 200 MG (100 MG X 2) CAPSULE, SPRINKLE <b>MO</b>	3	PA
PALFORZIA (LEVEL 10) 240 MG (20 MG X 2, 100 MG X 2) CAPSULE, SPRINKLE <b>MO</b>	3	PA
PALFORZIA (LEVEL 11 UP-DOSE) 300 MG POWDER IN PACKET <b>MO</b>	3	PA
PALFORZIA INITIAL (4-17 YRS) 0.5/1/1.5/3/6 MG CAPSULE, SPRINKLE <b>MO</b>	3	PA
PALFORZIA LEVEL 11 MAINTENANCE 300 MG POWDER IN PACKET <b>MO</b>	3	PA
PEN NEEDLE, DIABETIC 29 GAUGE X 1/2", 31 GAUGE X 1/4", 31 GAUGE X 3/16", 31 GAUGE X 5/16", 32 GAUGE X 5/32", 33 GAUGE X 5/32" NEEDLE <b>PDS,MO</b>	1	
<i>phenazopyridine 100 mg, 200 mg TABLET <b>MO</b></i>	1	
PHEXX 1.8-1-0.4 % GEL <b>MO</b>	3	QL(60 per 30 days)
PHEXXI 1.8-1-0.4 % GEL <b>MO</b>	3	QL(60 per 30 days)
PHYSIOLYTE 140-5-3-98 MEQ/L SOLUTION <b>MO</b>	1	
PHYSIOSOL IRRIGATION 140-5-3-98 MEQ/L SOLUTION <b>MO</b>	1	
PITOCIN 10 UNIT/ML SOLUTION <b>MO</b>	3	
PREVDUO 0.6 MG-3 MG/3ML (0.2 MG-1MG/ML) SYRINGE <b>MO</b>	3	
PRIALT 100 MCG/ML, 25 MCG/ML SOLUTION <b>DL</b>	4	PA
PRO COMFORT ALCOHOL PADS PADS, MEDICATED <b>MO</b>	1	
<i>promethazine vc 6.25-5 mg/5 ml SYRUP <b>MO</b></i>	1	
<i>promethazine-phenylephrine 6.25-5 mg/5 ml SYRUP <b>MO</b></i>	1	
<i>protamine 10 mg/ml SOLUTION <b>MO</b></i>	1	
PURE COMFORT ALCOHOL PADS PADS, MEDICATED <b>MO</b>	1	
PYRIDIDIUM 100 MG, 200 MG TABLET <b>MO</b>	3	
QUTENZA 8 % KIT <b>DL</b>	4	PA
RECTIV 0.4 % (W/W) OINTMENT <b>MO</b>	3	QL(30 per 30 days)
RENACIDIN 1980.6 MG-59.4 MG-980.4MG/30ML SOLUTION <b>MO</b>	3	
REZDIFFRA 100 MG, 60 MG, 80 MG TABLET <b>DL</b>	4	PA,QL(30 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
ribavirin 6 gram RECON SOLUTION <b>DL</b>	4	BvsD
RIMSO-50 50 % SOLUTION <b>DL</b>	4	
ringer's SOLUTION <b>MO</b>	1	
RIVFLOZA 128 MG/0.8 ML, 160 MG/ML SYRINGE <b>DL</b>	4	PA
RIVFLOZA 80 MG/0.5 ML (160 MG/ML) SOLUTION <b>DL</b>	4	PA
SIKLOS 1,000 MG, 100 MG TABLET <b>MO</b>	3	PA
sodium benzoate-sod phenylacet 10-10 % SOLUTION <b>DL</b>	4	
sodium chloride 0.9 % SOLUTION <b>MO</b>	1	
SOHONOS 1 MG, 1.5 MG, 10 MG, 2.5 MG, 5 MG CAPSULE <b>DL</b>	4	PA
sorbitol-mannitol 2.7-0.54 gram/100 ml SOLUTION <b>MO</b>	1	
SURE COMFORT ALCOHOL PREP PADS PADS, MEDICATED <b>MO</b>	1	
SURE-PREP ALCOHOL PREP PADS PADS, MEDICATED <b>MO</b>	1	
SYNAGIS 100 MG/ML, 50 MG/0.5 ML SOLUTION <b>DL</b>	4	PA
tencon 50-325 mg TABLET <b>MO</b>	1	QL(180 per 30 days)
TEPEZZA 500 MG RECON SOLUTION <b>DL</b>	4	PA
TRUE COMFORT ALCOHOL PADS PADS, MEDICATED <b>MO</b>	1	
TRUE COMFORT PRO ALCOHOL PADS PADS, MEDICATED <b>MO</b>	1	
ULTILET ALCOHOL SWAB PADS, MEDICATED <b>MO</b>	1	
ULTRA-FINE INS SYR (HALF UNIT) 0.3 ML 31 GAUGE X 15/64", 0.3 ML 31 GAUGE X 5/16" SYRINGE <b>PDS,MO</b>	1	
ULTRA-FINE INSULIN SYRINGE 0.3 ML 30 GAUGE X 1/2", 0.3 ML 31 GAUGE X 15/64", 0.3 ML 31 GAUGE X 5/16", 0.5 ML 30 GAUGE X 1/2", 0.5 ML 31 GAUGE X 5/16", 1 ML 30 GAUGE X 1/2", 1 ML 31 GAUGE X 15/64", 1 ML 31 GAUGE X 5/16, 1/2 ML 31 GAUGE X 15/64" SYRINGE <b>PDS,MO</b>	1	
ULTRA-FINE PEN NEEDLE 29 GAUGE X 1/2", 31 GAUGE X 3/16", 31 GAUGE X 5/16", 32 GAUGE X 1/4" NEEDLE <b>PDS,MO</b>	1	
V-GO 20 DEVICE <b>MO</b>	3	PA
V-GO 30 DEVICE <b>MO</b>	3	PA
V-GO 40 DEVICE <b>MO</b>	3	PA
VANRAFIA 0.75 MG TABLET <b>DL</b>	4	PA,QL(30 per 30 days)
VIRAZOLE 6 GRAM RECON SOLUTION <b>DL</b>	4	BvsD
VYJUVEK 5 X 10EXP9 PFU/2.5 ML GEL <b>DL</b>	4	PA,QL(10 per 28 days)
VYKAT XR 150 MG, 25 MG, 75 MG TABLET, ER 24 HR. <b>DL</b>	4	PA
water for irrigation, sterile SOLUTION <b>MO</b>	1	
WEBCOL PADS, MEDICATED <b>MO</b>	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
WEGOVY 0.25 MG/0.5 ML, 0.5 MG/0.5 ML, 1 MG/0.5 ML, 1.7 MG/0.75 ML, 2.4 MG/0.75 ML PEN INJECTOR <b>DL</b>	4	PA
WEGOVY 1.5 MG, 25 MG, 4 MG, 9 MG TABLET <b>DL</b>	4	PA,QL(30 per 30 days)
XDEMVIY 0.25 % DROPS <b>MO</b>	3	PA,QL(10 per 42 days)
XROMI 100 MG/ML SOLUTION <b>DL</b>	4	PA
YCANTH 0.7 % SOLUTION W/APPLICATOR <b>DL</b>	4	PA
ZEPBOUND 10 MG/0.5 ML, 12.5 MG/0.5 ML, 15 MG/0.5 ML, 2.5 MG/0.5 ML, 5 MG/0.5 ML, 7.5 MG/0.5 ML PEN INJECTOR <b>DL</b>	4	PA
ZEPBOUND 10 MG/0.5 ML, 12.5 MG/0.5 ML, 15 MG/0.5 ML, 2.5 MG/0.5 ML, 5 MG/0.5 ML, 7.5 MG/0.5 ML SOLUTION <b>DL</b>	4	PA
ZEVALIN (Y-90) 3.2 MG/2 ML KIT <b>DL</b>	4	PA
zingiber 1.2 mg-40 mg- 124.1 mg-100 mg TABLET <b>MO</b>	1	
ZYNRELEF 200 MG-6 MG /7 ML, 400 MG-12 MG /14 ML ER SOLUTION <b>MO</b>	3	
<b>OPHTHALMIC AGENTS</b>		
ACULAR 0.5 % DROPS <b>MO</b>	3	ST,QL(10 per 30 days)
ACULAR LS 0.4 % DROPS <b>MO</b>	3	ST,QL(10 per 30 days)
ACUVAIL (PF) 0.45 % DROPPERETTE <b>MO</b>	3	ST
ALCAINE 0.5 % DROPS <b>MO</b>	1	
ALOMIDE 0.1 % DROPS <b>MO</b>	3	
ALPHAGAN P 0.1 %, 0.15 % DROPS <b>MO</b>	3	ST
ALREX 0.2 % DROPS, SUSPENSION <b>MO</b>	3	ST
apraclonidine 0.5 % DROPS <b>MO</b>	1	
atropine 1 % DROPS <b>MO</b>	1	
ATROPINE SULFATE (PF) 1 % DROPPERETTE <b>MO</b>	1	
AZASITE 1 % DROPS <b>MO</b>	3	ST,QL(2.5 per 25 days)
azelastine 0.05 % DROPS <b>MO</b>	1	
AZOPT 1 % DROPS, SUSPENSION <b>MO</b>	3	ST,QL(10 per 28 days)
bacitracin 500 unit/gram OINTMENT <b>MO</b>	1	
bacitracin-polymyxin b 500-10,000 unit/gram OINTMENT <b>MO</b>	1	
balanced salt SOLUTION <b>MO</b>	1	
bepotastine besilate 1.5 % DROPS <b>MO</b>	1	ST,QL(5 per 25 days)
BEPREVE 1.5 % DROPS <b>MO</b>	3	ST,QL(5 per 25 days)
besifloxacin 0.6 % DROPS, SUSPENSION <b>MO</b>	3	ST
BESIVANCE 0.6 % DROPS, SUSPENSION <b>MO</b>	3	ST
BETADINE OPHTHALMIC PREP 5 % SOLUTION <b>MO</b>	3	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<i>betaxolol 0.5 % DROPS</i> <b>MO</b>	1	
BETIMOL 0.25 %, 0.5 % DROPS <b>MO</b>	3	ST
BETOPTIC S 0.25 % DROPS, SUSPENSION <b>MO</b>	3	ST
<i>bimatoprost 0.03 % DROPS</i> <b>MO</b>	1	QL(2.5 per 25 days)
<i>brimonidine 0.1 %, 0.15 % DROPS</i> <b>MO</b>	1	ST
<i>brimonidine 0.2 % DROPS</i> <b>MO</b>	1	
<i>brinzolamide 1 % DROPS, SUSPENSION</i> <b>MO</b>	1	ST,QL(10 per 28 days)
<i>bromfenac 0.07 % DROPS</i> <b>MO</b>	1	ST,QL(3 per 30 days)
<i>bromfenac 0.075 % DROPS</i> <b>MO</b>	1	ST,QL(5 per 30 days)
<i>bromfenac 0.09 % DROPS</i> <b>MO</b>	1	QL(1.7 per 30 days)
BROMSITE 0.075 % DROPS <b>MO</b>	3	ST,QL(5 per 30 days)
BSS SOLUTION <b>MO</b>	3	
BSS PLUS SOLUTION <b>MO</b>	3	
<i>carteolol 1 % DROPS</i> <b>MO</b>	1	
CEQUA 0.09 % DROPPERETTE <b>MO</b>	3	PA,QL(60 per 30 days)
CILOXAN 0.3 % OINTMENT <b>MO</b>	3	
<i>ciprofloxacin hcl 0.3 % DROPS</i> <b>MO</b>	1	
COMBIGAN 0.2-0.5 % DROPS <b>MO</b>	2	
COSOPT 22.3-6.8 MG/ML DROPS <b>MO</b>	3	ST
COSOPT (PF) 2-0.5 % DROPPERETTE <b>MO</b>	3	ST,QL(60 per 30 days)
<i>cromolyn 4 % DROPS</i> <b>MO</b>	1	
<i>cyclosporine 0.05 % DROPPERETTE</i> <b>MO</b>	1	QL(60 per 30 days)
CYSTADROPS 0.37 % DROPS <b>DL</b>	4	PA,QL(20 per 28 days)
CYSTARAN 0.44 % DROPS <b>DL</b>	4	PA,QL(60 per 28 days)
<i>dexamethasone sodium phosphate 0.1 % DROPS</i> <b>MO</b>	1	
DEXTENZA 0.4 MG INSERT <b>MO</b>	3	QL(1 per 30 days)
<i>diclofenac sodium 0.1 % DROPS</i> <b>MO</b>	1	
<i>difluprednate 0.05 % DROPS</i> <b>MO</b>	1	ST
<i>dorzolamide 2 % DROPS</i> <b>MO</b>	1	
<i>dorzolamide-timolol 22.3-6.8 mg/ml DROPS</i> <b>MO</b>	1	
<i>dorzolamide-timolol (pf) 2-0.5 % DROPPERETTE</i> <b>MO</b>	1	QL(60 per 30 days)
DUREZOL 0.05 % DROPS <b>MO</b>	3	ST
DURYSTA 10 MCG IMPLANT <b>DL</b>	4	PA
ENSPRYNG 120 MG/ML SYRINGE <b>DL</b>	4	PA,QL(2 per 28 days)
<i>epinastine 0.05 % DROPS</i> <b>MO</b>	1	QL(5 per 25 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<i>erythromycin 5 mg/gram (0.5 %) OINTMENT</i> <b>MO</b>	1	QL(3.5 per 28 days)
EYSUVIS 0.25 % DROPS, SUSPENSION <b>MO</b>	2	QL(16.6 per 30 days)
FLAREX 0.1 % DROPS, SUSPENSION <b>MO</b>	3	ST
<i>fluorometholone 0.1 % DROPS, SUSPENSION</i> <b>MO</b>	1	
<i>flurbiprofen sodium 0.03 % DROPS</i> <b>MO</b>	1	
FML FORTE 0.25 % DROPS, SUSPENSION <b>MO</b>	3	ST
FML LIQUIFILM 0.1 % DROPS, SUSPENSION <b>MO</b>	3	ST
<i>gatifloxacin 0.5 % DROPS</i> <b>MO</b>	1	QL(2.5 per 25 days)
<i>gentamicin 0.3 % DROPS</i> <b>MO</b>	1	
ILEVRO 0.3 % DROPS, SUSPENSION <b>MO</b>	2	QL(3 per 30 days)
INVELTYS 1 % DROPS, SUSPENSION <b>MO</b>	3	ST
IOPIDINE 1 % DROPPERETTE <b>MO</b>	3	
ISTALOL 0.5 % DROPS, ONCE DAILY <b>MO</b>	3	
IYUZEH (PF) 0.005 % DROPPERETTE <b>MO</b>	3	ST,QL(30 per 30 days)
<i>ketorolac 0.4 %, 0.5 % DROPS</i> <b>MO</b>	1	QL(10 per 30 days)
LACRISERT 5 MG INSERT <b>MO</b>	3	
<i>latanoprost 0.005 % DROPS</i> <b>MO</b>	1	QL(5 per 25 days)
<i>levobunolol 0.5 % DROPS</i> <b>MO</b>	1	
<i>levofloxacin 0.5 %, 1.5 % DROPS</i> <b>MO</b>	1	
LOTEMAX 0.5 % DROPS, GEL <b>MO</b>	3	ST
LOTEMAX 0.5 % DROPS, SUSPENSION <b>MO</b>	3	ST
LOTEMAX 0.5 % OINTMENT <b>MO</b>	3	ST
LOTEMAX SM 0.38 % DROPS, GEL <b>MO</b>	3	
<i>loteprednol etabonate 0.2 %, 0.5 % DROPS, SUSPENSION</i> <b>MO</b>	1	
<i>loteprednol etabonate 0.5 % DROPS, GEL</i> <b>MO</b>	1	
LUMIGAN 0.01 % DROPS <b>MO</b>	2	QL(2.5 per 25 days)
MAXIDEX 0.1 % DROPS, SUSPENSION <b>MO</b>	3	ST
MAXITROL 3.5 MG/G-10,000 UNIT/G-0.1 % OINTMENT <b>MO</b>	3	
MAXITROL 3.5MG/ML-10,000 UNIT/ML-0.1 % DROPS, SUSPENSION <b>MO</b>	1	
<i>methazolamide 25 mg, 50 mg TABLET</i> <b>MO</b>	1	
MIEBO (PF) 100 % DROPS <b>MO</b>	3	PA,QL(3 per 30 days)
MIOSTAT 0.01 % SOLUTION <b>MO</b>	3	
<i>moxifloxacin 0.5 % DROPS</i> <b>MO</b>	1	
<i>moxifloxacin 0.5 % DROPS, VISCOUS</i> <b>MO</b>	1	ST
NATACYN 5 % DROPS, SUSPENSION <b>MO</b>	3	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
neo-polycin 3.5-400-10,000 mg-unit-unit/g OINTMENT <b>MO</b>	1	
neo-polycin hc 3.5-400-10,000 mg-unit/g-1% OINTMENT <b>MO</b>	1	
neomycin-bacitracin-poly-hc 3.5-400-10,000 mg-unit/g-1% OINTMENT <b>MO</b>	1	
neomycin-bacitracin-polymyxin 3.5-400-10,000 mg-unit-unit/g OINTMENT <b>MO</b>	1	
neomycin-polymyxin b-dexameth 3.5 mg/g-10,000 unit/g-0.1 % OINTMENT <b>MO</b>	1	
neomycin-polymyxin b-dexameth 3.5mg/ml-10,000 unit/ml-0.1 % DROPS, SUSPENSION <b>MO</b>	1	
neomycin-polymyxin-gramicidin 1.75 mg-10,000 unit-0.025mg/ml DROPS <b>MO</b>	1	
neomycin-polymyxin-hc 3.5-10,000-10 mg-unit-mg/ml DROPS, SUSPENSION <b>MO</b>	1	
NEVANAC 0.1 % DROPS, SUSPENSION <b>MO</b>	3	ST
OCUFLOX 0.3 % DROPS <b>MO</b>	3	
ofloxacin 0.3 % DROPS <b>MO</b>	1	
OXERVATE 0.002 % DROPS <b>DL</b>	4	PA,QL(56 per 365 days)
PHOSPHOLINE IODIDE 0.125 % DROPS <b>MO</b>	3	
pilocarpine hcl 1 %, 1.25 %, 2 %, 4 % DROPS <b>MO</b>	1	
polycin 500-10,000 unit/gram OINTMENT <b>MO</b>	1	
polymyxin b sulf-trimethoprim 10,000 unit- 1 mg/ml DROPS <b>MO</b>	1	
PRED FORTE 1 % DROPS, SUSPENSION <b>MO</b>	3	ST
PRED MILD 0.12 % DROPS, SUSPENSION <b>MO</b>	3	ST
prednisolone acetate 1 % DROPS, SUSPENSION <b>MO</b>	1	
prednisolone sodium phosphate 1 % DROPS <b>MO</b>	1	
PROLENSA 0.07 % DROPS <b>MO</b>	3	ST,QL(3 per 30 days)
proparacaine 0.5 % DROPS <b>MO</b>	1	
RESTASIS 0.05 % DROPPERETTE <b>MO</b>	3	PA,QL(60 per 30 days)
RESTASIS MULTIDOSE 0.05 % DROPS <b>MO</b>	3	PA,QL(5.5 per 25 days)
RHOPRESSA 0.02 % DROPS <b>MO</b>	2	ST,QL(2.5 per 25 days)
ROCKLATAN 0.02-0.005 % DROPS <b>MO</b>	2	ST
SIMBRINZA 1-0.2 % DROPS, SUSPENSION <b>MO</b>	3	
sulfacetamide sodium 10 % DROPS <b>MO</b>	1	
sulfacetamide-prednisolone 10 %-0.23 % (0.25 %) DROPS <b>MO</b>	1	
tafluprost (pf) 0.0015 % DROPPERETTE <b>MO</b>	3	ST,QL(30 per 30 days)
timolol 0.5 % DROPS <b>MO</b>	1	
timolol maleate 0.25 % DROPS <b>MO</b>	1	
timolol maleate 0.25 %, 0.5 % GEL FORMING SOLUTION <b>MO</b>	1	
timolol maleate 0.5 % DROPS <b>MO</b>	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<i>timolol maleate 0.5 % DROPS, ONCE DAILY</i> <b>MO</b>	1	
<i>timolol maleate (pf) 0.25 %, 0.5 % DROPPERETTE</i> <b>MO</b>	1	
TIMOPTIC OCUDOSE (PF) 0.25 %, 0.5 % DROPPERETTE <b>MO</b>	3	ST
TOBRADEX 0.3-0.1 % OINTMENT <b>MO</b>	3	
TOBRADEX ST 0.3-0.05 % DROPS, SUSPENSION <b>MO</b>	3	
<i>tobramycin 0.3 % DROPS</i> <b>MO</b>	1	
<i>tobramycin-dexamethasone 0.3-0.1 % DROPS, SUSPENSION</i> <b>MO</b>	1	
<i>tobramycin-lotepred 0.3-0.5 % DROPS, SUSPENSION</i> <b>MO</b>	1	
TOBREX 0.3 % OINTMENT <b>MO</b>	3	
TRAVATAN Z 0.004 % DROPS <b>MO</b>	3	ST,QL(2.5 per 25 days)
<i>travoprost 0.004 % DROPS</i> <b>MO</b>	1	QL(2.5 per 25 days)
<i>trifluridine 1 % DROPS</i> <b>MO</b>	1	
TRYPTYR 0.003 % DROPPERETTE <b>MO</b>	3	PA,QL(60 per 30 days)
TYRVAYA 0.03 MG/SPRAY SPRAY, METERED, NON-AEROSOL <b>MO</b>	3	PA,QL(8.4 per 30 days)
VERKAZIA 0.1 % DROPPERETTE <b>DL</b>	4	PA,QL(120 per 30 days)
VEVYE 0.1 % DROPS <b>MO</b>	3	PA,QL(2 per 30 days)
VIGAMOX 0.5 % DROPS <b>MO</b>	3	PA
VUITY 1.25 % DROPS <b>MO</b>	3	
VYZULTA 0.024 % DROPS <b>MO</b>	3	QL(2.5 per 25 days)
XALATAN 0.005 % DROPS <b>MO</b>	3	PA,QL(5 per 25 days)
XELPROS 0.005 % DROPS, EMULSION <b>MO</b>	3	ST,QL(2.5 per 25 days)
XIIDRA 5 % DROPPERETTE <b>MO</b>	3	PA,QL(60 per 30 days)
ZERVIAE 0.24 % DROPPERETTE <b>MO</b>	3	ST,QL(60 per 30 days)
ZIOPTAN (PF) 0.0015 % DROPPERETTE <b>MO</b>	3	ST,QL(30 per 30 days)
ZYLET 0.3-0.5 % DROPS, SUSPENSION <b>MO</b>	3	
<b>OTIC AGENTS</b>		
CIPRO HC 0.2-1 % DROPS, SUSPENSION <b>MO</b>	3	
<i>ciprofloxacin hcl 0.2 % DROPPERETTE</i> <b>MO</b>	1	
<i>ciprofloxacin-dexamethasone 0.3-0.1 % DROPS, SUSPENSION</i> <b>MO</b>	3	QL(7.5 per 30 days)
<i>ciprofloxacin-hydrocortisone 0.2-1 % DROPS, SUSPENSION</i> <b>MO</b>	1	
CORTISPORIN-TC 3.3-3-10-0.5 MG/ML DROPS, SUSPENSION <b>MO</b>	3	
DERMOTIC OIL 0.01 % DROPS <b>MO</b>	3	
<i>flac otic oil 0.01 % DROPS</i> <b>MO</b>	1	
<i>fluocinolone acetonide oil 0.01 % DROPS</i> <b>MO</b>	1	
<i>hydrocortisone-acetic acid 1-2 % DROPS</i> <b>MO</b>	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
neomycin-polymyxin-hc 3.5-10,000-1 mg/ml-unit/ml-% DROPS, SUSPENSION <b>MO</b>	1	
neomycin-polymyxin-hc 3.5-10,000-1 mg/ml-unit/ml-% SOLUTION <b>MO</b>	1	
ofloxacin 0.3 % DROPS <b>MO</b>	1	
<b>RESPIRATORY TRACT/PULMONARY AGENTS</b>		
ACCOLATE 10 MG, 20 MG TABLET <b>MO</b>	3	PA,QL(60 per 30 days)
acetylcysteine 100 mg/ml (10 %), 200 mg/ml (20 %) SOLUTION <b>MO</b>	1	BvsD
ADCIRCA 20 MG TABLET <b>DL</b>	4	PA,QL(60 per 30 days)
ADEMPAS 0.5 MG, 1 MG, 1.5 MG, 2 MG, 2.5 MG TABLET <b>DL</b>	4	PA,QL(90 per 30 days)
ADRENALIN 1 MG/ML, 1 MG/ML (1 ML) SOLUTION <b>MO</b>	3	
ADVAIR DISKUS 100-50 MCG/DOSE, 250-50 MCG/DOSE, 500-50 MCG/DOSE BLISTER WITH DEVICE <b>MO</b>	3	PA,QL(60 per 30 days)
ADVAIR HFA 115-21 MCG/ACTUATION, 230-21 MCG/ACTUATION, 45-21 MCG/ACTUATION HFA AEROSOL INHALER <b>MO</b>	2	QL(12 per 30 days)
AIRDUO DIGIHALER 113 MCG-14 MCG/ACTUATION, 232-14 MCG/ACTUATION, 55-14 MCG/ACTUATION AEROSOL POWDER BREATH ACTIV. <b>MO</b>	3	ST,QL(1 per 30 days)
AIRDUO RESPICLICK 113-14 MCG/ACTUATION, 232-14 MCG/ACTUATION, 55-14 MCG/ACTUATION AEROSOL POWDER BREATH ACTIV. <b>MO</b>	3	ST,QL(1 per 30 days)
AIRSUPRA 90-80 MCG/ACTUATION HFA AEROSOL INHALER <b>MO</b>	2	QL(32.1 per 30 days)
albuterol sulfate 0.63 mg/3 ml, 1.25 mg/3 ml, 2.5 mg/0.5 ml SOLUTION FOR NEBULIZATION <b>MO</b>	1	BvsD
albuterol sulfate 2 mg, 4 mg TABLET <b>MO</b>	1	
albuterol sulfate 2 mg/5 ml SYRUP <b>MO</b>	1	
albuterol sulfate 2.5 mg /3 ml (0.083 %) SOLUTION FOR NEBULIZATION <b>MO</b>	1	BvsD
albuterol sulfate 4 mg, 8 mg TABLET, ER 12 HR. <b>MO</b>	1	
albuterol sulfate 90 mcg/actuation HFA AEROSOL INHALER <b>MO</b>	1	QL(36 per 30 days)
ALVESCO 160 MCG/ACTUATION, 80 MCG/ACTUATION HFA AEROSOL INHALER <b>MO</b>	3	ST,QL(18.3 per 28 days)
ALYFTREK 10-50-125 MG TABLET <b>DL</b>	4	PA,QL(56 per 28 days)
ALYFTREK 4-20-50 MG TABLET <b>DL</b>	4	PA,QL(84 per 28 days)
alyq 20 mg TABLET <b>MO</b>	1	PA,QL(60 per 30 days)
ambrisentan 10 mg, 5 mg TABLET <b>DL</b>	4	PA,QL(30 per 30 days)
aminophylline 250 mg/10 ml, 500 mg/20 ml SOLUTION <b>MO</b>	1	
ANORO ELLIPTA 62.5-25 MCG/ACTUATION BLISTER WITH DEVICE <b>MO</b>	3	PA,QL(60 per 30 days)
arformoterol 15 mcg/2 ml SOLUTION FOR NEBULIZATION <b>MO</b>	1	BvsD,QL(120 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
ARMONAIR DIGIHALER 113 MCG/ACTUATION, 232 MCG/ACTUATION, 55 MCG/ACTUATION AEROSOL POWDER BREATH ACTIV. <b>MO</b>	3	ST,QL(1 per 30 days)
ARNUITY ELLIPTA 100 MCG/ACTUATION, 200 MCG/ACTUATION, 50 MCG/ACTUATION BLISTER WITH DEVICE <b>MO</b>	2	QL(30 per 30 days)
ASMANEX HFA 100 MCG/ACTUATION, 200 MCG/ACTUATION, 50 MCG/ACTUATION HFA AEROSOL INHALER <b>MO</b>	3	ST,QL(13 per 30 days)
ASMANEX TWISTHALER 110 MCG/ ACTUATION (30), 220 MCG/ ACTUATION (120), 220 MCG/ ACTUATION (14), 220 MCG/ ACTUATION (30), 220 MCG/ ACTUATION (60) AEROSOL POWDER BREATH ACTIV. <b>MO</b>	3	ST,QL(1 per 28 days)
ATROVENT HFA 17 MCG/ACTUATION HFA AEROSOL INHALER <b>MO</b>	3	PA,QL(25.8 per 30 days)
AUVI-Q 0.1 MG/0.1 ML, 0.15 MG/0.15 ML, 0.3 MG/0.3 ML AUTO-INJECTOR <b>MO</b>	2	QL(4 per 30 days)
azelastine 137 mcg (0.1 %) SPRAY, NON-AEROSOL <b>MO</b>	1	QL(30 per 25 days)
azelastine 205.5 mcg (0.15 %) SPRAY, NON-AEROSOL <b>MO</b>	1	QL(30 per 25 days)
azelastine-fluticasone 137-50 mcg/spray SPRAY, NON-AEROSOL <b>MO</b>	1	ST,QL(23 per 28 days)
BEVESPI AEROSPHERE 9-4.8 MCG HFA AEROSOL INHALER <b>MO</b>	3	PA,QL(10.7 per 30 days)
bosentan 125 mg, 62.5 mg TABLET <b>DL</b>	4	PA,QL(60 per 30 days)
bosentan 32 mg TABLET FOR SUSPENSION <b>DL</b>	4	PA,QL(120 per 30 days)
BREO ELLIPTA 100-25 MCG/DOSE, 200-25 MCG/DOSE, 50-25 MCG/DOSE BLISTER WITH DEVICE <b>MO</b>	2	QL(60 per 30 days)
BREZTRI AEROSPHERE 160-9-4.8 MCG/ACTUATION HFA AEROSOL INHALER <b>MO</b>	2	QL(10.7 per 30 days)
BRONCHITOL 40 MG CAPSULE, W/INHALATION DEVICE <b>DL</b>	4	PA,QL(560 per 28 days)
BROVANA 15 MCG/2 ML SOLUTION FOR NEBULIZATION <b>DL</b>	4	BvsD,QL(120 per 30 days)
budesonide 0.25 mg/2 ml, 0.5 mg/2 ml, 1 mg/2 ml SUSPENSION FOR NEBULIZATION <b>MO</b>	1	BvsD
carbinoxamine maleate 4 mg TABLET <b>MO</b>	1	
carbinoxamine maleate 4 mg/5 ml LIQUID <b>MO</b>	1	
carbinoxamine maleate 4 mg/5 ml SUSPENSION, ER 12 HR.	4	
carbinoxamine maleate 6 mg TABLET <b>DL</b>	4	QL(120 per 30 days)
carbzah 4 mg/5 ml LIQUID <b>DL</b>	4	
CAYSTON 75 MG/ML SOLUTION FOR NEBULIZATION <b>DL</b>	4	PA,QL(84 per 28 days)
cetirizine 1 mg/ml SOLUTION <b>MO</b>	1	QL(300 per 30 days)
CINQAIR 10 MG/ML SOLUTION <b>DL</b>	4	PA
CLARINEX 5 MG TABLET <b>MO</b>	3	PA,QL(30 per 30 days)
clemastine 0.5 mg/5 ml SYRUP <b>DL</b>	4	PA,QL(1800 per 30 days)
clemastine 2.68 mg TABLET <b>MO</b>	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
clemasz 2.68 mg TABLET <b>MO</b>	1	
clemsza 2.68 mg TABLET <b>DL</b>	4	
COMBIVENT RESPIMAT 20-100 MCG/ACTUATION MIST <b>MO</b>	3	QL(4 per 20 days)
corphena 2 mg/5 ml SOLUTION <b>DL</b>	4	
cromolyn 100 mg/5 ml CONCENTRATE <b>MO</b>	1	
cromolyn 20 mg/2 ml SOLUTION FOR NEBULIZATION <b>MO</b>	1	BvsD
cyproheptadine 2 mg/5 ml SYRUP <b>MO</b>	1	
cyproheptadine 4 mg TABLET <b>MO</b>	1	
DALIRESP 250 MCG TABLET <b>MO</b>	3	PA,QL(28 per 365 days)
DALIRESP 500 MCG TABLET <b>MO</b>	3	PA,QL(30 per 30 days)
desloratadine 0.5 mg/ml SOLUTION <b>DL</b>	4	QL(300 per 30 days)
desloratadine 2.5 mg, 5 mg TABLET, DISINTEGRATING <b>MO</b>	1	QL(30 per 30 days)
desloratadine 5 mg TABLET <b>MO</b>	1	QL(30 per 30 days)
dexchlorpheniramine maleate 2 mg/5 ml SOLUTION <b>MO</b>	1	
diphen 12.5 mg/5 ml ELIXIR <b>MO</b>	1	
DIPHEN 12.5 MG/5 ML ELIXIR <b>MO</b>	1	
diphenhydramine hcl 12.5 mg/5 ml ELIXIR <b>MO</b>	1	
diphenhydramine hcl 50 mg/ml SOLUTION <b>MO</b>	1	
diphenhydramine hcl 50 mg/ml SYRINGE <b>MO</b>	1	
DOPRAM 20 MG/ML SOLUTION <b>MO</b>	3	
DUAKLIR PRESSAIR 400-12 MCG/ACTUATION AEROSOL POWDER BREATH ACTIV. <b>MO</b>	3	PA,QL(1 per 30 days)
DULERA 100-5 MCG/ACTUATION, 200-5 MCG/ACTUATION, 50-5 MCG/ACTUATION HFA AEROSOL INHALER <b>MO</b>	3	ST,QL(13 per 30 days)
DYMISTA 137-50 MCG/SPRAY SPRAY, NON-AEROSOL <b>MO</b>	3	ST,QL(23 per 28 days)
ELIXOPHYLLIN 80 MG/15 ML ELIXIR <b>MO</b>	1	
epinephrine 0.1 mg/ml SYRINGE <b>MO</b>	3	
epinephrine 0.15 mg/0.15 ml, 0.15 mg/0.3 ml, 0.3 mg/0.3 ml AUTO-INJECTOR <b>MO</b>	1	QL(4 per 30 days)
EPIPEN 0.3 MG/0.3 ML AUTO-INJECTOR <b>MO</b>	3	PA,QL(4 per 30 days)
EPIPEN 2-PAK 0.3 MG/0.3 ML AUTO-INJECTOR <b>MO</b>	3	PA,QL(4 per 30 days)
EPIPEN JR 0.15 MG/0.3 ML AUTO-INJECTOR <b>MO</b>	3	PA,QL(4 per 30 days)
EPIPEN JR 2-PAK 0.15 MG/0.3 ML AUTO-INJECTOR <b>MO</b>	3	PA,QL(4 per 30 days)
epoprostenol 0.5 mg, 1.5 mg RECON SOLUTION <b>DL</b>	4	PA
ESBRIET 267 MG CAPSULE <b>DL</b>	4	PA,QL(270 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
ESBRIET 267 MG TABLET <b>DL</b>	4	PA,QL(270 per 30 days)
ESBRIET 801 MG TABLET <b>DL</b>	4	PA,QL(90 per 30 days)
EXDENSUR 100 MG/ML SYRINGE <b>DL</b>	4	PA,QL(1 per 180 days)
FASENRA 10 MG/0.5 ML SYRINGE <b>DL</b>	4	PA,QL(0.5 per 28 days)
FASENRA 30 MG/ML SYRINGE <b>DL</b>	4	PA,QL(1 per 28 days)
FASENRA PEN 30 MG/ML AUTO-INJECTOR <b>DL</b>	4	PA,QL(1 per 28 days)
flunisolide 25 mcg (0.025 %) SPRAY, NON-AEROSOL <b>MO</b>	1	QL(50 per 30 days)
fluticasone propion-salmeterol 100-50 mcg/dose, 250-50 mcg/dose, 500-50 mcg/dose BLISTER WITH DEVICE <b>MO</b>	1	QL(60 per 30 days)
fluticasone propion-salmeterol 113-14 mcg/actuation, 232-14 mcg/actuation, 55-14 mcg/actuation AEROSOL POWDER BREATH ACTIV. <b>MO</b>	3	ST,QL(1 per 30 days)
fluticasone propionate 100 mcg/actuation, 250 mcg/actuation, 50 mcg/actuation BLISTER WITH DEVICE <b>MO</b>	3	ST,QL(60 per 30 days)
fluticasone propionate 110 mcg/actuation, 220 mcg/actuation HFA AEROSOL INHALER <b>MO</b>	3	ST,QL(24 per 30 days)
fluticasone propionate 44 mcg/actuation HFA AEROSOL INHALER <b>MO</b>	3	ST,QL(10.6 per 30 days)
fluticasone propionate 50 mcg/actuation SPRAY, SUSPENSION <b>MO</b>	1	QL(16 per 30 days)
formoterol fumarate 20 mcg/2 ml SOLUTION FOR NEBULIZATION <b>MO</b>	1	BvsD,QL(120 per 30 days)
GASTROCROM 100 MG/5 ML CONCENTRATE <b>MO</b>	3	
GRASTEK 2,800 BAU SUBLINGUAL TABLET <b>MO</b>	3	PA,QL(30 per 30 days)
hydroxyzine pamoate 100 mg, 25 mg, 50 mg CAPSULE <b>MO</b>	1	
INCRUSE ELLIPTA 62.5 MCG/ACTUATION BLISTER WITH DEVICE <b>MO</b>	3	PA,QL(30 per 30 days)
ipratropium bromide 0.02 % SOLUTION <b>MO</b>	1	BvsD
ipratropium bromide 21 mcg (0.03 %) SPRAY, NON-AEROSOL <b>MO</b>	1	QL(30 per 30 days)
ipratropium bromide 42 mcg (0.06 %) SPRAY, NON-AEROSOL <b>MO</b>	1	QL(45 per 30 days)
ipratropium-albuterol 0.5 mg-3 mg(2.5 mg base)/3 ml SOLUTION FOR NEBULIZATION <b>MO</b>	1	BvsD
JASCAYD 18 MG, 9 MG TABLET <b>DL</b>	4	PA,QL(60 per 30 days)
KALYDECO 13.4 MG, 25 MG, 5.8 MG, 50 MG, 75 MG GRANULES IN PACKET <b>DL</b>	4	PA,QL(56 per 28 days)
KALYDECO 150 MG TABLET <b>DL</b>	4	PA,QL(60 per 30 days)
KARBINAL ER 4 MG/5 ML SUSPENSION, ER 12 HR.	4	
LETAIRIS 10 MG, 5 MG TABLET <b>DL</b>	4	PA,QL(30 per 30 days)
levalbuterol hcl 0.31 mg/3 ml, 0.63 mg/3 ml, 1.25 mg/0.5 ml, 1.25 mg/3 ml SOLUTION FOR NEBULIZATION <b>MO</b>	1	BvsD
levalbuterol tartrate 45 mcg/actuation HFA AEROSOL INHALER <b>MO</b>	1	ST,QL(30 per 30 days)
levocetirizine 2.5 mg/5 ml SOLUTION <b>MO</b>	1	QL(300 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
levocetirizine 5 mg TABLET <b>MO</b>	1	QL(30 per 30 days)
LIQREV 10 MG/ML SUSPENSION <b>DL</b>	4	PA,QL(180 per 30 days)
mometasone 50 mcg/actuation SPRAY, NON-AEROSOL <b>MO</b>	1	QL(34 per 30 days)
montelukast 10 mg TABLET <b>MO</b>	1	QL(30 per 30 days)
montelukast 4 mg GRANULES IN PACKET <b>MO</b>	1	QL(30 per 30 days)
montelukast 4 mg, 5 mg CHEWABLE TABLET <b>MO</b>	1	QL(30 per 30 days)
NEFFY 1 MG/SPRAY (0.1 ML), 2 MG/SPRAY (0.1 ML) SPRAY, NON-AEROSOL <b>DL</b>	4	PA,QL(4 per 30 days)
NUCALA 100 MG RECON SOLUTION <b>DL</b>	4	PA,QL(3 per 28 days)
NUCALA 100 MG/ML AUTO-INJECTOR <b>DL</b>	4	PA,QL(3 per 28 days)
NUCALA 100 MG/ML SYRINGE <b>DL</b>	4	PA,QL(3 per 28 days)
NUCALA 40 MG/0.4 ML SYRINGE <b>DL</b>	4	PA,QL(0.4 per 28 days)
ODACTRA 12 SQ-HDM SUBLINGUAL TABLET <b>MO</b>	3	PA,QL(30 per 30 days)
OFEV 100 MG, 150 MG CAPSULE <b>DL,LA</b>	4	PA,QL(60 per 30 days)
OHTUVAYRE 3 MG/2.5 ML SUSPENSION FOR NEBULIZATION <b>DL</b>	4	PA,QL(150 per 30 days)
olopatadine 0.6 % SPRAY, NON-AEROSOL <b>MO</b>	1	ST,QL(30.5 per 30 days)
OMNARIS 50 MCG SPRAY, NON-AEROSOL <b>MO</b>	3	ST,QL(12.5 per 30 days)
OPSUMIT 10 MG TABLET <b>DL</b>	4	PA,QL(30 per 30 days)
OPSYNVI 10-20 MG, 10-40 MG TABLET <b>DL</b>	4	PA,QL(30 per 30 days)
ORENITRAM 0.125 MG TABLET ER <b>DL</b>	4	PA,QL(1000 per 30 days)
ORENITRAM 0.25 MG TABLET ER <b>DL</b>	4	PA,QL(500 per 30 days)
ORENITRAM 1 MG TABLET ER <b>DL</b>	4	PA,QL(720 per 30 days)
ORENITRAM 2.5 MG TABLET ER <b>DL</b>	4	PA,QL(300 per 30 days)
ORENITRAM 5 MG TABLET ER <b>DL</b>	4	PA,QL(150 per 30 days)
ORENITRAM MONTH 1 TITRATION KT 0.125 MG (126)- 0.25 MG (42) TABLET, ER, DOSE PACK <b>DL</b>	4	PA,QL(168 per 28 days)
ORENITRAM MONTH 2 TITRATION KT 0.125 MG (126)- 0.25 MG (210) TABLET, ER, DOSE PACK <b>DL</b>	4	PA,QL(336 per 28 days)
ORENITRAM MONTH 3 TITRATION KT 0.125 MG (126)- 0.25 MG(42)-1MG TABLET, ER, DOSE PACK <b>DL</b>	4	PA,QL(252 per 28 days)
ORKAMBI 100-125 MG, 150-188 MG, 75-94 MG GRANULES IN PACKET <b>DL</b>	4	PA,QL(56 per 28 days)
ORKAMBI 100-125 MG, 200-125 MG TABLET <b>DL</b>	4	PA,QL(112 per 28 days)
PERFOROMIST 20 MCG/2 ML SOLUTION FOR NEBULIZATION <b>DL</b>	4	BvsD,QL(120 per 30 days)
pirfenidone 267 mg CAPSULE <b>DL</b>	4	PA,QL(270 per 30 days)
pirfenidone 267 mg TABLET <b>DL</b>	4	PA,QL(270 per 30 days)
pirfenidone 534 mg, 801 mg TABLET <b>DL</b>	4	PA,QL(90 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
PROAIR DIGIHALER 90 MCG/ACTUATION AEROSOL POWDER BREATH ACTIV. <b>MO</b>	3	ST,QL(2 per 30 days)
PROAIR RESPICLICK 90 MCG/ACTUATION AEROSOL POWDER BREATH ACTIV. <b>MO</b>	3	ST,QL(2 per 30 days)
PULMICORT 0.25 MG/2 ML, 0.5 MG/2 ML, 1 MG/2 ML SUSPENSION FOR NEBULIZATION <b>MO</b>	3	BvsD
PULMICORT FLEXHALER 180 MCG/ACTUATION, 90 MCG/ACTUATION AEROSOL POWDER BREATH ACTIV. <b>MO</b>	3	ST,QL(2 per 30 days)
PULMOZYME 1 MG/ML SOLUTION <b>DL</b>	4	BvsD
QNASL 40 MCG/ACTUATION HFA AEROSOL INHALER <b>MO</b>	3	ST,QL(6.8 per 30 days)
QNASL 80 MCG/ACTUATION HFA AEROSOL INHALER <b>MO</b>	3	ST,QL(10.6 per 30 days)
QUZYTIR 10 MG/ML SOLUTION <b>MO</b>	3	
QVAR REDHALER 40 MCG/ACTUATION HFA AEROSOL BREATH ACTIVATED <b>MO</b>	3	ST,QL(10.6 per 30 days)
QVAR REDHALER 80 MCG/ACTUATION HFA AEROSOL BREATH ACTIVATED <b>MO</b>	3	ST,QL(21.2 per 30 days)
RAGWITEK 12 AMB A 1 UNIT SUBLINGUAL TABLET <b>MO</b>	3	PA,QL(30 per 30 days)
REMODULIN 0.4 MG/ML, 1 MG/ML, 10 MG/ML, 2.5 MG/ML, 5 MG/ML SOLUTION <b>DL</b>	4	PA
REVATIO 10 MG/ML SUSPENSION FOR RECONSTITUTION <b>DL</b>	4	PA,QL(180 per 30 days)
REVATIO 20 MG TABLET <b>DL</b>	4	PA,QL(90 per 30 days)
roflumilast 250 mcg TABLET <b>MO</b>	1	QL(28 per 365 days)
roflumilast 500 mcg TABLET <b>MO</b>	1	QL(30 per 30 days)
RYALTRIS 665-25 MCG/SPRAY SPRAY, NON-AEROSOL <b>MO</b>	3	ST,QL(29 per 30 days)
RYCLORA 2 MG/5 ML SOLUTION <b>MO</b>	1	
RYVENT 6 MG TABLET <b>MO</b>	1	QL(120 per 30 days)
SEREVENT DISKUS 50 MCG/DOSE BLISTER WITH DEVICE <b>MO</b>	3	PA,QL(60 per 30 days)
sildenafil (pulm.hypertension) 10 mg/ml SUSPENSION FOR RECONSTITUTION <b>MO</b>	3	PA,QL(180 per 30 days)
sildenafil (pulm.hypertension) 20 mg TABLET <b>MO</b>	1	PA,QL(90 per 30 days)
SINGULAIR 10 MG TABLET <b>MO</b>	3	PA,QL(30 per 30 days)
SINGULAIR 4 MG GRANULES IN PACKET <b>MO</b>	3	PA,QL(30 per 30 days)
SINGULAIR 4 MG, 5 MG CHEWABLE TABLET <b>MO</b>	3	PA,QL(30 per 30 days)
SPIRIVA RESPIMAT 1.25 MCG/ACTUATION, 2.5 MCG/ACTUATION MIST <b>MO</b>	2	QL(4 per 28 days)
SPIRIVA WITH HANDIHALER 18 MCG CAPSULE, W/INHALATION DEVICE <b>MO</b>	2	QL(30 per 30 days)
STIOLTO RESPIMAT 2.5-2.5 MCG/ACTUATION MIST <b>MO</b>	2	QL(4 per 28 days)
STRIVERDI RESPIMAT 2.5 MCG/ACTUATION MIST <b>MO</b>	2	QL(4 per 30 days)
SYMBICORT 160-4.5 MCG/ACTUATION, 80-4.5 MCG/ACTUATION HFA AEROSOL INHALER <b>MO</b>	2	QL(30.6 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
SYMDEKO 100-150 MG (D)/ 150 MG (N), 50-75 MG (D)/ 75 MG (N) TABLET, SEQUENTIAL <b>DL</b>	4	PA,QL(56 per 28 days)
<i>tadalafil (pulm. hypertension) 20 mg TABLET</i> <b>MO</b>	1	PA,QL(60 per 30 days)
TADLIQ 20 MG/5 ML (4 MG/ML) SUSPENSION <b>DL</b>	4	PA,QL(300 per 30 days)
<i>terbutaline 1 mg/ml SOLUTION</i> <b>MO</b>	1	
<i>terbutaline 2.5 mg, 5 mg TABLET</i> <b>MO</b>	1	
THEO-24 100 MG, 200 MG, 300 MG, 400 MG CAPSULE, ER 24 HR. <b>MO</b>	1	
<i>theophylline 100 mg, 200 mg, 300 mg, 450 mg TABLET, ER 12 HR.</i> <b>MO</b>	1	
<i>theophylline 400 mg, 600 mg TABLET, ER 24 HR.</i> <b>MO</b>	1	
<i>theophylline 80 mg/15 ml ELIXIR</i> <b>MO</b>	1	
<i>theophylline 80 mg/15 ml SOLUTION</i> <b>MO</b>	1	
TOBI PODHALER 28 MG CAPSULE, W/INHALATION DEVICE <b>DL</b>	4	PA,QL(224 per 28 days)
TRACLEER 125 MG, 62.5 MG TABLET <b>DL</b>	4	PA,QL(60 per 30 days)
TRACLEER 32 MG TABLET FOR SUSPENSION <b>DL</b>	4	PA,QL(120 per 30 days)
TRELEGY ELLIPTA 100-62.5-25 MCG, 200-62.5-25 MCG BLISTER WITH DEVICE <b>MO</b>	2	QL(60 per 30 days)
<i>treprostinil sodium 1 mg/ml, 10 mg/ml, 2.5 mg/ml, 5 mg/ml SOLUTION</i> <b>DL</b>	4	PA
TRIKAFTA 100-50-75 MG(D) /150 MG (N), 50-25-37.5 MG (D)/75 MG (N) TABLET, SEQUENTIAL <b>DL</b>	4	PA,QL(84 per 28 days)
TRIKAFTA 100-50-75MG (D) /75 MG (N), 80-40-60 MG (D) /59.5 MG (N) GRANULES IN PACKET, SEQUENTIAL <b>DL</b>	4	PA,QL(56 per 28 days)
TUDORZA PRESSAIR 400 MCG/ACTUATION AEROSOL POWDER BREATH ACTIV. <b>MO</b>	3	PA,QL(1 per 30 days)
TYVASO 1.74 MG/2.9 ML (0.6 MG/ML) SOLUTION FOR NEBULIZATION <b>DL</b>	4	PA
TYVASO DPI 16 MCG (112)- 32 MCG (84) CARTRIDGE WITH INHALER <b>DL</b>	4	PA,QL(196 per 28 days)
TYVASO DPI 16 MCG, 32 MCG, 48 MCG, 64 MCG CARTRIDGE WITH INHALER <b>DL</b>	4	PA,QL(112 per 28 days)
TYVASO DPI 16(112)-32(112) -48(28) MCG CARTRIDGE WITH INHALER <b>DL</b>	4	PA,QL(252 per 28 days)
TYVASO DPI 32-64 MCG, 48-64 MCG CARTRIDGE WITH INHALER <b>DL</b>	4	PA,QL(224 per 28 days)
TYVASO DPI 80 MCG CARTRIDGE WITH INHALER <b>DL</b>	4	PA,QL(112 per 28 days)
TYVASO INSTITUTIONAL START KIT 1.74 MG/2.9 ML SOLUTION FOR NEBULIZATION <b>DL</b>	4	PA
TYVASO REFILL KIT 1.74 MG/2.9 ML (0.6 MG/ML) SOLUTION FOR NEBULIZATION <b>DL</b>	4	PA
TYVASO STARTER KIT 1.74 MG/2.9 ML SOLUTION FOR NEBULIZATION <b>DL</b>	4	PA
<i>umeclidinium-vilanterol 62.5-25 mcg/actuation BLISTER WITH DEVICE</i> <b>MO</b>	3	PA,QL(60 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
UPTRAVI 1,000 MCG, 1,200 MCG, 1,400 MCG, 1,600 MCG, 200 MCG, 400 MCG, 600 MCG, 800 MCG TABLET <b>DL</b>	4	PA,QL(60 per 30 days)
UPTRAVI 1,800 MCG RECON SOLUTION <b>DL</b>	4	PA
UPTRAVI 200 MCG (140)- 800 MCG (60) TABLET, DOSE PACK <b>DL</b>	4	PA,QL(200 per 30 days)
VELETRI 0.5 MG, 1.5 MG RECON SOLUTION <b>DL</b>	4	PA
VENTAVIS 10 MCG/ML SOLUTION FOR NEBULIZATION <b>DL</b>	4	PA,QL(150 per 30 days)
VENTAVIS 20 MCG/ML SOLUTION FOR NEBULIZATION <b>DL</b>	4	PA,QL(90 per 30 days)
VENTOLIN HFA 90 MCG/ACTUATION HFA AEROSOL INHALER <b>MO</b>	2	QL(36 per 30 days)
VISTARIL 25 MG CAPSULE <b>MO</b>	3	
WINREVAIR 120 MG (60 MG X 2), 45 MG, 60 MG, 90 MG (45 MG X 2) KIT <b>DL</b>	4	PA
wixela inhub 100-50 mcg/dose, 250-50 mcg/dose, 500-50 mcg/dose BLISTER WITH DEVICE <b>MO</b>	1	QL(60 per 30 days)
XHANCE 93 MCG/ACTUATION AEROSOL BREATH ACTIVATED <b>MO</b>	3	PA,QL(32 per 30 days)
XOPENEX HFA 45 MCG/ACTUATION HFA AEROSOL INHALER <b>MO</b>	3	ST,QL(30 per 30 days)
YUPELRI 175 MCG/3 ML SOLUTION FOR NEBULIZATION <b>DL</b>	4	PA,QL(90 per 30 days)
YUTREPIA 106 MCG, 26.5 MCG, 53 MCG, 79.5 MCG CAPSULE, W/INHALATION DEVICE <b>DL</b>	4	PA
zafirlukast 10 mg, 20 mg TABLET <b>MO</b>	1	QL(60 per 30 days)
ZETONNA 37 MCG/ACTUATION HFA AEROSOL INHALER <b>MO</b>	3	ST,QL(6.1 per 28 days)
zileuton 600 mg TABLET, ER 12 HR., MULTIPHASE <b>DL</b>	4	QL(120 per 30 days)
<b>SKELETAL MUSCLE RELAXANTS</b>		
AMRIX 15 MG, 30 MG CAPSULE, ER 24 HR. <b>DL</b>	4	ST,QL(21 per 30 days)
carisoprodol 250 mg TABLET <b>MO</b>	1	ST,QL(120 per 30 days)
carisoprodol 350 mg TABLET <b>MO</b>	1	QL(120 per 30 days)
chlorzoxazone 250 mg TABLET <b>DL</b>	4	ST,QL(360 per 30 days)
chlorzoxazone 375 mg, 750 mg TABLET <b>MO</b>	1	ST,QL(120 per 30 days)
chlorzoxazone 500 mg TABLET <b>MO</b>	1	ST
cyclobenzaprine 10 mg, 5 mg TABLET <b>MO</b>	1	
cyclobenzaprine 15 mg, 30 mg CAPSULE, ER 24 HR. <b>MO</b>	1	ST,QL(21 per 30 days)
cyclobenzaprine 7.5 mg TABLET <b>MO</b>	1	QL(90 per 30 days)
FEXMID 7.5 MG TABLET <b>MO</b>	1	ST,QL(90 per 30 days)
LORZONE 375 MG TABLET <b>MO</b>	1	ST,QL(120 per 30 days)
LORZONE 750 MG TABLET <b>DL</b>	4	ST,QL(120 per 30 days)
metaxalone 400 mg, 800 mg TABLET <b>MO</b>	1	ST,QL(120 per 30 days)
methocarbamol 1,000 mg TABLET <b>DL</b>	4	PA

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
methocarbamol 100 mg/ml SOLUTION <b>MO</b>	1	
methocarbamol 500 mg, 750 mg TABLET <b>MO</b>	1	
norgesic 25-385-30 mg TABLET <b>DL</b>	4	PA,QL(240 per 30 days)
NORGESIC FORTE 50-770-60 MG TABLET <b>DL</b>	4	PA,QL(120 per 30 days)
orphenadrine citrate 100 mg TABLET ER <b>MO</b>	1	
orphenadrine citrate 30 mg/ml SOLUTION <b>MO</b>	1	ST
orphenadrine-asa-caffeine 25-385-30 mg TABLET <b>DL</b>	4	PA,QL(240 per 30 days)
orphenadrine-asa-caffeine 50-770-60 mg TABLET <b>DL</b>	4	PA,QL(120 per 30 days)
orphengesic forte 50-770-60 mg TABLET <b>DL</b>	4	PA,QL(120 per 30 days)
ROBAXIN 100 MG/ML SOLUTION <b>DL</b>	4	
SOMA 250 MG, 350 MG TABLET <b>DL</b>	4	ST,QL(120 per 30 days)
tanlor 1,000 mg TABLET <b>DL</b>	4	PA
TONMYA 2.8 MG SUBLINGUAL TABLET <b>DL</b>	4	PA,QL(60 per 30 days)
<b>SLEEP DISORDER AGENTS</b>		
AMBIEN 10 MG, 5 MG TABLET <b>MO</b>	3	PA,QL(30 per 30 days)
AMBIEN CR 12.5 MG, 6.25 MG TABLET, ER MULTIPHASE <b>MO</b>	3	PA,QL(30 per 30 days)
armodafinil 150 mg, 200 mg, 250 mg TABLET <b>MO</b>	1	PA,QL(30 per 30 days)
armodafinil 50 mg TABLET <b>MO</b>	1	PA,QL(60 per 30 days)
BELSOMRA 10 MG TABLET <b>MO</b>	2	QL(60 per 30 days)
BELSOMRA 15 MG, 20 MG TABLET <b>MO</b>	2	QL(30 per 30 days)
BELSOMRA 5 MG TABLET <b>MO</b>	2	QL(120 per 30 days)
DAYVIGO 10 MG, 5 MG TABLET <b>MO</b>	3	PA,QL(30 per 30 days)
doxepin 3 mg, 6 mg TABLET <b>MO</b>	1	QL(30 per 30 days)
EDLUAR 10 MG SUBLINGUAL TABLET <b>MO</b>	3	
EDLUAR 5 MG SUBLINGUAL TABLET <b>MO</b>	3	QL(30 per 30 days)
estazolam 1 mg, 2 mg TABLET <b>DL</b>	1	QL(30 per 30 days)
eszopiclone 1 mg, 2 mg, 3 mg TABLET <b>MO</b>	1	QL(30 per 30 days)
flurazepam 15 mg CAPSULE <b>DL</b>	1	QL(60 per 30 days)
flurazepam 30 mg CAPSULE <b>DL</b>	1	QL(30 per 30 days)
HALCION 0.25 MG TABLET <b>DL</b>	3	PA,QL(30 per 30 days)
HETLIOZ 20 MG CAPSULE <b>DL</b>	4	PA,QL(30 per 30 days)
HETLIOZ LQ 4 MG/ML SUSPENSION <b>DL</b>	4	PA,QL(158 per 30 days)
LUMRYZ 4.5 GRAM, 6 GRAM, 7.5 GRAM, 9 GRAM ER GRANULES, PACKET <b>DL</b>	4	PA,QL(30 per 30 days)
LUMRYZ STARTER PACK 4.5-6-7.5 GRAM GRANULES ER PACKET, DOSE PACK <b>DL</b>	4	PA,QL(28 per 28 days)
LUNESTA 1 MG, 2 MG, 3 MG TABLET <b>MO</b>	3	PA,QL(30 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<i>modafinil 100 mg, 200 mg TABLET</i> <b>MO</b>	1	QL(60 per 30 days)
NUVIGIL 150 MG, 200 MG, 250 MG TABLET <b>DL</b>	4	PA,QL(30 per 30 days)
NUVIGIL 50 MG TABLET <b>DL</b>	4	PA,QL(60 per 30 days)
PROVIGIL 100 MG, 200 MG TABLET <b>DL</b>	4	PA,QL(60 per 30 days)
QUVIVIQ 25 MG, 50 MG TABLET <b>MO</b>	3	ST,QL(30 per 30 days)
<i>ramelteon 8 mg TABLET</i> <b>MO</b>	1	QL(30 per 30 days)
RESTORIL 15 MG, 22.5 MG, 30 MG, 7.5 MG CAPSULE <b>DL</b>	4	PA,QL(30 per 30 days)
ROZEREM 8 MG TABLET <b>MO</b>	3	ST,QL(30 per 30 days)
SILENOR 3 MG, 6 MG TABLET <b>MO</b>	3	QL(30 per 30 days)
<i>sodium oxybate 500 mg/ml SOLUTION</i> <b>DL</b>	4	PA,QL(540 per 30 days)
SUNOSI 150 MG, 75 MG TABLET <b>MO</b>	3	PA,QL(30 per 30 days)
<i>tasimelteon 20 mg CAPSULE</i> <b>DL</b>	4	PA,QL(30 per 30 days)
<i>temazepam 15 mg, 22.5 mg, 7.5 mg CAPSULE</i> <b>DL</b>	1	QL(30 per 30 days)
<i>temazepam 30 mg CAPSULE</i> <b>DL</b>	1	QL(30 per 30 days)
<i>triazolam 0.125 mg, 0.25 mg TABLET</i> <b>DL</b>	1	QL(30 per 30 days)
WAKIX 17.8 MG, 4.45 MG TABLET <b>DL</b>	4	PA,QL(60 per 30 days)
XYREM 500 MG/ML SOLUTION <b>DL</b>	4	PA,QL(540 per 30 days)
XYWAV 0.5 GRAM/ML SOLUTION <b>DL</b>	4	PA,QL(540 per 30 days)
<i>zaleplon 10 mg, 5 mg CAPSULE</i> <b>MO</b>	1	QL(30 per 30 days)
<i>zolpidem 1.75 mg, 3.5 mg SUBLINGUAL TABLET</i> <b>MO</b>	1	QL(30 per 30 days)
<i>zolpidem 10 mg, 5 mg TABLET</i> <b>MO</b>	1	QL(30 per 30 days)
<i>zolpidem 12.5 mg, 6.25 mg TABLET, ER MULTIPHASE</i> <b>MO</b>	1	QL(30 per 30 days)
ZOLPIDEM 7.5 MG CAPSULE <b>MO</b>	3	QL(30 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

## Humana Medicare Employer Plan Coverage of Additional Prescription Drugs

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<b>Cough/Cold - Mail Order Available</b>		
<i>benzonatate 100 mg, 200 mg CAPSULE</i>	1	
<i>bromfed dm 2-30-10 mg/5 ml SYRUP</i>	1	
<i>brompheniramine-pseudoeph-dm 2-30-10 mg/5 ml SYRUP</i>	1	
HYCODAN 5-1.5 MG/5 ML (5 ML) SOLUTION	1	
HYCODAN (WITH HOMATROPINE) 5-1.5 MG TABLET	1	
HYCODAN (WITH HOMATROPINE) 5-1.5 MG/5 ML SOLUTION	1	
<i>hydrocodone-chlorpheniramine 10-8 mg/5 ml SUSPENSION, ER 12 HR.</i>	1	
<i>hydrocodone-homatropine 5-1.5 mg TABLET</i>	1	
<i>hydrocodone-homatropine 5-1.5 mg/5 ml SOLUTION</i>	1	
<i>hydromet 5-1.5 mg/5 ml SOLUTION</i>	1	
<i>promethazine vc-codeine 6.25-5-10 mg/5 ml SYRUP</i>	1	
<i>promethazine-codeine 6.25-10 mg/5 ml SYRUP</i>	1	
<i>promethazine-dm 6.25-15 mg/5 ml SYRUP</i>	1	
RESPA-AR 8-90-0.24 MG TABLET, ER 12 HR.	3	
TUXARIN ER 8-54.3 MG TABLET, ER 12 HR.	3	
<b>Erectile Dysfunction - Mail Order Available</b>		
ADDYI 100 MG TABLET	3	
<i>avanafil 100 mg, 200 mg, 50 mg TABLET</i>	1	QL(6 per 30 days)
CIALIS 10 MG, 20 MG TABLET	3	QL(6 per 30 days)
<i>sildenafil 100 mg, 25 mg, 50 mg TABLET</i>	1	QL(6 per 30 days)
STENDRA 100 MG, 200 MG, 50 MG TABLET	3	QL(6 per 30 days)
<i>tadalafil 10 mg, 20 mg TABLET</i>	1	QL(6 per 30 days)
<i>varденаfil 10 mg TABLET, DISINTEGRATING</i>	1	QL(6 per 30 days)

Your Humana Group Medicare Plan has additional coverage for some drugs that are not normally covered under Medicare Part D. Guidelines that apply to these drugs include: they are not subject to the Medicare appeals process and your member cost share does not apply to your annual maximum out-of-pocket (MOOP) spend.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<b>Erectile Dysfunction - Mail Order Available</b>		
<i>ildenafil 10 mg, 2.5 mg, 20 mg, 5 mg TABLET</i>	1	QL(6 per 30 days)
VIAGRA 100 MG, 25 MG, 50 MG TABLET	3	QL(6 per 30 days)
VYLEESI 1.75 MG/0.3 ML AUTO-INJECTOR	3	
<b>Fertility - Mail Order Available</b>		
<i>cetrorelix 0.25 mg KIT</i>	1	
CETROTIDE 0.25 MG KIT	3	
<i>clomid 50 mg TABLET</i>	1	
<i>clomiphene citrate 50 mg TABLET</i>	1	
FOLLISTIM AQ 300 UNIT/0.36 ML, 600 UNIT/0.72 ML, 900 UNIT/1.08 ML CARTRIDGE	3	
<i>fyremadel 250 mcg/0.5 ml SYRINGE</i>	1	
<i>ganirelix 250 mcg/0.5 ml SYRINGE</i>	3	
GONAL-F 1,050 UNIT, 450 UNIT RECON SOLUTION	3	
GONAL-F RFF 75 UNIT RECON SOLUTION	3	
GONAL-F RFF REDI-JECT 300 UNIT/0.48 ML, 450 UNIT/0.72 ML, 900 UNIT/1.44 ML PEN INJECTOR	3	
MENOPUR 75 UNIT RECON SOLUTION	3	
<i>milophene 50 mg TABLET</i>	1	
OVIDREL 250 MCG/0.5 ML SYRINGE	3	
<b>Vitamins/Minerals - Mail Order Available</b>		
<i>ascorbic acid (vitamin c) 500 mg/ml SOLUTION</i>	1	
<i>b complex 100 100-2-100-2-2 mg/ml SOLUTION</i>	1	
<i>b-complex injection 100-2-100-2-2 mg/ml SOLUTION</i>	1	
<i>cyanocobalamin (vitamin b-12) 1,000 mcg/ml SOLUTION</i>	1	
<i>cyanocobalamin (vitamin b-12) 500 mcg/spray SPRAY, NON-AEROSOL</i>	1	
<i>dodex 1,000 mcg/ml SOLUTION</i>	1	

Your Humana Group Medicare Plan has additional coverage for some drugs that are not normally covered under Medicare Part D. Guidelines that apply to these drugs include: they are not subject to the Medicare appeals process and your member cost share does not apply to your annual maximum out-of-pocket (MOOP) spend.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<b>Vitamins/Minerals - Mail Order Available</b>		
DRISDOL 1,250 MCG (50,000 UNIT) CAPSULE	3	
<i>ergocalciferol (vitamin d2) 1,250 mcg (50,000 unit) CAPSULE</i>	1	
<i>folic acid 1 mg TABLET</i>	1	
<i>folic acid 5 mg/ml SOLUTION</i>	1	
<i>hydroxocobalamin 1,000 mcg/ml SOLUTION</i>	1	
INFUVITE ADULT 3,300 UNIT- 150 MCG/10 ML SOLUTION	3	
INFUVITE PEDIATRIC 80 MG-400 UNIT- 200 MCG/5 ML SOLUTION	3	
NASCOBAL 500 MCG/SPRAY SPRAY, NON-AEROSOL	3	
<i>phytonadione (vitamin k1) 1 mg/0.5 ml SYRINGE</i>	1	
<i>phytonadione (vitamin k1) 1 mg/0.5 ml, 10 mg/ml SOLUTION</i>	1	
<i>phytonadione (vitamin k1) 5 mg TABLET</i>	1	
<i>pyridoxine (vitamin b6) 100 mg/ml SOLUTION</i>	1	
<i>thiamine hcl (vitamin b1) 100 mg/ml SOLUTION</i>	1	
<i>vitamin d2 1,250 mcg (50,000 unit) CAPSULE</i>	1	
<i>vitamin k 1 mg/0.5 ml SOLUTION</i>	1	
<i>vitamin k1 10 mg/ml SOLUTION</i>	1	

Your Humana Group Medicare Plan has additional coverage for some drugs that are not normally covered under Medicare Part D. Guidelines that apply to these drugs include: they are not subject to the Medicare appeals process and your member cost share does not apply to your annual maximum out-of-pocket (MOOP) spend.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

# Index

## A

- abacavir-lamivudine... 71  
abacavir... 70, 71  
ABELCET... 42  
abigale lo... 135  
abigale... 135  
ABILIFY ASIMTUFIG... 66  
ABILIFY MAINTENANCE... 66  
ABILIFY MYCITE MAINTENANCE KIT... 66  
ABILIFY MYCITE STARTER KIT... 66  
ABILIFY... 66  
abiraterone... 48  
abirtega... 48  
ABRAXANE... 48  
ABRILADA(CF) PEN... 147  
ABRILADA(CF)... 147  
ABRYSVO (PF)... 147  
ABSORICA LD... 108  
ABSORICA... 108  
acamprosate... 20  
ACANYA... 108  
acarbose... 77  
ACCOLATE... 174  
ACCUPRIL... 87  
ACCURETIC... 87  
accutane... 108  
acebutolol... 87  
ACETADOTE... 162  
acetaminophen-caff-dihydrocod... 11  
acetaminophen-codeine... 11  
acetaminophen... 162  
acetazolamide sodium... 87  
acetazolamide... 87  
acetic acid... 21, 162  
acetylcysteine... 162, 174  
ACIPHEX SPRINKLE... 123  
ACIPHEX... 123  
acitretin... 108  
ACTEMRA ACTPEN... 147  
ACTEMRA... 147  
ACTHAR SELFJECT... 132  
ACTHAR... 131  
ACTHIB (PF)... 147  
ACTIMMUNE... 147  
ACTIVELLA... 135  
ACTONEL... 160  
ACTOPLUS MET... 77  
ACTOS... 77  
ACULAR LS... 169  
ACULAR... 169  
ACUVAIL (PF)... 169  
acyclovir sodium... 71  
acyclovir... 71  
ACZONE... 108  
ADACEL(TDAP ADOLESN/ADULT)(PF)... 147  
ADAKVEO... 162  
ADALIMUMAB-AACF(CF) PEN CROHNS... 147  
ADALIMUMAB-AACF(CF) PEN PS-UV... 147  
ADALIMUMAB-AACF... 147  
ADALIMUMAB-AATY(CF) AI CROHNS... 147  
ADALIMUMAB-AATY... 147  
ADALIMUMAB-ADAZ... 147, 148  
ADALIMUMAB-ADBM(CF) PEN CROHNS... 148  
ADALIMUMAB-ADBM(CF) PEN PS-UV... 148  
ADALIMUMAB-ADBM... 148  
ADALIMUMAB-BWWD... 148  
ADALIMUMAB-FKJP... 148  
ADALIMUMAB-RYVK... 148  
adapalene-benzoyl peroxide... 108  
adapalene... 108  
ADBRY... 108  
ADCETRIS... 48  
ADCIRCA... 174  
ADDERALL XR... 101  
ADDERALL... 101  
ADDYI... 184  
adefovir... 71  
ADEMPAS... 174  
adenosine... 87  
ADLARITY... 36  
ADMELOG SOLOSTAR U-100 INSULIN... 77  
ADMELOG U-100 INSULIN LISPRO... 77  
ADRENALIN IN 0.9 % SOD CHLOR... 87  
ADRENALIN... 174  
ADRIAMYCIN... 48  
adrucil... 48  
ADSTILADRIN... 162  
ADVAIR DISKUS... 174

ADVAIR HFA... 174  
 ADZENYS XR-ODT... 101  
 ADZYNMA... 83  
 AEMCOLO... 123  
 AFINITOR DISPERZ... 48  
 AFINITOR... 48  
 afirmelle... 135  
 AFREZZA... 77  
 AGAMREE... 132  
 AGGRASTAT CONCENTRATE... 83  
 AGGRASTAT IN SODIUM CHLORIDE...  
 83  
 AGRYLIN... 83  
 AIMOVIG AUTOINJECTOR... 45  
 AIRDUO DIGIHALER... 174  
 AIRDUO RESPICLICK... 174  
 AIRSUPRA... 174  
 AJOVY AUTOINJECTOR... 45  
 AJOVY SYRINGE... 45  
 AKEEGA... 48  
 AKLIEF... 108  
 AKYNZEO (FOSNETUPITANT)... 40  
 AKYNZEO (NETUPITANT)... 40  
 ALA-CORT... 108  
 ALA-SCALP... 108  
 albendazole... 63  
 albuterol sulfate... 174  
 ALCAINE... 169  
 alclometasone... 108  
 ALCOHOL PADS... 162  
 ALCOHOL PREP PADS... 162  
 ALCOHOL SWABS... 162  
 ALCOHOL WIPES... 162  
 ALDACTONE... 87  
 ALDURAZYME... 127  
 ALECENSA... 48  
 alendronate... 160, 161  
 alfuzosin... 130  
 ALIMTA... 48  
 ALIQOPA... 48  
 aliskiren... 87  
 ALKINDI SPRINKLE... 132  
 allopurinol sodium... 45  
 allopurinol... 45  
 almotriptan malate... 45  
 ALOMIDE... 169  
 ALOPRIM... 45  
 alosetron... 123  
 ALPHAGAN P... 169  
 alprazolam intensol... 76  
 alprazolam... 76  
 ALREX... 169  
 ALTABAX... 108  
 ALTACE... 87  
 altavera (28)... 135  
 ALTOPREV... 88  
 ALTRENO... 108  
 ALUNBRIG... 48  
 ALVAIZ... 83  
 ALVESCO... 174  
 alyacen 1/35 (28)... 135  
 alyacen 7/7/7 (28)... 135  
 ALYFTREK... 174  
 ALYGLO... 148  
 ALYMSYS... 48  
 alyq... 174  
 amantadine hcl... 64  
 AMBIEN CR... 182  
 AMBIEN... 182  
 AMBISOME... 42  
 ambrisentan... 174  
 amcinonide... 108  
 amethia... 135  
 amethyst (28)... 135  
 amikacin... 21  
 amiloride-hydrochlorothiazide... 88  
 amiloride... 88  
 aminocaproic acid... 83  
 aminophylline... 174  
 AMINOSYN II 10 %... 116  
 AMINOSYN II 15 %... 116  
 AMINOSYN-PF 10 %... 116  
 AMINOSYN-PF 7 % (SULFITE-FREE)...  
 116  
 amiodarone... 88  
 AMITIZA... 123  
 amitriptyline-chlordiazepoxide... 37  
 amitriptyline... 37  
 AMJEVITA(CF) AUTOINJECTOR... 148  
 AMJEVITA(CF)... 148  
 amlodipine-atorvastatin... 88  
 amlodipine-benazepril... 88  
 amlodipine-olmesartan... 88  
 amlodipine-valsartan-hcthiazid...  
 88  
 amlodipine-valsartan... 88  
 amlodipine... 88  
 ammonium lactate... 108  
 AMMONUL... 162  
 amnesteem... 108  
 amoxapine... 37  
 amoxicil-clarithromy-lansopraz...  
 123  
 amoxicillin-pot clavulanate... 21

amoxicillin... 21	apraclonidine... 169	ASCENIV... 148
amphetamine sulfate... 101	aprepitant... 40	ascomp with codeine... 11
amphetamine... 101	apri... 135	ascorbic acid (vitamin c)... 185
amphotericin b liposome... 42	APRISO... 159	asenapine maleate... 66
amphotericin b... 42	APTENSIO XR... 101	ashlyna... 136
ampicillin sodium... 21	APTIOM... 30	ASMANEX HFA... 175
ampicillin-sulbactam... 21	APTIVUS... 71	ASMANEX TWISTHALER... 175
ampicillin... 21	AQNEURSA... 162	ASPARLAS... 48
AMPYRA... 101	AQVESME... 127	aspirin-dipyridamole... 84
AMRIX... 181	ARALAST NP... 127	ASPRUZYO SPRINKLE... 88
AMVUTTRA... 127	aranelle (28)... 136	ASTAGRAF XL... 148
AMZEEQ... 108	ARANESP (IN POLYSORBATE)... 83,	ATACAND HCT... 88
ANAFRANIL... 37	84	ATACAND... 88
anagrelide... 83	ARAVA... 148	atazanavir... 71
anastrozole... 48	ARAZLO... 108	ATELVIA... 161
ANCOBON... 42	ARBLI... 88	atenolol-chlorthalidone... 88
ANDEMBRY AUTOINJECTOR... 148	ARCALYST... 148	atenolol... 88
ANDROGEL... 135	AREXVY (PF)... 148	ATGAM... 148
ANGELIQ... 135	arformoterol... 174	ATIVAN... 76
ANKTIVA... 48	ARICEPT... 36	atomoxetine... 101
ANNOVERA... 135	ARIKAYCE... 21	ATORVALIQ... 88
ANORO ELLIPTA... 174	ARIMIDEX... 48	atorvastatin... 88
ANTIVERT... 40	aripiprazole... 66	atovaquone-proguanil... 63
anusol-hc... 108	ARISTADA INITIO... 66	atovaquone... 63
ANZEMET... 40	ARISTADA... 66	ATRALIN... 108
ANZUPGO... 108	ARIXTRA... 84	ATRIPLA... 71
APADAZ... 11	armodafinil... 182	ATROPINE SULFATE (PF)... 169
apexicon e... 108	ARMONAIR DIGIHALER... 175	atropine... 123, 169
APIDRA SOLOSTAR U-100	ARMOUR THYROID... 144	ATROVENT HFA... 175
INSULIN... 77	ARNUITY ELLIPTA... 175	ATTRUBY... 127
APIDRA U-100 INSULIN... 77	AROMASIN... 48	AUBAGIO... 101
APLENZIN... 37	ARRANON... 48	aubra eq... 136
APOKYN... 64	arsenic trioxide... 48	aubra... 136
apomorphine... 64	ARTHROTEC 50... 11	AUGMENTIN ES-600... 21
APONVIE... 40	ARTHROTEC 75... 11	

AUGMENTIN XR... 21  
 AUGMENTIN... 21  
 AUGTYRO... 48  
 auranofin... 148  
 aurovela 1.5/30 (21)... 136  
 aurovela 1/20 (21)... 136  
 aurovela 24 fe... 136  
 aurovela fe 1-20 (28)... 136  
 aurovela fe 1.5/30 (28)... 136  
 AUSTEDO XR TITRATION  
 KT(WK1-4)... 101  
 AUSTEDO XR... 101  
 AUSTEDO... 101  
 AUTOJECT 2 INJECTION DEVICE...  
 162  
 AUTOPEN 1 TO 21 UNITS... 162  
 AUTOPEN 2 TO 42 UNITS... 162  
 AUTOSHIELD DUO PEN NEEDLE...  
 162  
 AUVELITY... 37  
 AUVI-Q... 175  
 AVALIDE... 88  
 avanafil... 184  
 AVAPRO... 88  
 AVASTIN... 48  
 AVEED... 136  
 AVELOX IN NACL (ISO-OSMOTIC)...  
 21  
 AVERI... 136  
 AVGEMSI... 49  
 aviane... 136  
 avidoxy... 22  
 AVITA... 109  
 AVMAPKI-FAKZYNJA... 49  
 AVODART... 130  
 AVONEX... 102  
 AVSOLA... 148  
 AVYCAZ... 22  
 AXTLE... 49  
 ayuna... 136  
 AYVAKIT... 49  
 azacitidine... 49  
 AZACTAM... 22  
 AZASAN... 148  
 AZASITE... 169  
 azathioprine sodium... 149  
 azathioprine... 149  
 azelaic acid... 109  
 azelastine-fluticasone... 175  
 azelastine... 169, 175  
 AZELEX... 109  
 AZILECT... 64  
 azithromycin... 22  
 AZMIRO... 136  
 AZOPT... 169  
 AZOR... 88  
 AZSTARYS... 102  
 aztreonam... 22  
 AZULFIDINE EN-TABS... 160  
 AZULFIDINE... 159  
 azurette (28)... 136  
**B**  
 b complex 100... 185  
 b-complex injection... 185  
 bacitracin-polymyxin b... 169  
 bacitracin... 22, 169  
 baclofen... 70  
 BACTRIM DS... 22  
 BACTRIM... 22  
 BAFIERTAM... 102  
 bal-care dha... 116  
 balanced salt... 169  
 BALCOLTRA... 136  
 balsalazide... 160  
 BALVERSA... 49  
 balziva (28)... 136  
 BAND-AID GAUZE PADS... 162  
 BANZEL... 30  
 BAQSIMI... 78  
 BARACLUDE... 71  
 BASAGLAR KWIKPEN U-100  
 INSULIN... 78  
 BASAGLAR TEMPO  
 PEN(U-100)INSLN... 78  
 BAVENCIO... 49  
 BAXDELA... 22  
 BCG VACCINE, LIVE (PF)... 149  
 BD ALCOHOL SWABS... 163  
 BD AUTOSHIELD DUO PEN NEEDLE...  
 163  
 BD ECLIPSE LUER-LOK... 163  
 BD INSULIN SYRINGE (HALF UNIT)...  
 163  
 BD INSULIN SYRINGE MICRO-FINE...  
 163  
 BD INSULIN SYRINGE U-500... 163  
 BD INSULIN SYRINGE ULTRA-FINE...  
 163  
 BD INSULIN SYRINGE... 163  
 BD LO-DOSE MICRO-FINE IV... 163  
 BD NANO 2ND GEN PEN NEEDLE...  
 163  
 BD SAFETYGLIDE INSULIN  
 SYRINGE... 163  
 BD SAFETYGLIDE SYRINGE... 163

BD ULTRA-FINE MICRO PEN NEEDLE... 163	BESPONSA... 49 BESREMI... 149	bismuth subcit k-metronidz-tcn... 123
BD ULTRA-FINE MINI PEN NEEDLE... 163	BETADINE OPHTHALMIC PREP... 169 betaine... 127	bisoprolol fumarate... 89 bisoprolol-hydrochlorothiazide... 89
BD ULTRA-FINE NANO PEN NEEDLE... 163	betamethasone acet,sod phos... 132	BIVIGAM... 149 BIZENGRI... 49
BD ULTRA-FINE ORIG PEN NEEDLE... 163	betamethasone dipropionate... 109 betamethasone valerate... 109	BKEMV... 149 BLENREP... 49
BD ULTRA-FINE SHORT PEN NEEDLE... 163	betamethasone, augmented... 109 BETAPACE AF... 89	bleomycin... 49 blisovi 24 fe... 136
BD VEO INSULIN SYR (HALF UNIT)... 163	BETAPACE... 89 BETASERON... 102	blisovi fe 1.5/30 (28)... 136 blisovi fe 1/20 (28)... 136
BD VEO INSULIN SYRINGE UF... 163 BELBUCA... 11	betaxolol... 89, 170 bethanechol chloride... 130	BLUJEP... 22 BONJESTA... 40
BELEODAQ... 49 BELSOMRA... 182	BETHKIS... 22 BETIMOL... 170	BOOSTRIX TDAP... 149 BORDERED GAUZE... 163
benazepril-hydrochlorothiazide... 88 benazepril... 88	BETOPTIC S... 170 BEVESPI AEROSPHERE... 175	bortezomib... 49 BORUZU... 49
bendamustine... 49 BENDEKA... 49	bexarotene... 49 BEXSERO... 149	bosentan... 175 BOSULIF... 49
BENICAR HCT... 89 BENICAR... 88	BEYAZ... 136 BEYFORTUS... 163	BRAFTOVI... 49 BREKIYA... 45
BENLYSTA... 149 BENTYL... 123	bicalutamide... 49 BICILLIN C-R... 22	BREO ELLIPTA... 175 BREVIBLOC IN NACL (ISO-OSM)... 89
BENZAMYCIN... 109 benzhydrocodone-acetaminophen... 11	BICILLIN L-A... 22 BICNU... 49	BREVIBLOC... 89 BREZTRI AEROSPHERE... 175
benzonatate... 184 benztropine... 64	BIDIL... 89 BIJUVA... 136	briellyn... 136 BRILINTA... 84
bepotastine besilate... 169 BEPREVE... 169	BIKTARVY... 71 BILTRICIDE... 63	brimonidine... 109, 170 BRINSUPRI... 163
BERINERT... 149 beser... 109	bimatoprost... 170 BIMZELX AUTOINJECTOR... 149	brinzolamide... 170 BRIUMVI... 102
besifloxacin... 169 BESIVANCE... 169	BIMZELX... 149 BINOSTO... 161	brivaracetam... 30 BRIVIACT... 30
	BIORPHEN... 89	bromfed dm... 184



carmustine... 50	CELLCEPT... 149	cholestyramine light... 90
CARNITOR (SUGAR-FREE)... 117	CELONTIN... 31	CHORIONIC GONADOTROPIN, HUMAN... 134
CARNITOR... 117	CENTANY... 109	CIALIS... 130, 184
CAROSPIR... 90	cephalexin... 23	CIBINQO... 149
carteolol... 170	CEQUA... 170	ciclodan... 42
cartia xt... 90	CEQUR SIMPLICITY INSERTER... 164	ciclopirox... 42
carvedilol phosphate... 90	CEQUR SIMPLICITY... 164	cidofovir... 71
carvedilol... 90	CERDELGA... 127	cilostazol... 84
CASODEX... 50	CEREBYX... 31	CILOXAN... 170
casprofungin... 42	CEREZYME... 127	CIMDUO... 71
CAYSTON... 175	CERVIDIL... 164	cimetidine hcl... 123
cefaclor... 22	cetirizine... 175	cimetidine... 123
cefadroxil... 22	cetorelix... 185	CIMZIA POWDER FOR RECONST... 149
cefazolin in dextrose (iso-os)... 22	CETROTIDE... 185	CIMZIA STARTER KIT... 149
cefazolin... 22	cevimeline... 107	CIMZIA... 149
cefdinir... 22	CHANTIX CONTINUING MONTH BOX... 20	cinacalcet... 161
cefepime in dextrose 5 %... 23	CHANTIX STARTING MONTH BOX... 20	CINQAIR... 175
cefepime in dextrose,iso-osm... 23	CHANTIX... 20	CINRYZE... 149
cefepime... 22	charlotte 24 fe... 136	CINVANTI... 40
cefixime... 23	chateal eq (28)... 136	CIPRO HC... 173
cefotetan... 23	CHEMET... 117	CIPRO... 23
cefoxitin in dextrose, iso-osm... 23	chenodal... 123	ciprofloxacin hcl... 23, 170, 173
cefoxitin... 23	chloramphenicol sod succinate... 23	ciprofloxacin in 5 % dextrose... 23
cefpodoxime... 23	chlordiazepoxide hcl... 76	ciprofloxacin-dexamethasone... 173
cefprozil... 23	chlorhexidine gluconate... 107	ciprofloxacin-hydrocortisone... 173
ceftazidime... 23	chlorprocaine (pf)... 18	ciprofloxacin... 23
ceftriaxone in dextrose,iso-os... 23	chloroquine phosphate... 63	cisplatin... 50
ceftriaxone... 23	chlorothiazide sodium... 90	citalopram... 37
cefuroxime axetil... 23	chlorpromazine... 66	CITRANATAL B-CALM (FE GLUC)... 117
cefuroxime sodium... 23	chlorthalidone... 90	cladribine(multiple sclerosis)... 102
CELEBREX... 11	chlorzoxazone... 181	cladribine... 50
celecoxib... 11	CHOLBAM... 127	
CELESTONE SOLUSPAN... 132	cholestyramine (with sugar)... 90	
CELEXA... 37		
CELLCEPT INTRAVENOUS... 149		

CLAFORAN... 23  
 claravis... 109  
 CLARINEX-D 12 HOUR... 164  
 CLARINEX... 175  
 clarithromycin... 23  
 clemastine... 175  
 clemasz... 176  
 clemsza... 176  
 CLENPIQ... 123  
 CLEOCIN HCL... 24  
 CLEOCIN PEDIATRIC... 24  
 CLEOCIN T... 109  
 CLEOCIN... 24  
 CLEVIPREX... 90  
 CLIMARA PRO... 136  
 CLIMARA... 136  
 clindacin etz... 109  
 clindacin p... 109  
 clindacin... 109  
 CLINDAGEL... 110  
 clindamycin hcl... 24  
 clindamycin in 0.9 % sod chlor... 24  
 clindamycin in 5 % dextrose... 24  
 clindamycin palmitate hcl... 24  
 clindamycin pediatric... 24  
 clindamycin phosphate... 24, 110  
 clindamycin-benzoyl peroxide... 110  
 clindamycin-tretinoin... 110  
 CLINDESSE... 24  
 CLINIMIX 4.25%/D10W SULF FREE... 117  
 CLINIMIX 4.25%/D5W SULFIT FREE... 117  
 CLINIMIX 5%-D20W(SULFITE-FREE)... 117  
 CLINIMIX 5%/D15W SULFITE FREE... 117  
 CLINIMIX 6%-D5W (SULFITE-FREE)... 117  
 CLINIMIX 8%-D10W(SULFITE-FREE)... 117  
 CLINIMIX 8%-D14W(SULFITE-FREE)... 117  
 CLINIMIX E 2.75%/D5W SULF FREE... 117  
 CLINIMIX E 4.25%/D10W SULF FREE... 117  
 CLINIMIX E 4.25%/D5W SULF FREE... 117  
 CLINIMIX E 5%/D15W SULFIT FREE... 117  
 CLINIMIX E 5%/D20W SULFIT FREE... 117  
 CLINIMIX E 8%-D10W SULFITEFREE... 117  
 CLINIMIX E 8%-D14W SULFITEFREE... 117  
 CLINISOL SF 15 %... 117  
 CLINOLIPID... 117  
 clobazam... 31  
 clobetasol-emollient... 110  
 clobetasol... 110  
 CLOBEX... 110  
 clocortolone pivalate... 110  
 clodan... 110  
 clofarabine... 50  
 CLOLAR... 50  
 clomid... 185  
 clomiphene citrate... 185  
 clomipramine... 37  
 clonazepam... 76  
 clonidine hcl... 90, 102  
 clonidine... 90  
 clopidogrel... 84  
 clorazepate dipotassium... 76  
 CLOROTEKAL (PF)... 18  
 clotrimazole-betamethasone... 42  
 clotrimazole... 42  
 clozapine... 66, 67  
 CLOZARIL... 67  
 COARTEM... 63  
 COBENFY STARTER PACK... 164  
 COBENFY... 164  
 codeine sulfate... 11  
 codeine-butalbital-asa-caff... 11  
 COLAZAL... 160  
 colchicine... 45  
 COLCRYS... 45  
 colesevelam... 90  
 COLESTID... 90  
 colestipol... 90  
 colistin (colistimethate na)... 24  
 COLUMVI... 50  
 COLY-MYCIN M PARENTERAL... 24  
 COMBIGAN... 170  
 COMBIPATCH... 136  
 COMBIVENT RESPIMAT... 176  
 COMBOGESIC IV... 164  
 COMETRIQ... 50  
 COMPAZINE... 40  
 COMPLERA... 71  
 complete natal dha... 117  
 compro... 41  
 COMTAN... 64  
 CONCERTA... 102

CONDYLOX... 110  
 conjugated estrogens... 136  
 constulose... 123  
 CONZIP... 11  
 COPAXONE... 102  
 COPIKTRA... 50  
 CORDRAN TAPE LARGE ROLL... 110  
 CORDRAN... 110  
 COREG CR... 90  
 COREG... 90  
 CORLANOR... 90  
 CORLOPAM... 90  
 corphena... 176  
 CORTEF... 110  
 CORTENEMA... 160  
 CORTIFOAM... 160  
 CORTISPORIN-TC... 173  
 CORTROPHIN GEL... 132  
 CORVERT... 90  
 COSENTYX (2 SYRINGES)... 149  
 COSENTYX PEN (2 PENS)... 149  
 COSENTYX PEN... 149  
 COSENTYX UNOREADY PEN... 149  
 COSENTYX... 149  
 COSMEGEN... 50  
 COSOPT (PF)... 170  
 COSOPT... 170  
 COTELLIC... 50  
 COTEMPLA XR-ODT... 102  
 COZAAR... 90  
 CRENESSITY... 136, 137  
 CREON... 127  
 CRESEMBA... 42  
 CRESTOR... 90  
 CREXONT... 64  
 CRINONE... 137  
 cromolyn... 170, 176  
 crotan... 110  
 cryselle (28)... 137  
 CRYSVITA... 127  
 CTEXLI... 123  
 CUBICIN RF... 24  
 CUPRIMINE... 117  
 CURITY ALCOHOL SWABS... 164  
 CURITY GAUZE... 164  
 CUTAQUIG... 149  
 CUVPOSA... 123  
 CUVRIOR... 117  
 cyanocobalamin (vitamin b-12)...  
 185  
 cyclobenzaprine... 181  
 cyclophosphamide... 50  
 cycloserine... 47  
 CYCLOSET... 78  
 cyclosporine modified... 150  
 cyclosporine... 150, 170  
 CYKLOKAPRON... 84  
 CYLTEZO(CF) PEN CROHN'S-UC-HS...  
 150  
 CYLTEZO(CF) PEN PSORIASIS-UV...  
 150  
 CYLTEZO(CF) PEN... 150  
 CYLTEZO(CF)... 150  
 CYMBALTA... 102  
 cyproheptadine... 176  
 CYRAMZA... 50  
 cyred eq... 137  
 cyred... 137  
 CYSTADANE... 128  
 CYSTADROPS... 170  
 CYSTAGON... 128  
 CYSTARAN... 170  
 cytarabine (pf)... 50  
 cytarabine... 50  
 CYTOGAM... 150  
 CYTOMEL... 144  
 CYTOTEC... 123  
**D**  
 d10 %-0.45 % sodium chloride...  
 117  
 d2.5 %-0.45 % sodium chloride...  
 117  
 d5 % and 0.9 % sodium chloride...  
 117  
 d5 %-0.45 % sodium chloride... 117  
 dabigatran etexilate... 84  
 dacarbazine... 50  
 dactinomycin... 50  
 dalbavancin... 24  
 dalfampridine... 102  
 DALIRESP... 176  
 DALVANCE... 24  
 danazol... 137  
 DANTRIUM... 70  
 dantrolene... 70  
 DANYELZA... 50  
 DANZITEN... 50  
 dapagliflozin propanediol... 78  
 dapsone... 47, 111  
 DAPTACEL (DTAP PEDIATRIC) (PF)...  
 150  
 daptomycin in 0.9 % sod chlor... 24  
 daptomycin... 24  
 DARAPRIM... 63  
 darifenacin... 130

DARTISLA... 123	DEPAKOTE SPRINKLES... 31	dexchlorpheniramine maleate... 176
darunavir... 71	DEPAKOTE... 31	DEXEDRINE SPANSULE... 102
DARZALEX FASPRO... 51	DEPEN TITRATABS... 118	DEXILANT... 123
DARZALEX... 50	DEPO-ESTRADIOL... 137	dexlansoprazole... 123
dasatinib... 51	DEPO-MEDROL... 132	dexmethylphenidate... 102
dasetta 1/35 (28)... 137	DEPO-PROVERA... 137	dexrazoxane hcl... 51
dasetta 7/7/7 (28)... 137	DEPO-SUBQ PROVERA 104... 137	DEXTENZA... 170
DATROWAY... 51	DEPO-TESTOSTERONE... 137	dextroamphetamine sulfate... 102
daunorubicin... 51	DERMA-SMOOTHIE/FS BODY OIL... 111	dextroamphetamine-amphetamine... 103
DAURISMO... 51	DERMA-SMOOTHIE/FS SCALP OIL... 111	dextrose 10 % and 0.2 % nacl... 118
DAWNZERA... 150	DERMACEA... 164	dextrose 10 % in water (d10w)... 118
DAYBUE STIX... 128	dermacinrx lidocan... 18	dextrose 20 % in water (d20w)... 118
DAYBUE... 128	DERMOTIC OIL... 173	dextrose 25 % in water (d25w)... 118
DAYPRO... 11	DESCOVY... 71	dextrose 30 % in water (d30w)... 118
daysee... 137	DESFERAL... 118	dextrose 40 % in water (d40w)... 118
DAYTRANA... 102	desipramine... 37	dextrose 5 % in water (d5w)... 118
DAYVIGO... 182	desloratadine... 176	dextrose 5 %-lactated ringers... 118
DDAVP... 134	desmopressin... 134	dextrose 5%-0.2 % sod chloride... 118
deblitane... 137	desog-e.estradiol/e.estradiol... 137	dextrose 5%-0.3 % sod.chloride... 118
decitabine... 51	desonide... 111	dextrose 50 % in water (d50w)... 118
deferasirox... 117	desoximetasone... 111	dextrose 70 % in water (d70w)... 118
deferiprone... 117, 118	DESOXYN... 102	DHIVY... 64
deferoxamine... 118	desvenlafaxine succinate... 38	DIACOMIT... 31
DEFITELIO... 164	desvenlafaxine... 37	diazepam intensol... 76
deflazacort... 132	DETROL LA... 130	diazepam... 31, 76
DELESTROGEN... 137	DETROL... 130	
DELSTRIGO... 71	dexabliss... 132	
DELZICOL... 160	dexamethasone intensol... 132	
demeclocycline... 24	dexamethasone sodium phos (pf)... 132	
DEMEROL (PF)... 12	dexamethasone sodium phosphate... 132, 170	
DEMEROL... 11	dexamethasone... 132	
DEMSER... 90		
DENAVIR... 71		
DENGVAXIA (PF)... 150		
DEPAKOTE ER... 31		

diazoxide... 78  
 DIBENZYLIN... 90  
 dichlorphenamide... 128  
 DICLEGIS... 41  
 diclofenac epolamine... 12  
 diclofenac potassium... 12  
 diclofenac sodium... 12, 111, 170  
 diclofenac-misoprostol... 12  
 dicloxacillin... 24  
 dicyclomine... 123  
 didanosine... 71  
 DIFFERIN... 111  
 DIFICID... 24  
 diflorasone... 111  
 DIFLUCAN... 42, 43  
 diflunisal... 12  
 difluprednate... 170  
 digitek... 90  
 digoxin... 91  
 dihydroergotamine... 45, 46  
 DILANTIN EXTENDED... 31  
 DILANTIN INFATABS... 31  
 DILANTIN-125... 31  
 DILANTIN... 31  
 DILAUDID... 12  
 dilt-xr... 91  
 diltiazem hcl... 91  
 dimenhydrinate... 41  
 dimethyl fumarate... 103  
 DIOVAN HCT... 91  
 DIOVAN... 91  
 DIPENTUM... 160  
 diphen... 176  
 diphenhydramine hcl... 176  
 diphenoxylate-atropine... 123  
 DIPROLENE (AUGMENTED)... 111  
 dipyridamole... 84  
 disopyramide phosphate... 91  
 disulfiram... 20  
 DIURIL... 91  
 divalproex... 31  
 DIVIGEL... 137  
 dobutamine in d5w... 91  
 dobutamine... 91  
 docetaxel... 51  
 dodex... 185  
 dofetilide... 91  
 DOJOLVI... 128  
 dolishale... 137  
 dolobid... 12  
 donepezil... 36  
 dopamine in 5 % dextrose... 91  
 dopamine... 91  
 DOPRAM... 176  
 DOPTelet (10 TAB PACK)... 84  
 DOPTelet (15 TAB PACK)... 84  
 DOPTelet (30 TAB PACK)... 84  
 DOPTelet SPRINKLE... 84  
 DORYX MPC... 24  
 DORYX... 24  
 dorzolamide-timolol (pf)... 170  
 dorzolamide-timolol... 170  
 dorzolamide... 170  
 dotti... 137  
 DOVATO... 71  
 doxazosin... 91  
 doxepin... 76, 111, 182  
 doxercalciferol... 161  
 DOXIL... 51  
 doxorubicin, peg-liposomal... 51  
 doxorubicin... 51  
 doxy-100... 24  
 doxycycline hyclate... 24, 25  
 doxycycline monohydrate... 25  
 doxylamine-pyridoxine (vit b6)... 41  
 DRISDOL... 186  
 DRIZALMA SPRINKLE... 103  
 dronabinol... 41  
 droperidol... 67  
 DROPLET INSULIN SYR(HALF UNIT)... 164  
 DROPLET INSULIN SYRINGE... 164  
 DROPLET MICRON PEN NEEDLE... 165  
 DROPLET PEN NEEDLE... 165  
 DROPSAFE ALCOHOL PREP PADS... 165  
 DROPSAFE PEN NEEDLE... 165  
 drospirenone-e.estradiol-lm.fa... 137  
 drospirenone-ethinyl estradiol... 137  
 DROXIA... 165  
 droxidopa... 91  
 DUAKLIR PRESSAIR... 176  
 DUAVEE... 137  
 DUET DHA WITH OMEGA-3... 118  
 DUETACT... 78  
 DUEXIS... 12  
 DULERA... 176  
 duloxetine... 103  
 DUOBRII... 111  
 DUOPA... 64  
 DUPIXENT PEN... 150  
 DUPIXENT SYRINGE... 150

DURAMORPH (PF)... 12  
 DUREZOL... 170  
 DURYSTA... 170  
 dutasteride-tamsulosin... 130  
 dutasteride... 130  
 DUVYZAT... 128  
 DYANAVEL XR... 103  
 dyclopro... 165  
 DYMISTA... 176  
 DYRENIUM... 91  
**E**  
 E.E.S. 400... 25  
 E.E.S. GRANULES... 25  
 EASY COMFORT ALCOHOL PAD... 165  
 EASY TOUCH ALCOHOL PREP PADS... 165  
 EBGLYSS PEN... 111  
 EBGLYSS SYRINGE... 111  
 ec-naproxen... 12  
 econazole nitrate... 43  
 edaravone... 103  
 EDARBI... 91  
 EDARBYCLOR... 91  
 EDECRIN... 91  
 edetate calcium disodium... 165  
 EDLUAR... 182  
 EDURANT PED... 71  
 EDURANT... 71  
 efavirenz-emtricitabin-tenofov... 71  
 efavirenz-lamivu-tenofov disop... 72  
 efavirenz... 71  
 EFFEXOR XR... 38  
 EFFIENT... 84  
 EFUDEX... 111  
 EGATEN... 63  
 EGRIFTA SV... 134  
 EGRIFTA WR... 134  
 EKTERLY... 150  
 ELAHERE... 51  
 ELAPRASE... 128  
 electrolyte-148... 118  
 electrolyte-48 in d5w... 118  
 electrolyte-a... 118  
 ELELYSO... 128  
 ELEPSIA XR... 31  
 ELESTRIN... 137  
 eletriptan... 46  
 ELEVIDYS... 128  
 ELFABRIO... 128  
 ELIDEL... 111  
 ELIGARD (3 MONTH)... 145  
 ELIGARD (4 MONTH)... 145  
 ELIGARD (6 MONTH)... 145  
 ELIGARD... 145  
 ELIMITE... 111  
 elinest... 137  
 ELIQUIS DVT-PE TREAT 30D START... 84  
 ELIQUIS SPRINKLE... 84  
 ELIQUIS... 84  
 ELITEK... 51  
 ELIXOPHYLLIN... 176  
 ELLENCE... 51  
 ELMIRON... 130  
 ELREXFIO... 51  
 eluryng... 137  
 ELYXYB... 165  
 ELZONRIS... 51  
 EMBLAVEO... 25  
 EMCYT... 51  
 EMEND (FOSAPREPITANT)... 41  
 EMEND... 41  
 EMFLAZA... 132  
 EMGALITY PEN... 46  
 EMGALITY SYRINGE... 46  
 EMPAVELI... 165  
 EPLICITI... 51  
 EMRELIS... 51  
 EMROSI... 25  
 EMSAM... 38  
 emtricitic-rilpivirine-tenof df... 72  
 emtricitabine-tenofov (tdf)... 72  
 emtricitabine... 72  
 EMTRIVA... 72  
 emverm... 63  
 emzahh... 137  
 enalapril maleate... 91, 92  
 enalapril-hydrochlorothiazide... 92  
 enalaprilat... 92  
 ENBREL MINI... 150  
 ENBREL SURECLICK... 150  
 ENBREL... 150  
 ENBUMYST... 92  
 ENDARI... 123  
 ENDOCET... 12  
 ENDOMETRIN... 137  
 ENFLONSIA... 165  
 ENGERIX-B (PF)... 150  
 ENGERIX-B PEDIATRIC (PF)... 150  
 ENHERTU... 51  
 enilloring... 137  
 ENJAYMO... 150  
 enoxaparin... 84

enpresse... 137	eprosartan... 92	eslicarbazepine... 31
ENSACOVE... 51	EPSOLAY... 111	esmolol in nacl (iso-osm)... 92
enskyce... 137	eptifibatide... 84	esmolol... 92
ENSPRYNG... 170	EPYSQLI... 150	esomeprazole magnesium... 124
ENSTILAR... 111	EQUETRO... 31	esomeprazole sodium... 124
entacapone... 64	ERAXIS(WATER DILUENT)... 43	estarylla... 138
entecavir... 72	ERBITUX... 51	estazolam... 182
ENTRESTO SPRINKLE... 92	ergocalciferol (vitamin d2)... 186	ESTRACE... 138
ENTRESTO... 92	ergoloid... 36	estradiol valerate... 138
ENTYVIO PEN... 150	ERGOMAR... 46	estradiol-norethindrone acet... 138
ENTYVIO... 150	ergotamine-caffeine... 46	estradiol... 138
enulose... 123	eribulin... 51	ESTRING... 138
ENVARUSUS XR... 150	ERIVEDGE... 51	eszopiclone... 182
EOHILIA... 165	ERLEADA... 51	ethacrynate sodium... 92
EPANED... 92	erlotinib... 52	ethacrynic acid... 92
EPCLUSA... 72	ERMEZA... 144	ethambutol... 47
EPIDIOLEX... 31	errin... 138	ethosuximide... 31
EPIDUO FORTE... 111	ERTACZO... 43	ethynodiol diac-eth estradiol... 138
EPIDUO... 111	ertapenem... 25	etodolac... 12
EPIFOAM... 111	ery pads... 111	etonogestrel-ethinyl estradiol... 138
epinastine... 170	ERY-TAB... 25	ETOPOPHOS... 52
epineph bitart in 0.9% sod chl... 92	ERYGEL... 111	etoposide... 52
epinephrine... 176	ERYPED 200... 25	etravirine... 72
EPIPEN 2-PAK... 176	ERYPED 400... 25	EUCRISA... 112
EPIPEN JR 2-PAK... 176	ERYTHROCIN (AS STEARATE)... 25	EULEXIN... 52
EPIPEN JR... 176	ERYTHROCIN... 25	EURAX... 112
EPIPEN... 176	erythromycin ethylsuccinate... 25	EVAMIST... 138
epirubicin... 51	erythromycin lactobionate... 25	EVEKEO ODT... 103
epitol... 31	erythromycin with ethanol... 112	EVEKEO... 103
EPIVIR... 72	erythromycin-benzoyl peroxide... 112	EVENITY... 161
EPKINLY... 51	erythromycin... 25, 171	everolimus (antineoplastic)... 52
eplerenone... 92	ESBRIET... 176, 177	everolimus (immunosuppressive)... 150
EPOGEN... 84	escitalopram oxalate... 38	EVISTA... 138
epoprostenol... 176	ESGIC... 165	EVKEEZA... 92

EVOCLIN... 112	FANAPT... 67	FIBRICOR... 93
EVOMELA... 52	FARESTON... 52	fidaxomicin... 25
EVOTAZ... 72	FARXIGA... 78	FILSPARI... 165
EVOXAC... 107	FASENRA PEN... 177	FILSUVEZ... 165
EVRYSDI... 128	FASENRA... 177	FINACEA... 112
EXDENSUR... 177	FASLODEX... 52	finasteride... 131
EXELDERM... 43	febuxostat... 45	fingolimod... 103
EXELON PATCH... 36	feirza... 138	FINTEPLA... 31
exemestane... 52	felbamate... 31	finzala... 138
exenatide... 78	FELBATOL... 31	FIORICET WITH CODEINE... 165
EXFORGE HCT... 92	FELDENE... 12	fioricet... 165
EXFORGE... 92	felodipine... 92	FIRAZYR... 151
EXJADE... 118	FEMARA... 52	FIRDAPSE... 103
EXKIVITY... 52	FEMLYV... 138	FIRMAGON KIT W DILUENT SYRINGE... 145
EXPAREL (PF)... 18	FEMRING... 138	FIRMAGON... 145
EXSERVAN... 103	fenofibrate micronized... 92	FIRVANQ... 26
EXTAVIA... 103	fenofibrate nanocrystallized... 92	flac otic oil... 173
EXTINA... 43	fenofibrate... 92	FLAGYL... 26
EXXUA... 38	fenofibric acid (choline)... 92	FLAREX... 171
EYSUVIS... 171	fenofibric acid... 92	flavoxate... 131
EZALLOR SPRINKLE... 92	FENOGLIDE... 93	FLEBOGAMMA DIF... 151
ezetimibe-simvastatin... 92	fenoprofen... 12	flecainide... 93
ezetimibe... 92	fenopron... 12	FLECTOR... 13
<b>F</b>	FENSOLVI... 145	FLEQSUVY... 70
FABHALTA... 151	fentanyl... 13	FLOLIPID... 93
FABIOR... 112	FERRIPROX (2 TIMES A DAY)... 118	FLOMAX... 131
FABRAZYME... 128	FERRIPROX... 118	floxuridine... 52
falmina (28)... 138	fesoterodine... 131	fluconazole in nacl (iso-osm)... 43
famciclovir... 72	FETROJA... 25	fluconazole... 43
famotidine (pf)-nacl (iso-os)... 124	FETZIMA... 38	flucytosine... 43
famotidine (pf)... 124	FEXMID... 181	fludarabine... 52
famotidine... 124	FIASP FLEXTOUCH U-100 INSULIN... 78	fludrocortisone... 132
FANAPT TITRATION PACK A... 67	FIASP PENFILL U-100 INSULIN... 78	FLUMADINE... 72
FANAPT TITRATION PACK B... 67	FIASP U-100 INSULIN... 78	flumazenil... 165
FANAPT TITRATION PACK C... 67		

flunisolide... 177	FORTESTA... 138	galbriela... 138
fluocinolone acetonide oil... 173	FORZINITY... 165	gallifrey... 138
fluocinolone and shower cap... 112	FOSAMAX PLUS D... 161	GAMASTAN... 151
fluocinolone... 112	FOSAMAX... 161	GAMIFANT... 151
fluocinonide-e... 112	fosamprenavir... 72	GAMMAGARD LIQUID ERC... 151
fluocinonide-emollient... 112	fosaprepitant... 41	GAMMAGARD LIQUID... 151
fluocinonide... 112	foscarnet... 72	GAMMAGARD S-D (IGA < 1 MCG/ML)... 151
fluorometholone... 171	fosfomycin tromethamine... 26	GAMMAKED... 151
FLUOROPLEX... 112	fosinopril-hydrochlorothiazide... 93	GAMMAPLEX (WITH SORBITOL)... 151
fluorouracil... 52, 112	fosinopril... 93	GAMMAPLEX... 151
fluoxetine... 38	fosphenytoin... 31	GAMUNEX-C... 151
fluphenazine decanoate... 67	FOTIVDA... 52	ganciclovir sodium... 72
fluphenazine hcl... 67	FRAGMIN... 85	ganirelix... 185
flurandrenolide... 112	FRINDOVYX... 52	GARDASIL 9 (PF)... 151
flurazepam... 182	FROVA... 46	GASTROCROM... 177
flurbiprofen sodium... 171	frovatriptan... 46	gatifloxacin... 171
flurbiprofen... 13	FRUZAQLA... 52	GATTEX 30-VIAL... 124
fluticasone propion-salmeterol... 177	FULPHILA... 85	GATTEX ONE-VIAL... 124
fluticasone propionate... 112, 177	fulvestrant... 52	GAUZE BANDAGE... 165
fluvastatin... 93	FULVICIN P/G... 43	GAUZE PAD... 165
fluvoxamine... 38	FURADANTIN... 26	gavilyte-c... 124
FML FORTE... 171	FUROSCIX... 93	gavilyte-g... 124
FML LIQUIFILM... 171	furosemide... 93	gavilyte-n... 124
FOCALIN XR... 103	FUSILEV... 52	GAVRETO... 52
FOCALIN... 103	FUZEON... 72	GAZYVA... 52
FOCINVEZ... 41	FYARRO... 52	gefitinib... 52
folic acid... 186	fyavolv... 138	gemcitabine... 52
FOLLISTIM AQ... 185	FYCOMPA... 31	gemfibrozil... 93
FOLOTYN... 52	FYLNETRA... 85	gemmily... 138
fomepizole... 165	fyremadel... 185	GEMTESA... 131
fondaparinux... 84, 85		generlac... 124
FORFIVO XL... 38		gengraf... 151
formoterol fumarate... 177		GENOTROPIN MINIQUICK... 134
FORTEO... 161		
	<b>G</b>	
	gabapentin... 31, 32, 103	
	GABARONE... 32	
	GALAFOLD... 128	
	galantamine... 36	

GENOTROPIN... 134	glycopyrrolate... 124	HALAVEN... 53
gentamicin in nacl (iso-osm)... 26	glydo... 19	halcinonide... 112
gentamicin sulfate (ped) (pf)... 26	GLYXAMBI... 78	HALCION... 182
gentamicin... 26, 171	GOCOVRI... 64	HALDOL DECANOATE... 67
GENVOYA... 72	GOLYTELY... 124	halobetasol propionate... 112, 113
GEODON... 67	GOMEKLI... 53	haloette... 138
GILENYA... 103	GONAL-F RFF REDI-JECT... 185	HALOG... 113
GILOTRIF... 52	GONAL-F RFF... 185	haloperidol decanoate... 67
GIMOTI... 41	GONAL-F... 185	haloperidol lactate... 67
GIVLAARI... 165	GONITRO... 93	haloperidol... 67
GLASSIA... 128	GRAFAPEX... 53	HARLIKU... 128
glatiramer... 103, 104	GRALISE... 104	HARVONI... 72
glatopa... 104	granisetron (pf)... 41	HAVRIX (PF)... 151
GLEEVEC... 52	granisetron hcl... 41	heather... 139
GLEOSTINE... 53	GRANIX... 85	HECTOROL... 161
glimepiride... 78	GRASTEK... 177	HEMABATE... 135
glipizide-metformin... 78	griseofulvin microsize... 43	HEMADY... 132
glipizide... 78	griseofulvin ultramicrosize... 43	HEMANGEOL... 93
GLOPERBA... 45	guanfacine... 93, 104	HEMICLOR... 93
GLUCAGEN HYPOKIT... 78	GVOKE HYPOPEN 1-PACK... 78	heparin (porcine)... 85
GLUCAGON (HCL) EMERGENCY KIT... 78	GVOKE HYPOPEN 2-PACK... 79	heparin, porcine (pf)... 85
glucagon emergency kit (human)... 78	GVOKE PFS 1-PACK SYRINGE... 79	HEPLISAV-B (PF)... 151
GLUCOTROL XL... 78	GVOKE PFS 2-PACK SYRINGE... 79	HEPSERA... 72
GLUMETZA... 78	GVOKE... 78	HERCEPTIN HYLECTA... 53
glutamine (sickle cell)... 124	gynazole-1... 43	HERCEPTIN... 53
glyburide micronized... 78		HERCESSI... 53
glyburide-metformin... 78	<b>H</b>	HERNEXEOS... 53
glyburide... 78	HADLIMA PUSHTOUCH... 151	HERZUMA... 53
GLYCATE... 124	HADLIMA(CF) PUSHTOUCH... 151	HETLIOZ LQ... 182
GLYCEROL PHENYLBUTYRATE... 128	HADLIMA(CF)... 151	HETLIOZ... 182
GLYCOPHOS... 118	HADLIMA... 151	HIBERIX (PF)... 151
glycopyrrolate (pf) in water... 124	HAEGARDA... 151	HIPREX... 26
glycopyrrolate (pf)... 124	hailey 24 fe... 138	HIZENTRA... 151
	hailey fe 1.5/30 (28)... 138	HORIZANT... 104
	hailey fe 1/20 (28)... 138	
	hailey... 138	

HULIO(CF) PEN... 151	HYCODAN (WITH HOMATROPINE)... 184	HYRIMOZ(CF) PEDI CROHN STARTER... 152
HULIO(CF)... 151	HYCODAN... 184	HYRIMOZ(CF) PEN... 152
HUMALOG JUNIOR KWIKPEN U-100... 79	hydralazine... 93	HYRIMOZ(CF)... 152
HUMALOG KWIKPEN INSULIN... 79	HYDREA... 53	HYRIMOZ... 152
HUMALOG MIX 50-50 KWIKPEN... 79	hydrochlorothiazide... 93	HYRNUO... 53
HUMALOG MIX 75-25 KWIKPEN... 79	hydrocodone bitartrate... 13	HYSINGLA ER... 13
HUMALOG MIX 75-25(U-100)INSULN... 79	hydrocodone-acetaminophen... 13	HYZAAR... 93
HUMALOG TEMPO PEN(U-100)INSULN... 79	hydrocodone-chlorpheniramine... 184	<b>I</b>
HUMALOG U-100 INSULIN... 79	hydrocodone-homatropine... 184	ibandronate... 161
HUMATIN... 26	hydrocodone-ibuprofen... 13	IBRANCE... 53
HUMATROPE... 134	hydrocortisone acetate... 132	IBSRELA... 124
HUMIRA PEN... 152	hydrocortisone butyrate... 113	IBTROZI... 53
HUMIRA(CF) PEN CROHNS-UC-HS... 152	hydrocortisone sod succinate... 132	ibu... 14
HUMIRA(CF) PEN PEDIATRIC UC... 152	hydrocortisone valerate... 113	ibuprofen-famotidine... 14
HUMIRA(CF) PEN PSOR-UV-ADOL HS... 152	hydrocortisone-acetic acid... 173	ibuprofen... 14
HUMIRA(CF) PEN... 152	hydrocortisone... 113, 160	ibutilide fumarate... 93
HUMIRA(CF)... 152	hydromet... 184	icatibant... 152
HUMIRA... 152	hydromorphone (pf)... 13	iclevia... 139
HUMULIN 70/30 U-100 INSULIN... 79	HYDROMORPHONE... 13	ICLUSIG... 53
HUMULIN 70/30 U-100 KWIKPEN... 79	hydroxocobalamin... 186	IDACIO(CF) PEN CROHN-UC STARTR... 152
HUMULIN N NPH INSULIN KWIKPEN... 79	hydroxychloroquine... 63	IDACIO(CF) PEN PSORIASIS START... 152
HUMULIN N NPH U-100 INSULIN... 79	hydroxyurea... 53	IDACIO(CF) PEN... 152
HUMULIN R REGULAR U-100 INSULN... 79	hydroxyzine hcl... 76	IDACIO(CF)... 152
HUMULIN R U-500 (CONC) KWIKPEN... 79	hydroxyzine pamoate... 177	IDAMYCIN PFS... 53
	HYFTOR... 113	idarubicin... 53
	HYPERRAB (PF)... 152	IDHIFA... 53
	HYPERTET (PF)... 152	IFEX... 53
	HYRIMOZ PEN CROHN'S-UC STARTER... 152	ifosfamide... 53
	HYRIMOZ PEN PSORIASIS STARTER... 152	IGALMI... 165
	HYRIMOZ PEN... 152	ILEVRO... 171
		ILUMYA... 152
		IMAAVY... 152

imatinib... 53	INFUGEM... 54	INTUNIV ER... 104
IMBRUVICA... 53	INFUMORPH P/F... 14	INVEGA HAFYERA... 67
IMDELLTRA... 53	INFUVITE ADULT... 186	INVEGA SUSTENNA... 67
IMFINZI... 53	INFUVITE PEDIATRIC... 186	INVEGA TRINZA... 67, 68
imipenem-cilastatin... 26	INGREZZA INITIATION PK(TARDIV)... 104	INVEGA... 67
imipramine hcl... 38	INGREZZA SPRINKLE... 104	INVELTYS... 171
imipramine pamoate... 38	INGREZZA... 104	INVOKAMET XR... 80
imiquimod... 113	INLEXZO... 54	INVOKAMET... 80
IMITREX STATDOSE PEN... 46	INLURIYO... 54	INVOKANA... 80
IMITREX STATDOSE REFILL... 46	INLYTA... 54	INZIRQO... 93
IMITREX... 46	INNOPRAN XL... 93	IONOSOL-MB IN D5W... 118
IMJUDO... 54	INPEFA... 93	IOPIDINE... 171
IMKELDI... 54	INQOVI... 54	IPO... 153
IMLYGIC... 54	INREBIC... 54	ipratropium bromide... 177
IMMPHENTIV... 93	INSPIRA... 93	ipratropium-albuterol... 177
IMOGAM RABIES-HT (PF)... 152	INSULIN ASP PRT-INSULIN ASPART... 79	IQIRVO... 124
IMOVAX RABIES VACCINE (PF)... 152	INSULIN ASPART U-100... 79	irbesartan-hydrochlorothiazide... 93, 94
IMPAVIDO... 63	INSULIN DEGLUDEC... 79	irbesartan... 93
IMULDOSA... 152, 153	INSULIN GLARGINE U-300 CONC... 79	IRESSA... 54
IMURAN... 153	INSULIN GLARGINE-YFGN... 79	irinotecan... 54
IMVEXXY MAINTENANCE PACK... 139	INSULIN LISPRO PROTAMIN-LISPRO... 80	ISENTRESS HD... 73
IMVEXXY STARTER PACK... 139	INSULIN LISPRO... 79	ISENTRESS... 72, 73
INBRIJA... 64, 65	INSULIN SYRINGE MICROFINE... 165	isibloom... 139
incassia... 139	INSULIN SYRINGE-NEEDLE U-100... 165	ISOLYTE S PH 7.4... 118
INCONTROL ALCOHOL PADS... 165	INSULIN U-500 SYRINGE-NEEDLE... 166	ISOLYTE-P IN 5 % DEXTROSE... 118
INCRELEX... 134	INTELENCE... 72	ISOLYTE-S... 118
INCRUSE ELLIPTA... 177	INTRALIPID... 118	isoniazid... 47
indapamide... 93	INTRAROSA... 139	ISORDIL TITRADOSE... 94
INDERAL LA... 93	introvale... 139	ISORDIL... 94
INDOCIN... 14		isosorbide dinitrate... 94
indomethacin sodium... 14		isosorbide mononitrate... 94
indomethacin... 14		isosorbide-hydralazine... 94
INFANRIX (DTAP) (PF)... 153		isotretinoin... 113
INFLECTRA... 153		isradipine... 94
INFLIXIMAB... 153		

ISTALOL... 171  
ISTODAX... 54  
ISTURISA... 134  
ISUPREL... 94  
ITOVEBI... 54  
itraconazole... 43  
IV PREP WIPES... 166  
ivabradine... 94  
ivermectin... 63, 113  
IVRA... 54  
IWILFIN... 54  
IXEMPRA... 54  
IXIARO (PF)... 153  
IYUZEH (PF)... 171  
**J**  
JADENU SPRINKLE... 118  
JADENU... 118  
jaimiess... 139  
JAKAFI... 54  
JALYN... 131  
jantoven... 85  
JANUMET XR... 80  
JANUMET... 80  
JANUVIA... 80  
JARDIANCE... 80  
JASCAYD... 177  
jasmiel (28)... 139  
JATENZO... 139  
JAVADIN... 94  
javygtor... 128  
JAYPIRCA... 54  
jaythari... 132  
JEMPERLI... 54  
jencycla... 139  
JENTADUETO XR... 80

JENTADUETO... 80  
JEVTANA... 54  
jinteli... 139  
JOBEVNE... 54  
JOENJA... 128  
jolessa... 139  
JORNAY PM... 104  
JOURNAVX... 166  
joyeaux... 139  
JUBLIA... 43  
juleber... 139  
JULUCA... 73  
junel 1.5/30 (21)... 139  
junel 1/20 (21)... 139  
junel fe 1.5/30 (28)... 139  
junel fe 1/20 (28)... 139  
junel fe 24... 139  
JUXTAPID... 94  
JYLAMVO... 153  
JYNARQUE... 119  
JYNNEOS (PF)... 153  
**K**  
KABIVEN... 119  
KADCYLA... 54  
kaitlib fe... 139  
KALETRA... 73  
kalliga... 139  
KALYDECO... 177  
KANJINTI... 54  
KANUMA... 128  
KAPSPARGO SPRINKLE... 94  
KARBINAL ER... 177  
kariva (28)... 139  
KATERZIA... 94  
KAZANO... 80

KEDRAB (PF)... 153  
kelnor 1/35 (28)... 139  
kelnor 1/50 (28)... 139  
KENALOG-80... 132  
KENALOG... 132  
KENGREAL... 85  
KEPIVANCE... 107  
KEPPRA XR... 32  
KEPPRA... 32  
KERENDIA... 94  
KESIMPTA PEN... 104  
ketoconazole... 43  
ketodan... 43  
ketoprofen... 14  
ketorolac... 14, 171  
KEVEYIS... 128  
KEVZARA... 153  
KEYTRUDA QLEX... 54  
KEYTRUDA... 54  
KHAPZORY... 54  
KHINDIVI... 132  
KIMMTRAK... 54  
KIMYRSA... 26  
KINERET... 153  
KINRIX (PF)... 153  
kionex (with sorbitol)... 119  
kiprofen... 14  
KIRSTY PEN... 80  
KIRSTY... 80  
KISQALI FEMARA CO-PACK... 55  
KISQALI... 55  
KITABIS PAK... 26  
KLARON... 26  
klayesta... 43

KLISYRI (250 MG)... 113  
 KLISYRI (350 MG)... 113  
 KLONOPIN... 77  
 KLOR-CON 10... 119  
 KLOR-CON 8... 119  
 klor-con m10... 119  
 KLOR-CON M15... 119  
 klor-con m20... 119  
 klor-con... 119  
 KLOXXADO... 20  
 KONVOME... 124  
 KORLYM... 166  
 KOSELUGO... 55  
 KOSHER PRENATAL PLUS IRON... 119  
 kourzeq... 107  
 KRAZATI... 55  
 KRINTAFEL... 63  
 KRISTALOSE... 124  
 kurvelo (28)... 139  
 KUVAN... 128  
 kymbee... 132  
 KYPROLIS... 55

**L**

l norgest/e.estradiol-e.estrad... 139  
 LABETALOL IN DEXTROSE,ISO-OSM... 94  
 LABETALOL IN NACL (ISO-OSMOT)... 94  
 labetalol... 94  
 lacosamide... 32  
 LACRISERT... 171  
 lactated ringers... 119, 166  
 lactulose... 124  
 LAMICTAL ODT STARTER (BLUE)... 32

LAMICTAL ODT STARTER (GREEN)... 32  
 LAMICTAL ODT STARTER (ORANGE)... 32  
 LAMICTAL ODT... 32  
 LAMICTAL STARTER (BLUE) KIT... 32  
 LAMICTAL STARTER (GREEN) KIT... 32  
 LAMICTAL STARTER (ORANGE) KIT... 32  
 LAMICTAL XR STARTER (BLUE)... 32  
 LAMICTAL XR STARTER (GREEN)... 32  
 LAMICTAL XR STARTER (ORANGE)... 33  
 LAMICTAL XR... 32  
 LAMICTAL... 32  
 lamivudine-zidovudine... 73  
 lamivudine... 73  
 lamotrigine... 33  
 LAMPIT... 63  
 LAMZEDE... 128  
 LANOXIN PEDIATRIC... 94  
 LANOXIN... 94  
 lanreotide... 146  
 lansoprazole... 124  
 LANTUS SOLOSTAR U-100 INSULIN... 80  
 LANTUS U-100 INSULIN... 80  
 lapatinib... 55  
 larin 1.5/30 (21)... 139  
 larin 1/20 (21)... 139  
 larin 24 fe... 139  
 larin fe 1.5/30 (28)... 139  
 larin fe 1/20 (28)... 140  
 LASIX ONYU... 94

LASIX... 94  
 latanoprost... 171  
 LATUDA... 68  
 LAYOLIS FE... 140  
 LAZCLUZE... 55  
 ledipasvir-sofosbuvir... 73  
 leena 28... 140  
 leflunomide... 153  
 LEMTRADA... 104  
 lenalidomide... 55  
 LENVIMA... 55  
 LEQEMBI IQLIK... 36  
 LEQSELVI... 153  
 LEQVIO... 94  
 LESCOL XL... 94  
 lessina... 140  
 LETAIRIS... 177  
 letrozole... 55  
 leucovorin calcium... 55  
 LEUKERAN... 55  
 LEUKINE... 85  
 leuprolide acetate (3 month)... 146  
 leuprolide... 146  
 levalbuterol hcl... 177  
 levalbuterol tartrate... 177  
 levetiracetam in nacl (iso-os)... 33  
 levetiracetam... 33  
 LEVO-T... 144  
 levobunolol... 171  
 levocarnitine (with sugar)... 119  
 levocarnitine... 119  
 levocetirizine... 177, 178  
 levofloxacin in d5w... 26  
 levofloxacin... 26, 171

levoleucovorin calcium... 55	linezolid... 26	LOKELMA... 119
levonest (28)... 140	LINZESS... 125	LOMOTIL... 125
levonorg-eth estrad triphasic... 140	liomny... 145	lomustine... 55
levonorgest-eth.estradiol-iron... 140	liothyronine... 145	LONSURF... 56
levonorgestrel-ethinyl estrad... 140	LIPITOR... 95	loperamide... 125
LEVOPHED (BITARTRATE)... 94	LIPOFEN... 95	LOPID... 95
levora-28... 140	LIQREV... 178	lopinavir-ritonavir... 73
levorphanol tartrate... 14	liraglutide... 80	LOPRESSOR... 95
levothyroxine... 144, 145	lisdexamfetamine... 104	LOPROX (AS OLAMINE)... 43
LEVOXYL... 145	lisinopril-hydrochlorothiazide... 95	LOQTORZI... 56
LEVULAN... 55	lisinopril... 95	lorazepam intensol... 77
LEXAPRO... 38	LITFULO... 153	lorazepam... 77
LEXETTE... 113	lithium carbonate... 77	LORBRENA... 56
LIALDA... 160	lithium citrate... 77	LOREEV XR... 77
LIBERVANT... 33	LITHOBID... 77	loryna (28)... 140
LIBTAYO... 55	LITHOSTAT... 166	LORZONE... 181
LICART... 14	LIVALO... 95	losartan-hydrochlorothiazide... 95
lidocaine (pf)... 19, 94	LIVDELZI... 125	losartan... 95
lidocaine hcl... 19	LIVMARLI... 125	LOTEMAX SM... 171
lidocaine in 5 % dextrose (pf)... 95	LIVTENCITY... 73	LOTEMAX... 171
lidocaine viscous... 19	LO LOESTRIN FE... 140	LOTENSIN HCT... 95
lidocaine-epinephrine bit... 19	lo-zumandimine (28)... 140	LOTENSIN... 95
lidocaine-epinephrine... 19	LOCOID LIPOCREAM... 113	loteprednol etabonate... 171
lidocaine-prilocaine... 19	LOCOID... 113	LOTREL... 95
lidocaine... 19	LODINE... 14	LOTRONEX... 125
lidocan iii... 19	LODOCO... 95	lovastatin... 95
lidocan iv... 19	LODOSYN... 65	LOVAZA... 95
lidocan v... 19	LOESTRIN 1.5/30 (21)... 140	LOVENOX... 85
LIDODERM... 19	LOESTRIN 1/20 (21)... 140	low-ogestrel (28)... 140
lignospan standard... 19	LOESTRIN FE 1.5/30 (28-DAY)... 140	loxapine succinate... 68
linagliptin-metformin... 80	LOESTRIN FE 1/20 (28-DAY)... 140	lubiprostone... 125
LINCOCIN... 26	lofena... 14	LUCEMYRA... 20
lincomycin... 26	lofexidine... 20	luizza... 140
linezolid in dextrose 5%... 26	lojaimiess... 140	luliconazole... 43
linezolid-0.9% sodium chloride... 26		

LUMAKRAS... 56  
 LUMIGAN... 171  
 LUMIZYME... 128  
 LUMRYZ STARTER PACK... 182  
 LUMRYZ... 182  
 LUNESTA... 182  
 LUNSUMIO... 56  
 LUPKYNIS... 153  
 LUPRON DEPOT (3 MONTH)... 146  
 LUPRON DEPOT (4 MONTH)... 146  
 LUPRON DEPOT (6 MONTH)... 146  
 LUPRON DEPOT-PED (3 MONTH)...  
 146  
 LUPRON DEPOT-PED... 146  
 LUPRON DEPOT... 146  
 lurasidone... 68  
 lurbipr... 14  
 lurbiro... 14  
 lutera (28)... 140  
 LUTRATE DEPOT (3 MONTH)... 146  
 LUXIQ... 113  
 LUZU... 43  
 LYBALVI... 68  
 lyleq... 140  
 lyllana... 140  
 LYNKUET... 104  
 LYNOZYFIC... 56  
 LYNPARZA... 56  
 LYRICA CR... 104  
 LYRICA... 104  
 LYSODREN... 56  
 LYTGABI... 56  
 LYUMJEV KWIKPEN U-100  
 INSULIN... 80  
 LYUMJEV KWIKPEN U-200  
 INSULIN... 80  
 LYUMJEV TEMPO  
 PEN(U-100)INSULN... 80  
 LYUMJEV U-100 INSULIN... 80  
 LYVISPAH... 70  
 lyza... 140  

**M**

 M-M-R II (PF)... 153  
 m-natal plus... 119  
 MACROBID... 26  
 MACRODANTIN... 26  
 mafenide acetate... 113  
 magnesium sulfate in d5w... 119  
 magnesium sulfate in water... 119  
 magnesium sulfate... 119  
 MALARONE PEDIATRIC... 63  
 MALARONE... 63  
 malathion... 113  
 mannitol 20 %... 95  
 mannitol 25 %... 95  
 maraviroc... 73  
 MARCAINE (PF)... 19  
 MARCAINE SPINAL (PF)... 19  
 MARCAINE-EPINEPHRINE (PF)... 19  
 MARCAINE-EPINEPHRINE... 19  
 MARCAINE... 19  
 MARGENZA... 56  
 MARINOL... 41  
 marlissa (28)... 140  
 MARPLAN... 38  
 MATULANE... 56  
 matzim la... 95  
 MAVENCLAD (10 TABLET PACK)...  
 104  
 MAVENCLAD (4 TABLET PACK)... 104  
 MAVENCLAD (5 TABLET PACK)... 104  
 MAVENCLAD (6 TABLET PACK)... 104  
 MAVENCLAD (7 TABLET PACK)... 104  
 MAVENCLAD (8 TABLET PACK)... 104  
 MAVENCLAD (9 TABLET PACK)... 104  
 MAVYRET... 73  
 MAXALT-MLT... 46  
 MAXALT... 46  
 MAXIDEX... 171  
 MAXITROL... 171  
 MAXZIDE-25MG... 95  
 MAXZIDE... 95  
 MAYZENT STARTER(FOR 1MG  
 MAINT)... 105  
 MAYZENT STARTER(FOR 2MG  
 MAINT)... 105  
 MAYZENT... 104  
 meclizine... 41  
 meclofenamate... 14  
 MEDROL (PAK)... 133  
 MEDROL... 133  
 medroxyprogesterone... 140  
 mefenamic acid... 14  
 mefloquine... 63  
 megestrol... 140  
 MEKINIST... 56  
 MEKTOVI... 56  
 meleya... 140  
 meloxicam submicronized... 14  
 meloxicam... 14  
 melphalan hcl... 56  
 melphalan... 56  
 memantine-donepezil... 37  
 memantine... 36, 37

MENEST... 140	methotrexate sodium (pf)... 153	MICAFUNGIN IN 0.9 % SODIUM CHL... 44
MENOPUR... 185	methotrexate sodium... 153	micafungin... 43
MENOSTAR... 141	methoxsalen... 113	MICARDIS HCT... 96
MENQUADFI (PF)... 153	methscopolamine... 125	MICARDIS... 96
MENVEO A-C-Y-W-135-DIP (PF)... 153	methsuximide... 33	miconazole nitrate-zinc ox-pet... 44
meperidine (pf)... 15	methylidopa-hydrochlorothiazide... 95	miconazole-3... 44
meperidine... 15	methylidopa... 95	micort-hc... 133
meprobamate... 77	methylidopate... 95	microgestin 1.5/30 (21)... 141
MEPRON... 63	methylergonovine... 166	microgestin 1/20 (21)... 141
MEPSEVII... 128	METHYLIN... 105	microgestin fe 1.5/30 (28)... 141
mercaptapurine... 56	methylphenidate hcl... 105	microgestin fe 1/20 (28)... 141
MERILOG SOLOSTAR... 80	methylphenidate... 105	midodrine... 96
MERILOG... 80	methylprednisolone acetate... 133	MIEBO (PF)... 171
meropenem-0.9% sodium chloride... 26	methylprednisolone sodium succ... 133	mifepristone... 166
meropenem... 26	methylprednisolone... 133	migergot... 46
merzee... 141	methyltestosterone... 141	miglitol... 81
mesalamine... 160	metoclopramide hcl... 41	miglustat... 128
mesna... 56	metolazone... 95	MIGRANAL... 46
MESNEX... 56	metoprolol succinate... 95	mili... 141
MESTINON TIMESPAN... 47	metoprolol ta-hydrochlorothiaz... 95	millipred dp... 133
MESTINON... 47	metoprolol tartrate... 96	millipred... 133
METADATE CD... 105	METRO I.V.... 26	milophene... 185
metaxalone... 181	METROCREAM... 26	milrinone in 5 % dextrose... 96
metformin... 80, 81	METROGEL... 27	milrinone... 96
methadone intensol... 15	METROLOTION... 27	mimvey... 141
methadone... 15	metronidazole in nacl (iso-os)... 27	MINIVELLE... 141
METHADOSE... 15	metronidazole... 27	MINOCIN... 27
methamphetamine... 105	metyrosine... 96	minocycline... 27
methazolamide... 171	mexiletine... 96	minoxidil... 96
methenamine hippurate... 26	MIACALCIN... 161	minzoya... 141
methimazole... 147	mibelas 24 fe... 141	MIOSTAT... 171
METHITEST... 141		MIPLYFFA... 128
methocarbamol... 181, 182		MIRAPEX ER... 65
		MIRCERA... 85

MIRENA... 166	MRESVIA (PF)... 153	nalocet... 16
mirtazapine... 38	MS CONTIN... 16	naloxone... 20
MIRVASO... 114	MULPLETA... 85	naltrexone... 20
misoprostol... 125	MULTAQ... 96	NAMENDA XR... 37
MITIGARE... 45	mupirocin calcium... 114	NAMZARIC... 37
mitigo (pf)... 15	mupirocin... 114	NANO 2ND GEN PEN NEEDLE... 166
mitomycin... 56	MUTAMYCIN... 56	NANO PEN NEEDLE... 166
mitoxantrone... 56	MVASI... 56	NAPRELAN CR... 16
modafinil... 183	MYALEPT... 125	NAPROSYN... 16
MODD1 PATIENT WELCOME KIT... 166	MYAMBUTOL... 47	naproxen sodium... 16
MODD1 SUPPLY KIT... 166	MYCAMINE... 44	naproxen-esomeprazole... 16
MODEYSO... 56	MYCAPSSA... 146	naproxen... 16
moexipril... 96	MYCOBUTIN... 47	naratriptan... 46
molindone... 68	mycophenolate mofetil (hcl)... 153	NARCAN... 20
mometasone... 114, 178	mycophenolate mofetil... 153	NARDIL... 38
mondoxyne nl... 27	mycophenolate sodium... 153	NAROPIN (PF)... 19
MONJUVI... 153	MYDAYIS... 105	NASCOBAL... 186
mono-linyah... 141	MYFEMBREE... 146	NATACHEW (FE BIS-GLYCINATE)... 119
montelukast... 178	MYFORTIC... 153	NATACYN... 171
morgidox... 27	MYHIBBIN... 153	NATAZIA... 141
morphine (pf)... 16	MYLOTARG... 56	nateglinide... 81
morphine concentrate... 16	MYRBETRIQ... 131	NATROBA... 114
morphine... 15	MYSOLINE... 33	NAYZILAM... 33
MOTEGRITY... 125	MYTESI... 125	neбиволол... 96
MOTOFEN... 125		NEBUPENT... 63
MOTPOLY XR... 33	<b>N</b>	necon 0.5/35 (28)... 141
MOUNJARO... 81	nabumetone... 16	nefazodone... 38
MOVANTIK... 125	nadolol... 96	NEFFY... 178
MOVIPREP... 125	nafcillin in dextrose iso-osm... 27	nelarabine... 57
moxifloxacin-sod.ace,sul-water... 27	nafcillin... 27	NEMLUVIO... 154
moxifloxacin-sod.chloride(iso)... 27	naftifine... 44	neo-polycin hc... 172
moxifloxacin... 27, 171	NAFTIN... 44	neo-polycin... 172
MOZOBIL... 85	NAGLAZYME... 128	NEO-SYNALAR... 114
	nalbuphine... 16	neo-vital rx... 119
	NALFON... 16	
	nalmeфene... 20	

neomycin-bacitracin-poly-hc... 172  
 neomycin-bacitracin-polymyxin...  
 172  
 neomycin-polymyxin b gu... 166  
 neomycin-polymyxin b-dexameth...  
 172  
 neomycin-polymyxin-gramicidin...  
 172  
 neomycin-polymyxin-hc... 172, 174  
 neomycin... 27  
 NEONATAL COMPLETE... 119  
 NEONATAL PLUS VITAMIN... 119  
 NEONATAL-DHA... 119  
 NEORAL... 154  
 NERLYNX... 57  
 NESACAINE-MPF... 19  
 NESACAINE... 19  
 NESINA... 81  
 neuac... 114  
 NEULASTA ONPRO... 86  
 NEULASTA... 85  
 NEUPOGEN... 86  
 NEUPRO... 65  
 NEURONTIN... 33  
 NEVANAC... 172  
 nevirapine... 73  
 NEXAVAR... 57  
 NEXICLON XR... 96  
 NEXIUM IV... 125  
 NEXIUM PACKET... 125  
 NEXIUM... 125  
 NEXLETOL... 96  
 NEXLIZET... 96  
 NEXPLANON... 141  
 NEXTERONE... 96  
 NEXTSTELLIS... 141  
 NEXVIAZYME... 128  
 NGENLA... 134  
 niacin... 96  
 niacor... 96  
 nicardipine... 96  
 NICOTROL NS... 20  
 nifedipine... 96  
 nikki (28)... 141  
 NIKTIMVO... 154  
 NILANDRON... 57  
 nilotinib d-tartrate... 57  
 nilotinib hcl... 57  
 nilutamide... 57  
 nimodipine... 96  
 NINLARO... 57  
 NIPENT... 57  
 nisoldipine... 97  
 nitazoxanide... 63  
 nitisinone... 128  
 NITRO-BID... 97  
 NITRO-DUR... 97  
 nitrofurantoin macrocrystal... 27  
 nitrofurantoin monohyd/m-cryst...  
 27  
 nitrofurantoin... 27  
 nitroglycerin in 5 % dextrose... 97  
 nitroglycerin... 97, 166  
 NITROLINGUAL... 97  
 NITROSTAT... 97  
 NITYR... 129  
 NIVESTYM... 86  
 nizatidine... 125  
 NOCDURNA (MEN)... 134  
 NOCDURNA (WOMEN)... 134  
 NORA-BE... 141  
 NORDITROPIN FLEXPRO... 135  
 norelgestromin-ethin.estradiol...  
 141  
 norepinephrine bitartrate... 97  
 noreth-ethinyl estradiol-iron... 141  
 norethindrone (contraceptive)... 141  
 norethindrone ac-eth estradiol...  
 141  
 norethindrone acetate... 141  
 norethindrone-e.estradiol-iron...  
 141  
 NORGESIC FORTE... 182  
 norgesic... 182  
 norgestimate-ethinyl estradiol...  
 141  
 NORITATE... 27  
 NORLIQVA... 97  
 NORMOSOL-M IN 5 % DEXTROSE...  
 119  
 NORMOSOL-R IN 5 % DEXTROSE...  
 119  
 NORMOSOL-R PH 7.4... 119  
 NORMOSOL-R... 119  
 NORPACE CR... 97  
 NORPACE... 97  
 NORPRAMIN... 38  
 NORTHERA... 97  
 nortrel 0.5/35 (28)... 141  
 nortrel 1/35 (21)... 142  
 nortrel 1/35 (28)... 142  
 nortrel 7/7/7 (28)... 142  
 nortriptyline... 38  
 NORVASC... 97  
 NORVIR... 73

NOURIANZ... 65	NUVIGIL... 183	olmesartan-amlodipin-hcthiazyd... 97
NOVAREL... 135	NUZYRA... 27	olmesartan-hydrochlorothiazide... 97
NOVOLIN 70-30 FLEXPEN U-100... 81	nyamyc... 44	olmesartan... 97
NOVOLIN 70/30 U-100 INSULIN... 81	nylia 1/35 (28)... 142	olopatadine... 178
NOVOLIN N FLEXPEN... 81	nylia 7/7/7 (28)... 142	OLPRUVA... 129
NOVOLIN N NPH U-100 INSULIN... 81	NYMALIZE... 97	OLUMIANT... 154
NOVOLIN R FLEXPEN... 81	NYPOZI... 86	OLUX-E... 114
NOVOLIN R REGULAR U100 INSULIN... 81	nystatin-triamcinolone... 44	OLUX... 114
NOVOLOG FLEXPEN U-100 INSULIN... 81	nystatin... 44	OMECLAMOX-PAK... 125
NOVOLOG MIX 70-30 U-100 INSULN... 81	nystop... 44	omega-3 acid ethyl esters... 97
NOVOLOG MIX 70-30FLEXPEN U-100... 81	NYVEPRIA... 86	OMEGAVEN... 120
NOVOLOG PENFILL U-100 INSULIN... 81	<b>O</b>	omeprazole-sodium bicarbonate... 125
NOVOLOG U-100 INSULIN ASPART... 81	OB COMPLETE ONE... 120	omeprazole... 125
NOVOPEN ECHO... 166	OB COMPLETE PETITE... 120	OMNARIS... 178
NOXAFIL... 44	OB COMPLETE PREMIER... 120	OMNIPOD 5 (G6/LIBRE 2 PLUS)... 166
np thyroid... 145	OCALIVA... 125	OMNIPOD 5 G6-G7 INTRO KT(GEN5)... 166
NUBEQA... 57	ocella... 142	OMNIPOD 5 G6-G7 PODS (GEN 5)... 166
NUCALA... 178	OCREVUS ZUNOVO... 105	OMNIPOD 5 INTRO(G6/LIBRE2PLUS)... 166
NUCYNTA ER... 16	OCREVUS... 105	OMNIPOD CLASSIC PODS (GEN 3)... 166
NUCYNTA... 16	OCTAGAM... 154	OMNIPOD DASH INTRO KIT (GEN 4)... 166
NUEDEXTA... 105	octreotide acetate... 146	OMNIPOD DASH PODS (GEN 4)... 166
NULIBRY... 129	octreotide,microspheres... 146	OMNIPOD GO PODS 10 UNITS/DAY... 166
NUPLAZID... 68	OCUFLOX... 172	OMNIPOD GO PODS 15 UNITS/DAY... 166
NURTEC ODT... 46	ODACTRA... 178	OMNIPOD GO PODS 20 UNITS/DAY... 166
NUTRILIPID... 120	ODEFSEY... 73	
NUTROPIN AQ NUSPIN... 135	ODOMZO... 57	
NUVARING... 142	OFEV... 178	
	ofloxacin... 27, 172, 174	
	OGIVRI... 57	
	OGSIVEO... 57	
	OHTUVAYRE... 178	
	OJEMDA... 57	
	OJJAARA... 57	
	olanzapine-fluoxetine... 39	
	olanzapine... 68	

OMNIPOD GO PODS 25 UNITS/DAY... 166	ORACEA... 27 oralone... 107	OTEZLA XR INITIATION... 114 OTEZLA XR... 114
OMNIPOD GO PODS 30 UNITS/DAY... 166	ORAPRED ODT... 133 ORBACTIV... 27	OTEZLA... 114 OTREXUP (PF)... 154
OMNIPOD GO PODS 40 UNITS/DAY... 166	ORENCIA CLICKJECT... 154 ORENCIA... 154	OTULFI... 154 OVIDE... 114
OMNIPOD GO PODS... 166	ORENITRAM MONTH 1 TITRATION KT... 178	OVIDREL... 185 oxacillin in dextrose(iso-osm)... 28
OMNITROPE... 135	ORENITRAM MONTH 2 TITRATION KT... 178	oxacillin... 27 oxaliplatin... 57
OMVOH PEN... 154	ORENITRAM MONTH 3 TITRATION KT... 178	oxaprozin... 16 oxazepam... 77
OMVOH... 154	ORENITRAM... 178	oxcarbazepine... 33 OXERVATE... 172
ONAPGO... 65	ORFADIN... 129	oxiconazole... 44 OXISTAT... 44
ONCASPAR... 57	ORGOVYX... 57	OXLUMO... 166 OXTELLAR XR... 33
ondansetron hcl (pf)... 41	ORIAHNN... 146	oxybutynin chloride... 131 oxycodone-acetaminophen... 17
ondansetron hcl... 41	ORILISSA... 146	oxycodone... 16, 17 OXYCONTIN... 17
ondansetron... 41	ORKAMBI... 178	oxymorphone... 17 oxytocin... 166
one natal rx... 120	ORLADEYO... 154	OXYTROL... 131 OZEMPIC... 81
ONEXTON... 114	ORLYNVAH... 27	OZOBAX DS... 70 OZOBAX... 70
ONFI... 33	ormarvi... 129	
ONGENTYS... 65	orphenadrine citrate... 182 orphenadrine-asa-caffeine... 182	<b>P</b>
ONIVYDE... 57	orphengesic forte... 182 orquidea... 142	PACERONE... 97, 98 paclitaxel protein-bound... 58
ONPATTRO... 129	ORSERDU... 57	paclitaxel... 57 PADCEV... 58
ONTRUZANT... 57	ORUDIS... 16	PALFORZIA (LEVEL 1)... 166 PALFORZIA (LEVEL 10)... 167
ONUREG... 57	oseltamivir... 73 OSENI... 81	
ONYDA XR... 105	OSMITROL 10 %... 97 OSMITROL 20 %... 97	
ONZETRA XSAIL... 46	OSMITROL 5 %... 97 OSMOLEX ER... 65	
OPDIVO QVANTIG... 57	OSPHENA... 142	
OPDIVO... 57	OTEZLA STARTER... 114	
OPDUALAG... 57		
OPFOLDA... 129		
OPIPZA... 68		
opium tincture... 125		
OPSUMIT... 178		
OPSYNVI... 178		
OPVEE... 20		
OPZELURA... 114		

PALFORZIA (LEVEL 11 UP-DOSE)...	PAXLOVID... 73	PERCOCET... 17
167	pazopanib... 58	PERFOROMIST... 178
PALFORZIA (LEVEL 2)... 167	PEDIAPRED... 133	PERIKABIVEN... 120
PALFORZIA (LEVEL 3)... 167	PEDIARIX (PF)... 154	perindopril erbumine... 98
PALFORZIA (LEVEL 4)... 167	PEDMARK... 58	periogard... 107
PALFORZIA (LEVEL 5)... 167	PEDVAX HIB (PF)... 154	PERJETA... 58
PALFORZIA (LEVEL 6)... 167	peg 3350-electrolytes... 126	permethrin... 114
PALFORZIA (LEVEL 7)... 167	peg-electrolyte soln... 126	perphenazine-amitriptyline... 39
PALFORZIA (LEVEL 8)... 167	peg3350-sod sul-nacl-kcl-asb-c...	perphenazine... 68
PALFORZIA (LEVEL 9)... 167	126	PERSERIS... 68
PALFORZIA INITIAL (4-17 YRS)...	PEGASYS... 154	PERTZYE... 129
167	PEMAZYRE... 58	pfizerpen-g... 28
PALFORZIA LEVEL 11	pemetrexed disodium... 58	PHEBURANE... 129
MAINTENANCE... 167	pemetrexed... 58	phenazopyridine... 167
paliperidone... 68	PEMRYDI RTU... 58	phenelzine... 39
PALSONIFY... 146	PEN NEEDLE, DIABETIC... 167	PHENERGAN... 41
PALYNZIQ... 129	PENBRAYA (PF)... 154	phenobarbital sodium... 34
PAMELOR... 39	penciclovir... 74	phenobarbital... 34
pamidronate... 161	penicillamine... 120	phenoxybenzamine... 98
PANCREAZE... 129	penicillin g pot in dextrose... 28	phenylephrine hcl... 98
PANDEL... 114	penicillin g potassium... 28	PHENYTEK... 34
PANRETIN... 58	penicillin g sodium... 28	phenytoin sodium extended... 34
pantoprazole in 0.9% sod chlor...	penicillin v potassium... 28	phenytoin sodium... 34
126	PENMENVY MEN A-B-C-W-Y (PF)...	phenytoin... 34
pantoprazole... 125	154	PHESGO... 58
PANZYGA... 154	PENNSAID... 17	PHEXX... 167
paraplatin... 58	PENTACEL (PF)... 154	PHEXXI... 167
paricalcitol... 161	PENTAM... 63	philith... 142
PARLODEL... 65	pentamidine... 63	PHOSPHOLINE IODIDE... 172
PARNATE... 39	PENTASA... 160	PHYRAGO... 58
paroxetine hcl... 39	pentazocine-naloxone... 17	PHYSIOLYTE... 167
paroxetine mesylate(menop.sym)...	pentobarbital sodium... 33	PHYSIOSOL IRRIGATION... 167
39	pentoxifylline... 98	phytonadione (vitamin k1)... 186
PAXIL CR... 39	pepcid... 126	PIASKY... 154
PAXIL... 39	perampanel... 34	

PIFELTRO... 74	POMALYST... 58	praziquantel... 63
pilocarpine hcl... 107, 172	POMBILITI... 129	prazosin... 98
pimecrolimus... 114	PONVORY 14-DAY STARTER PACK... 105	PRECOSE... 81
pimozide... 68	PONVORY... 105	PRED FORTE... 172
pimtrea (28)... 142	portia 28... 142	PRED MILD... 172
pindolol... 98	PORTRAZZA... 58	prednicarbate... 114
pioglitazone-glimepiride... 81	posaconazole... 44	prednisolone acetate... 172
pioglitazone-metformin... 81	potassium acetate... 120	prednisolone sodium phosphate... 133, 172
pioglitazone... 81	potassium chlorid-d5-0.45%nacl... 120	prednisolone... 133
piperacillin-tazobactam... 28	potassium chloride in 0.9%nacl... 120	prednisone intensol... 133
PIQRAY... 58	potassium chloride in 5 % dex... 120	prednisone... 133
pirfenidone... 178	potassium chloride in lr-d5... 120	pregabalin... 105, 106
piroxicam... 17	potassium chloride in water... 120	PREGNYL... 135
pitavastatin calcium... 98	potassium chloride-0.45 % nacl... 120	PREMARIN... 142
PITOCIN... 167	potassium chloride-d5-0.2%nacl... 120	PREMASOL 10 %... 121
PLAQUENIL... 63	potassium chloride-d5-0.9%nacl... 120	PREMPHASE... 142
PLASMA-LYTE 148 PH 7.4... 120	potassium chloride... 120	PREMPRO... 142
PLASMA-LYTE A... 120	potassium citrate... 121	PRENATA... 121
PLAVIX... 86	POTELIGEO... 58	PRENATABS FA... 121
PLEGRIDY... 105	pr natal 400 ec... 121	prenatal plus (calcium carb)... 121
PLENAMINE... 120	pr natal 400... 121	prenatal plus dha... 121
PLENVU... 126	pr natal 430 ec... 121	prenatal plus vitamin-mineral... 121
plerixafor... 86	pr natal 430... 121	prenatal vitamin plus low iron... 121
PLIAGLIS... 19	PRADAXA... 86	prenatal-u... 121
pnv-dha... 120	pralatrexate... 58	PRENATE ELITE... 121
pnv-omega... 120	PRALUENT PEN... 98	PRETOMANID... 47
podofilox... 114	pramipexole... 65	PREVACID SOLUTAB... 126
POKONZA... 120	prasugrel hcl... 86	PREVACID... 126
POLIVY... 58	pravastatin... 98	prevalite... 98
polocaine-mpf... 19		PREVDUO... 167
polocaine... 19		PREVYMIS... 74
polycin... 172		PREZCOBIX... 74
polymyxin b sulf-trimethoprim... 172		PREZISTA... 74
polymyxin b sulfate... 28		PRIALT... 167

PRIFTIN... 47	PROMACTA... 86	PYRIDIDIUM... 167
PRILOSEC... 126	promethazine vc-codeine... 184	pyridostigmine bromide... 47
primaquine... 63	promethazine vc... 167	pyridoxine (vitamin b6)... 186
PRIMAXIN IV... 28	promethazine-codeine... 184	pyrimethamine... 63
primidone... 34	promethazine-dm... 184	PYRUKYND... 129
primlev... 17	promethazine-phenylephrine... 167	PYZCHIVA AUTOINJECTOR... 155
PRIMSOL... 28	promethazine... 42	PYZCHIVA... 155
PRIORIX (PF)... 154	promethegan... 42	<b>Q</b>
PRISTIQ... 39	PROMETRIUM... 142	QALSODY... 106
PRIVIGEN... 154	propafenone... 98	QBRELIS... 98
PRO COMFORT ALCOHOL PADS... 167	proparacaine... 172	QBREXZA... 114
PROAIR DIGIHALER... 179	propranolol-hydrochlorothiazid... 98	QDOLO... 17
PROAIR RESPICLICK... 179	propranolol... 98	QELBREE... 106
probenecid-colchicine... 45	propylthiouracil... 147	QINLOCK... 58
probenecid... 45	PROQUAD (PF)... 155	QNASL... 179
procainamide... 98	PROSCAR... 131	QTERN... 81
PROCARDIA XL... 98	PROSOL 20 %... 121	QUADRACEL (PF)... 155
procentra... 106	protamine... 167	QUDEXY XR... 34
prochlorperazine edisylate... 41	PROTONIX... 126	QUESTRAN LIGHT... 98
prochlorperazine maleate... 41	protriptyline... 39	QUESTRAN... 98
prochlorperazine... 41	PROVERA... 142	quetiapine... 68
PROCRIT... 86	PROVIGIL... 183	QUILLICHEW ER... 106
procto-med hc... 114	PROZAC... 39	QUILLIVANT XR... 106
PROCTOFOAM HC... 160	prucalopride... 126	quinapril-hydrochlorothiazide... 98
proctosol hc... 114	PRUDOXIN... 114	quinapril... 98
proctozone-hc... 114	pruradik... 114	quinidine gluconate... 98
PROCYSBI... 129	PULMICORT FLEXHALER... 179	quinidine sulfate... 98
progesterone micronized... 142	PULMICORT... 179	quinine sulfate... 64
progesterone... 142	PULMOZYME... 179	QULIPTA... 46
PROGLYCEM... 81	PURE COMFORT ALCOHOL PADS... 167	QUTENZA... 167
PROGRAF... 154	PURIXAN... 58	QUVIVIQ... 183
PROLASTIN-C... 129	PYLERA... 126	QUZYTIR... 179
prolate... 17	pyquvi... 133	QVAR REDIHALER... 179
PROLENSA... 172	pyrazinamide... 47	<b>R</b>
PROLIA... 161		RABAVERT (PF)... 155

rabeprazole... 126	RELENZA DISKHALER... 74	REYVOW... 46
RADICAVA ORS STARTER KIT SUSP... 106	RELEUKO... 86	REZDIFFRA... 167
RADICAVA ORS... 106	RELEXXII... 106	REZLIDHIA... 59
RADICAVA... 106	RELISTOR... 126	REZUROCK... 155
RAGWITEK... 179	RELPAK... 46	REZVOGLAR KWIKPEN... 81
RALDESY... 39	RELTONE... 126	REZZAYO... 44
raloxifene... 142	REMERON SOLTAB... 39	RHAPSIDO... 86
ramelteon... 183	REMERON... 39	RHOFADE... 115
ramipril... 98	REMICADE... 155	RHOPHYLAC... 155
ranitidine hcl... 126	REMODULIN... 179	RHOPRESSA... 172
ranolazine... 98	RENACIDIN... 167	RIABNI... 59
RAPAFLO... 131	RENFLEXIS... 155	RIASTAP... 86
RAPAMUNE... 155	repaglinide... 81	ribavirin... 74, 168
rasagiline... 65	REPATHA PUSHTRONEX... 98	RIDAURA... 155
RASUVO (PF)... 155	REPATHA SURECLICK... 98	rifabutin... 48
RAVICTI... 129	REPATHA SYRINGE... 99	RIFADIN... 48
RAYALDEE... 161	RESPA-AR... 184	rifampin... 48
RAYOS... 133	RESTASIS MULTIDOSE... 172	RILUTEK... 106
REBIF (WITH ALBUMIN)... 106	RESTASIS... 172	riluzole... 106
REBIF REBIDOSE... 106	RESTORIL... 183	rimantadine... 74
REBIF TITRATION PACK... 106	RETACRIT... 86	RIMSO-50... 168
REBLOZYL... 86	RETEVMO... 58, 59	ringer's... 121, 168
REBYOTA... 126	RETIN-A MICRO PUMP... 115	RINVOQ LQ... 155
RECARBRIO... 28	RETIN-A MICRO... 115	RINVOQ... 155
RECLAST... 161	RETIN-A... 115	RIOMET... 81
reclipsen (28)... 142	RETROVIR... 74	risedronate... 161
RECOMBIVAX HB (PF)... 155	REVATIO... 179	RISPERDAL CONSTA... 69
RECORLEV... 146	REVCOVI... 129	RISPERDAL... 69
RECTIV... 167	REVLIMID... 59	risperidone microspheres... 69
REDEMPLO... 98	revonto... 70	risperidone... 69
REGLAN... 42	REVUFORJ... 59	RITALIN LA... 106
REGONOL... 47	REXTOVY... 20	RITALIN... 106
REGRANEX... 115	REXULTI... 68	ritonavir... 74
RELAFEN DS... 17	REYATAZ... 74	RITUXAN HYCELA... 59

RITUXAN... 59	RYBELSUS... 82	se-natal 19 chewable... 121
rivaroxaban... 86	RYBREVANT FASPRO... 59	SECUADO... 69
rivastigmine tartrate... 37	RYBREVANT... 59	SEGLENTIS... 17
rivastigmine... 37	RYCLORA... 179	SEGLUROMET... 82
rivelsa... 142	RYDAPT... 59	SELARSDI... 156
RIVFLOZA... 168	RYLAZE... 59	SELECT-OB (FOLIC ACID)... 121
rizatriptan... 46	RYSTIGGO... 156	SELECT-OB + DHA... 121
ROBAXIN... 182	RYTARY... 65	SELECT-OB... 121
ROBINUL FORTE... 126	RYTELO... 59	selegiline hcl... 65
ROBINUL... 126	RYVENT... 179	selenium sulfide... 115
ROCALTROL... 161	RYZNEUTA... 86	SELZENTRY... 74
ROCKLATAN... 172		SEMGLEE(INSULIN
roflumilast... 179	<b>S</b>	GLARG-YFGN)PEN... 82
ROLVEDON... 86	SABRIL... 34	SEMGLEE(INSULIN
romidepsin... 59	sacubitril-valsartan... 99	GLARGINE-YFGN)... 82
ROMVIMZA... 59	SAFYRAL... 142	SENSIPAR... 162
ropinirole... 65	SAIZEN SAIZENPREP... 135	sensorcaine-epinephrine... 20
ropivacaine (pf)... 20	sajazir... 156	sensorcaine-mpf spinal... 20
rosadan... 28	SALAGEN (PILOCARPINE)... 107	SENSORCAINE-MPF... 20
rosuvastatin... 99	SAMSCA... 121	sensorcaine-mpf/epinephrine... 20
rosyrah... 142	SANCUSO... 42	SENSORCAINE... 20
ROTARIX... 155	SANDIMMUNE... 156	SEPHIENCE... 129
ROTATEQ VACCINE... 156	SANDOSTATIN LAR DEPOT... 146	SEREVENT DISKUS... 179
ROWASA... 160	SANDOSTATIN... 146	SEROQUEL XR... 69
roweepra... 34	SANTYL... 115	SEROQUEL... 69
ROXICODONE... 17	SAPHNELO... 156	SEROSTIM... 135
ROXYBOND... 17	SAPHRIS... 69	sertraline... 39
ROZEREM... 183	sapropterin... 129	setlakin... 142
ROZLYTREK... 59	SARCLISA... 59	SEYSARA... 28
RUBRACA... 59	SAVAYSA... 86	SEZABY... 34
RUCONEST... 156	SAVELLA... 106	SFROWASA... 160
rufinamide... 34	saxagliptin-metformin... 82	sharobel... 142
RUKOBIA... 74	saxagliptin... 82	SHINGRIX (PF)... 156
RUXIENCE... 59	SCEMBLIX... 59	SIGNIFOR LAR... 146
RYALTRIS... 179	scopolamine base... 42	SIGNIFOR... 146
	SDAMLO... 99	

SIKLOS... 168	sodium chloride 3 % hypertonic... 121	SOTYKTU... 156
sildenafil (pulm.hypertension)... 179	sodium chloride 5 % hypertonic... 121	SOTYLIZE... 99
sildenafil... 184	sodium chloride... 121, 168	SOVALDI... 74
SILENOR... 183	SODIUM EDECIN... 99	SOVUNA... 64
SILIQ... 156	sodium oxybate... 183	SPEVIGO... 156
silodosin... 131	sodium phenylbutyrate... 129	spinosad... 115
SILVADENE... 115	sodium phosphate... 121	SPIRIVA RESPIMAT... 179
silver sulfadiazine... 115	sodium polystyrene sulfonate... 121	SPIRIVA WITH HANDIHALER... 179
SIMBRINZA... 172	sodium,potassium,mag sulfates... 126	spironolacton-hydrochlorothiaz... 99
SIMLANDI(CF) AUTOINJECTOR... 156	SOFDRA... 115	spironolactone... 99
SIMLANDI(CF)... 156	SOGROYA... 135	SPORANOX... 44
simliya (28)... 142	SOHONOS... 168	sprintec (28)... 142
simpesse... 142	solifenacin... 131	SPRITAM... 34
SIMPONI ARIA... 156	SOLQUA 100/33... 82	SPRIX... 17
SIMPONI... 156	SOLIRIS... 156	SPRYCEL... 59
SIMULECT... 156	SOLODYN... 28	SPS (WITH SORBITOL)... 121
simvastatin... 99	SOLOSEC... 28	sronyx... 142
SINEMET... 65	SOLTAMOX... 59	SSD... 115
SINGULAIR... 179	SOLU-CORTEF ACT-O-VIAL (PF)... 133	STALEVO 100... 65
sirolimus... 156	SOLU-CORTEF... 133	STALEVO 125... 65
SIRTURO... 48	SOLU-MEDROL (PF)... 133	STALEVO 150... 65
sitagliptin-metformin... 82	SOLU-MEDROL... 133	STALEVO 200... 65
sitagliptin... 82	SOMA... 182	STALEVO 50... 65
SIVEXTRO... 28	SOMATULINE DEPOT... 146	STALEVO 75... 65
SKYCLARYS... 106	SOMAVERT... 147	STARJEMZA... 156, 157
SKYRIZI... 156	SOOLANTRA... 115	stavudine... 74
SKYTROFA... 135	sorafenib... 59	STEGLATRO... 82
SMOFLIPID... 121	sorbitol-mannitol... 168	STEGLUJAN... 82
SOAAZ... 99	SORILUX... 115	STELARA... 157
sodium benzoate-sod phenylacet... 168	sotalol af... 99	STENDRA... 184
sodium bicarbonate... 121	sotalol... 99	STEQEYMA... 157
sodium chloride 0.45 %... 121		STIMUFEND... 86
sodium chloride 0.9 %... 121		STIOLTO RESPIMAT... 179
		STIVARGA... 59

STRATTERA... 106  
 STRENSIQ... 130  
 streptomycin... 28  
 STRIBILD... 74  
 STRIVERDI RESPIMAT... 179  
 STROMECTOL... 64  
 SUBOXONE... 21  
 subvenite starter (blue) kit... 34  
 subvenite starter (green) kit... 34  
 subvenite starter (orange) kit... 34  
 SUBVENITE... 34  
 SUCRAID... 130  
 sucralfate... 126  
 SUFLAVE... 126  
 SULAR... 99  
 sulfacetamide sodium (acne)... 28  
 sulfacetamide sodium... 28, 172  
 sulfacetamide-prednisolone... 172  
 sulfadiazine... 28  
 sulfamethoxazole-trimethoprim... 28  
 SULFAMYLON... 115  
 sulfasalazine... 160  
 sulindac... 17  
 sumatriptan succinate... 46  
 sumatriptan-naproxen... 46  
 sumatriptan... 46  
 sunitinib malate... 59  
 SUNLENCA... 74, 75  
 SUNOSI... 183  
 SUPREP BOWEL PREP KIT... 126  
 SURE COMFORT ALCOHOL PREP PADS... 168  
 SURE-PREP ALCOHOL PREP PADS... 168  
 SUTAB... 126  
 SUTENT... 59  
 syeda... 142  
 SYLVANT... 157  
 SYMBICORT... 179  
 SYMBRAVO... 46  
 SYMDEKO... 180  
 SYMFI LO... 75  
 SYMFI... 75  
 SYMLINPEN 120... 82  
 SYMLINPEN 60... 82  
 SYMPAZAN... 34, 35  
 SYMPROIC... 126  
 SYMTUZA... 75  
 SYNAGIS... 168  
 SYNALAR... 115  
 SYNAREL... 147  
 SYNJARDY XR... 82  
 SYNJARDY... 82  
 SYNTHROID... 145  
 SYPRINE... 122

**T**

TABLOID... 59  
 TABRECTA... 60  
 TACLONEX... 115  
 tacrolimus... 115, 157  
 tadalafil (pulm. hypertension)... 180  
 tadalafil... 131, 184  
 TADLIQ... 180  
 TAFINLAR... 60  
 tafluprost (pf)... 172  
 TAGRISSO... 60  
 TAKHZYRO... 157  
 TALICIA... 127  
 TALTZ AUTOINJECTOR (2 PACK)... 157  
 TALTZ AUTOINJECTOR (3 PACK)... 157  
 TALTZ AUTOINJECTOR... 157  
 TALTZ SYRINGE... 157  
 TALVEY... 60  
 TALZENNA... 60  
 TAMIFLU... 75  
 tamoxifen... 60  
 tamsulosin... 131  
 tanlor... 182  
 taperdex... 133  
 TARCEVA... 60  
 TARGADOX... 28  
 TARGRETIN... 60  
 tarina 24 fe... 142  
 tarina fe 1-20 eq (28)... 143  
 tarina fe 1/20 (28)... 143  
 TARPEYO... 160  
 TASCENSO ODT... 106  
 TASIGNA... 60  
 tasimelteon... 183  
 TASMAR... 65  
 tavorole... 44  
 TAVALISSE... 87  
 TAVNEOS... 157  
 taysofy... 143  
 TAYTULLA... 143  
 tazarotene... 115  
 tazicef... 28  
 TAZORAC... 115  
 taztia xt... 99  
 TAZVERIK... 60  
 TDVAX... 157

TECENTRIQ HYBREZA... 60	tetracycline... 29	tiopronin... 131
TECENTRIQ... 60	TEVIMBRA... 60	tirofiban-0.9% sodium chloride... 87
TECFIDERA... 106	TEXACORT... 115	TIROSINT-SOL... 145
TECVAYLI... 60	TEZRULY... 99	TIROSINT... 145
TEFLARO... 28	TEZSPIRE... 157	TIVDAK... 60
TEGLUTIK... 106	THALITONE... 99	TIVICAY PD... 75
TEGRETOL XR... 35	THALOMID... 60	TIVICAY... 75
TEGRETOL... 35	THAM... 122	tizanidine... 70
TEKURNA... 99	THEO-24... 180	TLANDO... 143
telmisartan-amlodipine... 99	theophylline... 180	TOBI PODHALER... 180
telmisartan-hydrochlorothiazid... 99	thiamine hcl (vitamin b1)... 186	TOBI... 29
telmisartan... 99	THIOLA EC... 131	TOBRADEX ST... 173
temazepam... 183	THIOLA... 131	TOBRADEX... 173
TEMODAR... 60	thioridazine... 69	tobramycin in 0.225 % nacl... 29
temsirrolimus... 60	thiotepa... 60	tobramycin sulfate... 29
tencon... 168	thiothixene... 69	tobramycin-dexamethasone... 173
TENIVAC (PF)... 157	THYMOGLOBULIN... 157	tobramycin-lotepred... 173
tenofovir disoproxil fumarate... 75	THYQUIDITY... 145	tobramycin... 29, 173
TENORETIC 100... 99	tiadylt er... 99	TOBREX... 173
TENORETIC 50... 99	tiagabine... 35	tolcapone... 65
TENORMIN... 99	TIAZAC... 99	tolectin 600... 18
TEPADINA... 60	TIBSOVO... 60	tolmetin... 18
TEPEZZA... 168	ticagrelor... 87	TOLSURA... 45
TEPMETKO... 60	TICOVAC... 157	tolterodine... 131
TEPYLUTE... 60	TIGAN... 42	tolvaptan (polycys kidney dis)... 122
terazosin... 99	tigecycline... 29	tolvaptan... 122
terbinafine hcl... 44	TIGLUTIK... 107	TONMYA... 182
terbutaline... 180	TIKOSYN... 99	TOPAMAX... 35
terconazole... 44, 45	tilia fe... 143	TOPICORT... 115
teriflunomide... 107	timolol maleate (pf)... 173	topiramate... 35
TESTIM... 143	timolol maleate... 99, 172, 173	topotecan... 60, 61
testosterone cypionate... 143	timolol... 172	TOPROL XL... 100
testosterone enanthate... 143	TIMOPTIC OCUDOSE (PF)... 173	toremifene... 61
testosterone... 143	tinidazole... 29	TORISEL... 61
tetrabenazine... 107		

torpenz... 61	TRESIBA U-100 INSULIN... 82	TRILEPTAL... 35
torseamide... 100	tretinoin (antineoplastic)... 61	TRILIPIX... 100
TOSYMRA... 46	tretinoin microspheres... 116	trimethobenzamide... 42
TOUJEO MAX U-300 SOLOSTAR... 82	tretinoin... 116	trimethoprim... 29
TOUJEO SOLOSTAR U-300	TREXALL... 158	trimipramine... 39
INSULIN... 82	TREXIMET... 46	trinatal rx 1... 122
tovet emollient... 116	TREZIX... 18	TRINTELLIX... 39
TOVIAZ... 131	tri-estarylla... 143	TRIPTODUR... 147
TPN ELECTROLYTES... 122	tri-legest fe... 143	TRISENOX... 61
TRACLEER... 180	tri-linyah... 143	TRISTART DHA... 122
TRADJENTA... 82	tri-lo-estarylla... 143	TRIUMEQ PD... 75
tramadol-acetaminophen... 18	tri-lo-marzia... 143	TRIUMEQ... 75
tramadol... 18	tri-lo-mili... 143	trivora (28)... 143
trandolapril-verapamil... 100	tri-lo-sprintec... 143	TRODELVY... 61
trandolapril... 100	tri-mili... 143	TROGARZO... 75
tranexamic acid... 87	tri-sprintec (28)... 143	TROKENDI XR... 35
TRANSDERM-SCOP... 42	tri-vylibra lo... 143	tromethamine... 122
tranylcypromine... 39	tri-vylibra... 143	TROPHAMINE 10 %... 122
TRAVASOL 10 %... 122	triamcinolone acetonide... 107, 133,	tropsium... 131
TRAVATAN Z... 173	134	TRUDHESA... 47
travoprost... 173	triamterene-hydrochlorothiazid... 100	TRUE COMFORT ALCOHOL PADS... 168
TRAZIMERA... 61	triamterene... 100	TRUE COMFORT PRO ALCOHOL PADS... 168
trazodone... 39	trianex... 134	TRULANCE... 127
TREANDA... 61	triazolam... 183	TRULICITY... 83
TRECTOR... 48	TRIBENZOR... 100	TRUMENBA... 158
TRELEGY ELLIPTA... 180	TRICARE... 122	TRUQAP... 61
TRELSTAR... 147	TRICOR... 100	TRUVADA... 75
TREMFYA ONE-PRESS... 157	triderm... 134	TRUXIMA... 61
TREMFYA PEN INDUCTION PK(2PEN)... 158	trientine... 122	TRYNGOLZA... 100
TREMFYA PEN... 157, 158	trifluoperazine... 69	TRYPTYR... 173
TREMFYA... 157	trifluridine... 173	TRYVIO... 100
treprostinil sodium... 180	trihexyphenidyl... 65	TUDORZA PRESSAIR... 180
TRESIBA FLEXTOUCH U-100... 82	TRIJARDY XR... 82	TUKYSA... 61
TRESIBA FLEXTOUCH U-200... 82	TRIKAFTA... 180	

tulana... 143	ULTRA-FINE INSULIN SYRINGE... 168	valproate sodium... 35
TURALIO... 61	ULTRA-FINE PEN NEEDLE... 168	valproic acid (as sodium salt)... 35
turqoz (28)... 143	ULTRAVATE... 116	valproic acid... 35
TUXARIN ER... 184	umeclidinium-vilanterol... 180	valrubicin... 61
TWINRIX (PF)... 158	UNASYN... 29	valsartan-hydrochlorothiazide... 100
TWYNEO... 116	UNDECATREX... 143	valsartan... 100
TYBOST... 75	UNITHROID... 145	VALSTAR... 61
tydemy... 143	UNITUXIN... 61	VALTOCO... 35
TYENNE AUTOINJECTOR... 158	UPLIZNA... 158	VALTREX... 75
TYENNE... 158	UPTRAVI... 181	valtya... 143
TYGACIL... 29	UROCIT-K 10... 122	VANCOGIN... 29
TYKERB... 61	UROCIT-K 15... 122	vancomycin in 0.9 % sodium chl... 29
TYMLOS... 162	UROCIT-K 5... 122	vancomycin in dextrose 5 %... 29
TYPHIM VI... 158	UROXATRAL... 131	vancomycin-diluent combo no.1... 29
TYRUKO... 107	URSO FORTE... 127	vancomycin... 29
TYRVAYA... 173	ursodiol... 127	VANDAZOLE... 29
TYSABRI... 107	USTEKINUMAB-AEKN... 158	VANFLYTA... 61
TYVASO DPI... 180	USTEKINUMAB-TTWE... 158	VANOS... 116
TYVASO INSTITUTIONAL START KIT... 180	USTEKINUMAB... 158	VANRAFIA... 168
TYVASO REFILL KIT... 180	UZEDY... 69	VAPRISOL IN 5 % DEXTROSE... 122
TYVASO STARTER KIT... 180		VAQTA (PF)... 158
TYVASO... 180	<b>V</b>	vardenafil... 184, 185
TYZAVAN... 29	V-GO 20... 168	varenicline tartrate... 21
<b>U</b>	V-GO 30... 168	VARIVAX (PF)... 158
UBRELVY... 47	V-GO 40... 168	VARIZIG... 158
UCERIS... 160	VABOMERE... 29	VARUBI... 42
UDENYCA AUTOINJECTOR... 87	VABRINTY (3 MONTH)... 147	VASCEPA... 100
UDENYCA ONBODY... 87	VABRINTY (4 MONTH)... 147	VASERETIC... 100
UDENYCA... 87	VABRINTY (6 MONTH)... 147	VASOTEC... 100
ULORIC... 45	VAGIFEM... 143	VAXCHORA VACCINE... 158
ULTILET ALCOHOL SWAB... 168	valacyclovir... 75	vecamyl... 100
ULTOMIRIS... 158	VALCHLOR... 61	VECTIBIX... 61
ULTRA-FINE INS SYR (HALF UNIT)... 168	VALCYTE... 75	
	valganciclovir... 75	
	VALIUM... 77	

VECTICAL... 116	VIBERZI... 127	vitamin d2... 186
VEGZELMA... 61	VIBRAMYCIN... 29	vitamin k... 186
VELCADE... 61	VICTOZA 2-PAK... 83	vitamin k1... 186
VELETRI... 181	VICTOZA 3-PAK... 83	VITRAKVI... 61, 62
velivet triphasic regimen (28)... 144	VIDAZA... 61	vivacaine... 20
VELSIPITY... 158	vienva... 144	VIVELLE-DOT... 144
VELTASSA... 122	vigabatrin... 35	VIVIMUSTA... 62
VELTIN... 116	vigadrone... 35	VIVITROL... 21
VEMLIDY... 75	VIGAFYDE... 35	VIVJOA... 45
VENCLEXTA STARTING PACK... 61	VIGAMOX... 173	VIVLODEX... 18
VENCLEXTA... 61	vigpoder... 36	VIVOTIF... 158
VENLAFAXINE BESYLATE... 40	VIIBRYD... 40	VIZIMPRO... 62
venlafaxine... 39, 40	VIJOICE... 130	VOCABRIA... 75
VENTAVIS... 181	vilazodone... 40	VOGELXO... 144
VENTOLIN HFA... 181	VIMKUNYA... 158	volnea (28)... 144
venxxiva... 131	VIMOVO... 18	VONJO... 62
VEOPOZ... 158	VIMPAT... 36	VOQUEZNA DUAL PAK... 127
VEOZAH... 107	vinblastine... 61	VOQUEZNA TRIPLE PAK... 127
verapamil... 100	vincasar pfs... 61	VOQUEZNA... 127
VERDESO... 116	vincristine... 61	VORANIGO... 62
VEREGEN... 116	vinorelbine... 61	voriconazole-hpbc... 45
VERELAN PM... 100	VIOKACE... 130	voriconazole... 45
VERIPRED 20... 134	viorele (28)... 144	VOSEVI... 75
VERKAZIA... 173	VIRACEPT... 75	VOTRIENT... 62
VERQUVO... 100	VIRAZOLE... 168	VOWST... 127
VERSACLOZ... 70	VIREAD... 75	VOXZOGO... 130
VERZENIO... 61	VISTARIL... 181	VOYDEYA... 158
VESICARE LS... 131	VITAFOL FE PLUS... 122	VOYXACT... 158
VESICARE... 131	VITAFOL GUMMIES... 122	VPRIV... 130
vestura (28)... 144	VITAFOL ULTRA... 122	VRAYLAR... 70
VEVYE... 173	VITAFOL-OB+DHA... 122	VTAMA... 116
VFEND IV... 45	VITAFOL-OB... 122	VUITY... 173
VFEND... 45	VITAFOL-ONE... 122	VUMERITY... 107
VIAGRA... 185	VITAMEDMD ONE RX... 122	VUSION... 45
VIBATIV... 29		

VYALEV... 66	wesnate dha... 122	XERMELO... 127
VYEPTI... 47	westab plus... 122	XGEVA... 162
vyfemla (28)... 144	westgel dha... 122	XHANCE... 181
VYJUVEK... 168	WEZLANA... 158, 159	XIFAXAN... 127
VYKAT XR... 168	WINLEVI... 116	XIFYRM... 18
VYLEESI... 185	WINREVAIR... 181	XIGDUO XR... 83
vylibra... 144	wixela inhub... 181	XIIDRA... 173
VYLOY... 62	wymzya fe... 144	XIMINO... 30
VYNDAMAX... 130	<b>X</b>	XOFLUZA... 75
VYNDAQEL... 130	XACDURO... 29	XOLAIR... 159
VYSCOXIA... 18	XACIATO... 30	XOLEGEL... 45
VYTORIN 10-10... 101	XADAGO... 66	XOLREMDI... 87
VYTORIN 10-20... 101	XALATAN... 173	XOPENEX HFA... 181
VYTORIN 10-40... 101	XALKORI... 62	XOSPATA... 62
VYTORIN 10-80... 101	XANAX XR... 77	XPOVIO... 62
VYVANSE... 107	XANAX... 77	XROMI... 169
VYVGART HYTRULO... 47	xarah fe... 144	XTAMPZA ER... 18
VYVGART... 47	XARELTO DVT-PE TREAT 30D	XTANDI... 62
VYXEOS... 62	START... 87	xulane... 144
VYZULTA... 173	XARELTO... 87	XULTOPHY 100/3.6... 83
<b>W</b>	XATMEP... 159	XYOSTED... 144
WAINUA... 130	XCOPRI MAINTENANCE PACK... 36	XYREM... 183
WAKIX... 183	XCOPRI TITRATION PACK... 36	xyvona... 18
warfarin... 87	XCOPRI... 36	XYWAV... 183
water for irrigation, sterile... 168	XDEMVI... 169	<b>Y</b>
WAYRILZ... 87	XELJANZ XR... 159	yargesa... 130
WEBCOL... 168	XELJANZ... 159	YASMIN (28)... 144
WEGOVY... 169	XELPROS... 173	YAZ (28)... 144
WELCHOL... 101	xelria fe... 144	YCANTH... 169
WELIREG... 130	XELSTRYM... 107	YERVOY... 62
WELLBUTRIN SR... 40	XEMBIFY... 159	YESINTEK... 159
WELLBUTRIN XL... 40	XENAZINE... 107	YF-VAX (PF)... 159
wera (28)... 144	XENPOZYME... 130	YIMMUGO... 159
wescap-pn dha... 122	XERAVA... 30	YONDELIS... 62
wesnata dha complete... 122	XERESE... 75	YONSA... 62

YORVIPATH... 162	ZEMPLAR... 162	ZIRABEV... 62
YUFLYMA(CF) AI CROHN'S-UC-HS... 159	zenatane... 116	ZIRGAN... 76
YUFLYMA(CF) AUTOINJECTOR... 159	ZENPEP... 130	ZITHROMAX TRI-PAK... 30
YUFLYMA(CF)... 159	zenzedi... 107	ZITHROMAX Z-PAK... 30
YUPELRI... 181	ZEPATIER... 75	ZITHROMAX... 30
YUSIMRY(CF) PEN... 159	ZEPBOUND... 169	ZITUVIMET XR... 83
YUTREPIA... 181	ZEPOSIA STARTER KIT (28-DAY)... 107	ZITUVIMET... 83
yuvafem... 144	ZEPOSIA STARTER PACK (7-DAY)... 107	ZITUVIO... 83
<b>Z</b>	ZEPOSIA... 107	ZOCOR... 101
zafemy... 144	ZEPZELCA... 62	ZOKINVY... 130
zafirlukast... 181	ZERBAXA... 30	ZOLADEX... 147
zaleplon... 183	ZERVIA... 173	zoledronic ac-mannitol-0.9nacl... 162
ZALTRAP... 62	ZESTORETIC... 101	zoledronic acid-mannitol-water... 162
ZANAFLEX... 70	ZESTRIL... 101	zoledronic acid... 162
ZANOSAR... 62	ZETIA... 101	ZOLINZA... 62
zarah... 144	ZETONNA... 181	zolmitriptan... 47
ZARONTIN... 36	ZEVALIN (Y-90)... 169	ZOLOFT... 40
ZARXIO... 87	ZEVTERA... 30	zolpidem... 183
zatean-pn dha... 123	ZIAGEN... 75	ZOMACTON... 135
zatean-pn plus... 123	ZIANA... 116	zomig... 47
ZAVESCA... 130	zidovudine... 75	ZONALON... 116
ZAVZPRET... 47	ZIEXTENZO... 87	ZONEGRAN... 36
ZCORT... 134	ZIIHERA... 62	ZONISADE... 36
ZEGALOGUE AUTOINJECTOR... 83	ZILBRYSQ... 159	zonisamide... 36
ZEGALOGUE SYRINGE... 83	zileuton... 181	ZORTRESS... 159
ZEGERID... 127	ZILRETTA... 134	ZORVOLEX... 18
ZEJULA... 62	ZILXI... 116	ZORYVE... 116
ZELAPAR... 66	ZIMHI... 21	ZOSYN IN DEXTROSE (ISO-OSM)... 30
ZELBORAF... 62	zingiber... 169	zovia 1-35 (28)... 144
ZELSUVMI... 116	ZIOPTAN (PF)... 173	ZOVIRAX... 76
zelvysia... 130	ziprasidone hcl... 70	ZTALMY... 36
ZEMAIRA... 130	ziprasidone mesylate... 70	ZTLIDO... 20
ZEMBRACE SYMTOUCH... 47	ZIPSOR... 18	ZUBSOLV... 21

ZULRESSO... 40  
zumandimine (28)... 144  
ZUNVEYL... 37  
ZURNAI... 21  
ZURZUVAE... 40  
ZYCLARA... 116  
ZYDELIG... 63  
ZYKADIA... 63  
ZYLET... 173  
ZYLOPRIM... 45  
ZYMFENTRA... 159  
ZYNLONTA... 63  
ZYNRELEF... 169  
ZYNYZ... 63  
ZYPITAMAG... 101  
ZYPREXA RELPREV... 70  
ZYPREXA... 70  
ZYTIGA... 63  
ZYVOX... 30

## Notice of Availability - Auxiliary Aids and Services Notice

English: Free language, auxiliary aid, and alternate format services are available.  
Call **877-320-1235 (TTY: 711)**.

العربية [Arabic]: تتوفر خدمات اللغة والمساعدة الإضافية والتنسيق البديل مجانًا. اتصل على الرقم **877-320-1235 (الهاتف النصي: 711)**.

Հայերեն [Armenian]: Հասանելի են անվճար լեզվական, աջակցման և այլընտրանքային ձևաչափի ծառայություններ: Չանգահարե՛ք՝ **877-320-1235 (TTY: 711)**:

বাংলা [Bengali]: বিনামূল্যে ভাষা, আনুষঙ্গিক সহায়তা, এবং বিকল্প বিন্যাসে পরিষেবা উপলব্ধ।  
ফোন করুন **877-320-1235 (TTY: 711)** নম্বরে।

简体中文 [Simplified Chinese]: 我们可提供免费的语言、辅助设备以及其他格式版本服务。  
请致电 **877-320-1235 (听障专线: 711)**。

繁體中文 [Traditional Chinese]: 我們可提供免費的語言、輔助設備以及其他格式版本服務。  
請致電 **877-320-1235 (聽障專線: 711)**。

Kreyòl Ayisyen [Haitian Creole]: Lang gratis, èd oksilyè, ak lòt fòm sèvis disponib. Rele **877-320-1235 (TTY: 711)**.

Hrvatski [Croatian]: Dostupni su besplatni jezik, dodatna pomoć i usluge alternativnog formata. Nazovite **877-320-1235 (TTY: 711)**.

فارسی [Farsi]: خدمات زبان رایگان، کمک های اضافی و فرمت های جایگزین در دسترس است. با **877-320-1235 (TTY: 711)** تماس بگیرید.

Français [French]: Des services gratuits linguistiques, d'aide auxiliaire et de mise au format sont disponibles. Appeler le **877-320-1235 (TTY: 711)**.

Deutsch [German]: Es stehen kostenlose unterstützende Hilfs- und Sprachdienste sowie alternative Dokumentformate zur Verfügung. Telefon: **877-320-1235 (TTY: 711)**.

Ελληνικά [Greek]: Διατίθενται δωρεάν γλωσσικές υπηρεσίες, βοηθήματα και υπηρεσίες σε εναλλακτικές προσβάσιμες μορφές. Καλέστε στο **877-320-1235 (TTY: 711)**.

ગુજરાતી [Gujarati]: નિ:શુલ્ક ભાષા, સહાયક સહાય અને વૈકલ્પિક ફોર્મેટ સેવાઓ ઉપલબ્ધ છે.  
**877-320-1235 (TTY: 711)** પર કોલ કરો.

עברית [Hebrew]: שירותים אלה זמינים בחינם: שירותי תרגום, אביזרי עזר וטקסטים בפורמטים חלופיים.  
נא התקשר למספר **877-320-1235 (TTY: 711)**

हिन्दी [Hindi]: नि:शुल्क भाषा, सहायक मदद और वैकल्पिक प्रारूप सेवाएं उपलब्ध हैं।  
**877-320-1235 (TTY: 711)** पर कॉल करें।

Hmoob [Hmong]: Muaj kev pab txhais lus, pab kom hnov suab, thiab lwm tus qauv pab cuam. Hu **877-320-1235 (TTY: 711)**.

Italiano [Italian]: Sono disponibili servizi gratuiti di supporto linguistico, assistenza ausiliaria e formati alternativi. Chiama il numero **877-320-1235 (TTY: 711)**.

日本語 [Japanese]: 言語支援サービス、補助支援サービス、代替形式サービスを無料でご利用いただけます。**877-320-1235 (TTY: 711)** までお電話ください。

This notice is available at <https://www.humana.com/legal/multi-language-support>.

GHHNOA2025HUM\_0425

**ភាសាខ្មែរ [Khmer]: សេវាកម្មផ្នែកភាសា ជំនួយ និង សេវាកម្មជាន់ប្រដាប់ផ្សេងៗជំនួសអាច  
រកបាន។ ទូរសព្ទទៅលេខ 877-320-1235 (TTY: 711)។**

**한국어 [Korean]: 무료 언어, 보조 지원 및 대체 형식 서비스를 이용하실 수 있습니다.  
877-320-1235 (TTY: 711)번으로 문의하십시오.**

**ພາສາລາວ [Lao] ມີການບໍລິການດ້ານພາສາ, ອຸປະກອນຊ່ວຍເຫຼືອ ແລະ ຮູບແບບທາງເລືອກອື່ນ  
ໃຫ້ໃຊ້ພໍ. ໂທ 877-320-1235 (TTY: 711).**

**Diné [Navajo]: Saad t'áa' jiik'eh, t'áadoole'é binahjí' bee adahodoonííígíí diné bich'í'  
anidahazt'í'í, dóo' łahgo át'éego bee hada'dilyaaígíí bee bika'aanída'awo'í dahóló. Kohjí'  
hodúlnih 877-320-1235 (TTY: 711).**

**Polski [Polish]: Dostępne są bezpłatne usługi językowe, pomocnicze i alternatywne formaty.  
Zadzwoń pod numer 877-320-1235 (TTY: 711).**

**Português [Portuguese]: Estão disponíveis serviços gratuitos de ajuda linguística auxiliar e  
outros formatos alternativos. Ligue 877-320-1235 (TTY: 711).**

**ਪੰਜਾਬੀ [Punjabi]: ਮੁਫਤ ਭਾਸ਼ਾ, ਸਹਾਇਕ ਸਹਾਇਤਾ, ਅਤੇ ਵਿਕਲਪਿਕ ਫਾਰਮੈਟ ਸੇਵਾਵਾਂ ਉਪਲਬਧ ਹਨ।  
877-320-1235 (TTY: 711) 'ਤੇ ਕਾਲ ਕਰੋ।**

**Русский [Russian]: Предоставляются бесплатные услуги языковой поддержки,  
вспомогательные средства и материалы в альтернативных форматах. Звоните по номеру  
877-320-1235 (TTY: 711).**

**Español [Spanish]: Los servicios gratuitos de asistencia lingüística, ayuda auxiliar y  
servicios en otro formato están disponibles. Llame al 877-320-1235 (TTY: 711).**

**Tagalog [Tagalog]: Magagamit ang mga libreng serbisyong pangwika, serbisyo o device na  
pantulong, at kapalit na format. Tumawag sa 877-320-1235 (TTY: 711).**

**தமிழ் [Tamil]: இலவச மொழி, துணை உதவி மற்றும் மாற்று வடிவ சேவைகள் உள்ளன.  
877-320-1235 (TTY: 711) ஐ அழைக்கவும்.**

**తెలుగు [Telugu]: ఉచిత భాష, సహాయక మద్దతు, మరియు ప్రత్యామ్నాయ ఫార్మాట్ సేవలు  
అందుబాటులో గలవు. 877-320-1235 (TTY: 711) కి కాల్ చేయండి.**

**اردو [Urdu]: مفت زبان، معاون امداد، اور متبادل فارمیٹ کی خدمات دستیاب ہیں۔ 877-320-1235 (TTY: 711)**

**Tiếng Việt [Vietnamese]: Có sẵn các dịch vụ miễn phí về ngôn ngữ, hỗ trợ bổ sung và định  
dạng thay thế. Hãy gọi 877-320-1235 (TTY: 711).**

**አማርኛ [Amharic]: ቋንቋ፣ አገዥ ማዳመጫ እና አማራጫ ቅርፀት ያላቸው አገልግሎቶችን ይገኛሉ። በ  
877-320-1235 (TTY: 711) ላይ ይደውሉ።**

**Bàsà` [Bassa]: Wuḍu-xwíníín-mú-zà-zà kùà, Hwòdò-fàńo-nyo, kè nyo-boŭn-po-kà bɛ́ bɛ́  
nyuɛɛ se wídí péè-péè dò ko. 877-320-1235 (TTY: 711) dá.**


**Bekee [Igbo]: Asụsụ n'efu, enyemaka nkwarụ, na ọrụ usoro ndị ọzọ dị. Kpọọ 877-320-1235  
(TTY: 711).**

**Òyìnbó [Yoruba]: Àwọn isẹ̀ àtilẹ̀hìn ìrànጓwọ̀ èdè, àtì ọ̀nà kíkà mírán wà lárọ̀wọ̀tọ̀. Pe  
877-320-1235 (TTY: 711).**

**नेपाली [Nepali]: भाषासम्बन्धी निःशुल्क, सहायक साधन र वैकल्पिक फार्मेट (ढाँचा/व्यवस्था)  
सेवाहरू उपलब्ध छन् । 877-320-1235 (TTY: 711) मा कल गर्नुहोस् ।**







This formulary was updated on 02/02/2026. For more recent information or other questions, please contact the Humana Medicare Employer Plan Customer Care Team with any questions at the number on the back of your membership card or, for TTY users, 711, Monday through Friday, from 8 a.m. - 9 p.m., Eastern time. Our automated phone system is available after hours, weekends, and holidays. Our website is also available 24 hours a day, 7 days a week, by visiting **Humana.com**.

GRP038PDG2680026C\_v1

